

Bench-Scale Development of a Hybrid Membrane-Absorption CO₂ Capture Process

Brice Freeman

Membrane Technology & Research, Inc.


2014 NETL CO₂ Capture Technology Meeting Pittsburgh, PA July 31, 2014

Hybrid Project Overview

- Award name: Bench-Scale Development of a Hybrid Membrane-Absorption CO₂
 Capture Process (DE-FE0013118)
- **Project period:** 10/1/13 to 9/30/16
- Funding: \$3.0 million DOE + \$0.75 million cost share
- DOE-NETL Project Manager: Mike Mosser
- Participants: MTR, University of Texas at Austin
- Overall goal: Evaluate a hybrid post-combustion CO₂ capture process for coal-fired power plants that combines membrane and amine absorption/stripping technology.
- **Project plan:** The key project work organized by budget period is as follows:
 - BP1: Develop process simulation and initial cost study for the hybrid process, and fabricate a membrane test unit.
 - BP2: Upgrade the SRP pilot plant. Conduct comprehensive parametric tests of technologies separately at MTR and UT Austin, covering full range of operating conditions expected for the hybrid design. Refine simulations and prepare for operation of the integrated membrane—absorption system.
 - BP3: Run full parametric test program on integrated hybrid unit at UT-Austin.
 Use test data to refine simulations and conduct TEA.




Motivation for the Hybrid Capture Process





Example Hybrid Capture Systems




Depending on the arrangement, the selective recycle membrane can:

- Significantly increase the concentration of CO₂ in flue gas, and;
- Reduce the removal requirements for the capture unit (Series)
- Reduce the volume of gas sent to the capture unit (Parallel)




Minimum Energy of Separation for the Hybrid Partner

Thermodynamic Minimum Energy of Separation




5 m Piperazine (PZ) Advanced Flash Stripper, (5 m PZ AFS)





MTR's 100 m² Membrane Module




MTR's Process Model Assumptions

- Power plant performance based on NETL Case #11.
- Fixed coal input rate.
- Fixed CO₂ generation rate.
- System CO₂ capture rate is 90% for all cases.
- Membrane: CO₂ 2,000 GPU; CO₂/N₂ selectivity 50.
- Pressure drop in the feed and sweep side = 3 psi (0.2 bar)
- O₂ concentration in combustion air entering the boiler is 18% for retrofit and 17% for new build.
- Membrane is modeled in ChemCAD, PZ Capture Plant in Aspen (Independence model).




Initial Modeling of Series Hybrid With PZ (Case 13, Case 14)



90% Capture Rate for the Entire System Absorption process removes 60% CO₂.



Factors Affecting O₂ Concentration in the Combustion Air



O₂ Concentration in the Combustion Air (Permeate) is a factor of:


- CO₂ dilution
- N₂ dilution
- Water dilution
- O₂ Loss
- Design condition is 18% O₂ in the combustion air for retrofit and 17% O₂ for new build applications.

Hybrid Series Modeling Results

- The Hybrid Series Configuration:
 - Requires a minimum of 70% removal by amine process (original estimates were 50-60%)
 - Minimum O₂ concentration in the combustion air
 (17% Greenfield / 18% Brownfield) limits the CO₂
 concentration in the flue gas to between 16 and 18%
 - Membrane unit is exposed to PZ vapor in the absorber overhead gas stream



Initial Modeling of Hybrid Parallel (Case 18, Case 19)



90% Capture Rate for the Entire System Absorption process removes 95% CO₂ from partial stream



Hybrid Parallel Modeling Results

- The Hybrid Parallel Configuration:
 - Requires a minimum of 53% (Case 18) to 65%
 (Case 19) of the flue gas directed to the absorber (balance to membrane contactor).
 - Minimum O₂ concentration in the combustion air (17% Greenfield / 18% Brownfield) does not limit the CO₂ concentration potential in the flue gas – 20.7% for Case 18, 24% for Case 19



Observations

- The Hybrid-Series configuration is limited by the boiler O₂ concentration requirement.
- Hybrid-Parallel can get up to 24% CO₂ concentration in the flue gas.
- High lean loading conditions lead to high solvent circulation rates, which increase the area requirements for mass and heat transfer surfaces, thereby increasing equipment cost.
- 5 m PZ at 20%+ CO₂ concentration shows marginally higher rich loadings compared to 13% CO₂. A higher capacity solvent would take advantage of the high inlet CO₂ concentration.



Next Steps

- Prepare updated model runs on Hybrid Parallel at 95% and 99% Absorber removal rates, and for normal and "overstripped" lean loadings.
- Examine the same cases using 5 m PZ / 5 m MDEA (higher solvent capacity).
- Prepare the low pressure drop, plateand-frame, membrane test skid.
- Prepare SRP for the addition of a third section of packing and water wash section.





Acknowledgements

- Funding from DOE NETL under contracts:
 - DE-FE0013118
 - DE-FE0007553
 - DE-FE0005795
 - DE-NT0005312
- UT's CO₂ Capture Pilot Plant Project (C2P3)











Hybrid Project Team







DOE-NETL:

Mike Mosser (Federal Project Manager)

MTR:

- Brice Freeman (PI)
- Richard Baker (Technical Advisor)
- Jay Kniep (Research Manager)
- Saurabh Pande (Sr. Mechanical Engineer)
- Pingjiao "Annie" Hao (Sr. Research Scientist)

U. Texas - Austin:

- Gary Rochelle (co-PI)
- Eric Chen (Research Associate)
- Frank Seibert (Sr. Research Engineer)
- Darshan Sache (Graduate Student)
- Yu-jeng Lin (Graduate Student)
- Yue Zhang (Graduate Student)
- Junyuan Ding (Graduate Student)

