

Coupled HCTM Phenomena

From Pore-scale Processes to Macroscale Implications

DE-FE0001826

J. Carlos Santamarina
Georgia Institute of Technology

U.S. Department of Energy
National Energy Technology Laboratory
Carbon Storage R&D Project Review Meeting
Developing the Technologies and Building the
Infrastructure for CO₂ Storage
August 21-23, 2012

Presentation Outline

Project Overview: *The Proposal*

Accomplishments: **HTCM Coupled Processes**

Appendices: **Contact Information**

Schedule

Bibliography

Presentation Outline

Project Overview: *The Proposal*

Accomplishments: **HTCM Coupled Processes**

Appendices: **Contact Information**

Schedule

Bibliography

Relevance

"Faustian bargain"?

long-term CO₂ geo-storage needed (C-economy + climate change)
but, it must be reliable in the long time scales

High early probability of failure

new engineering solutions: high initial P_f (emergence phenomena)

Main concerns

complex geo-plumbing

unanticipated coupled hydro-chemo-thermo-mechanical processes
unrecognized emergent phenomena (including positive feedbacks)

Without paralyzing critically needed CCS, make all efforts to

anticipate potential challenges
develop proper engineering solutions

This has been the purpose of this research

Project Objectives / Goals

better understanding of **fundamental processes and couplings** that may either hinder or enhance the **long-term C-geological storage**

To reach this goal, we will:

- explore the geomechanical consequences of *HCTM* on geo-storage of CO₂
- identify emergent phenomena
- bound the parameter-domain for efficient injection and safe long-term storage

Approach combines:


- fundamental pore and particle-scale experimental studies
- upscaling numerical simulations
- macroscale numerical modeling

1D


2D

3D - σ'

Contact



*grain-grain
dissolution*




DEM - PFC

Short Capillary




*Interface
diffusion*

Droplet



*surface tension
contact angle
solubility*

Long Capillary



mixed fluid


$$\frac{\partial}{\partial t} [\rho_g S_g] \phi + \nabla \cdot [\rho_g \mathbf{q}_g] \sim f^m$$

Analytical

2D Cell



*2D observations
2D invasion
transients*



FEM: Code-bright

Sediment



*sediment
fracture*

Project Team



N Espinoza (ENPC)
 θ T_s CO_2 - CH_4 Clays



SH Kim
HC coupling - NM



A. Sivaran
leaks - cements



H.S. Shin (Ulsan U)
Dissolution DEM



ES Bang (KIGAM)
Monitoring



J.W. Jung (LSU)
 CO_2 - CH_4



J. Jang (WSU)
Network Models



M.S. Cha
Dissolution - DEM

Presentation Outline

Project Overview: *The Proposal*


Accomplishments: **HTCM Coupled Processes**

Appendices: **Contact Information**


Schedule

Bibliography

Reservoir - Zones



Reservoir - Zones




CO₂ plume thickness (without a trap)

$$p_{\text{CO}_2} - p_w = H_{\text{CO}_2} (\rho_w - \gamma_{\text{CO}_2})$$


$$p_{\text{CO}_2} - p_w = \frac{2T_s}{R_{\text{pore}}}$$

$$\frac{k_{\text{perm}}}{md} \approx 2 \left(\frac{R_{\text{pore}}}{\mu\text{m}} \right)^2$$


after Bachu and Bennion (2008)




$$H_{\text{CO}_2} = \frac{2T_s}{R_{\text{pore}} (\rho_w - \gamma_{\text{CO}_2})}$$






CO₂ Dissolution and H₂O Acidification




CO₂ Solubility in Water







Surface Tension and Contact Angle




Surface Tension



Contact Angle






Invasion = Viscosity + Capillarity






(Modified from Lenormand et al 1988)


Surfactant

Surfonic POA-25R2



Engineered Injection







$(CO_2 + H_2O) + Mineral$

Water in CO₂


acidification → *dissolution* → *drying* → *precipitation*



Calcite substrate



Mass Balance Analyses



Mass balance:

$$\text{CO}_2: \quad M_{CO_2}^{<1>} = \phi^{<1>} \cdot (1 - S_B) \cdot V_T^{<1>} \cdot \rho_{CO_2}^{<1>}$$

$$\text{Brine:} \quad M_B^{<1>} = \phi^{<1>} \cdot S_B \cdot V_T^{<1>} \cdot \rho_B^{<1>}$$

$$\text{Mineral:} \quad M_M^{<1>} = (-\phi^{<1>}) \cdot V_T^{<1>} \cdot \rho_M^{<1>} + C_M^{<1>} \cdot \phi^{<1>} \cdot S_B \cdot V_T^{<1>} \cdot \rho_B^{<1>}$$

$$\text{Salt:} \quad M_S^{<1>} = C_S^{<1>} \cdot \phi^{<1>} \cdot S_B \cdot V_T^{<1>} \cdot \rho_B^{<1>}$$

$$M_{CO_2}^T = M_{CO_2}^{CO_2} + M_{CO_2}^B$$

$$M_B^T = M_B^B + M_W^{CO_2}$$

$$M_M^T = M_M^M + M_M^B$$

$$M_S^T = M_S^S + M_S^B$$

Final volume


$$V_{CO_2}^{<2>} = \frac{M_{CO_2}^{<2>}}{\rho_{CO_2}^{<2>}}$$

$$V_B^{<2>} = \frac{M_B^{<2>}}{\rho_B^{<2>}}$$


$$V_M^{<2>} = \frac{M_M^{<2>}}{\rho_M^{<2>}}$$

Mineral Dissolution


Normalized change
in mineral volume
 $\leq 0.2\%$



Increase in
brine density
 $\leq 1.2\%$



Convection



Convection time

$$t_{\text{conv}} = \frac{\mu H_R}{k \Delta\gamma}$$


Case: $k = 200 \text{ md}$ $H_R = 10 \text{ m}$

$t_{\text{conv}} \approx 9 \text{ years}$

Bending Failure in Caprock

Maximum tensile stress σ_{tmax} :

$$\frac{\sigma_{tmax}}{\sigma_y} = 3\pi_1\pi_2 \left\{ \frac{1}{4}\pi_2 + \frac{6 - (\pi_2\pi_3)^2}{6\pi_3(2 + \pi_2\pi_3)} \right\}$$




where:

$$\pi_1 = \frac{\gamma_c z_c}{\sigma_y}$$



$$\pi_2 = \frac{L_{free}}{H_c}$$

$$\pi_3 = \lambda H_c$$

$$\lambda = \sqrt[4]{\frac{k_r}{4E_c I_c}}$$




Mineral Dissolution - Implications




DEM Simulation

2D - diameter gradually reduced - 20% of particles




Shear load





1



2




3




Emergent: Shear Localization



Contact Force Chains




Displacement vectors



Strain field



Dissolution Rate




Calcite: $k_d = k_1[H^+] + k_2[CO_{2(aq)}]$


Anorthite: $k_d = k_H[H^+]^{1.5} + k_{H_2O} + k_{OH}[OH^-]^{0.33}$

Kaolinite: $k_d = k_H[H^+]^{0.4} + k_{OH}[OH^-]^{0.3}$

Single Rock Joint / Pore Scale (FEM)






Network Simulation: Non-Reactive






Network Simulation: Storage Reservoir

Normalized change in tube diameter $\Delta d/d_0$



Normalized change in flow rate $\Delta q/\Delta q_{0,max}$





(a) $Da \sim 10^{-3}$ ($i_h=10$)


(b) $Da \sim 10^{-4}$ ($i_h=100$)

(c) $Da \sim 10^{-5}$ ($i_h=1000$)

Mean Pore Diameter and Flow Rate



Reactive Fluid Transport




Fredd & Fogler 1988, 1998

Fredd & Miller's 2000


Golfier et al. 2002

Fabric map




Kaolinite





Montmorillonite



Clay-CO₂ interaction




Clay-CO₂ interaction





κ'	78.5	56	1.385	1.167	1.167
A_H	0.98	0.73	0.42	3.14	3.14

Breakthrough – Healing (self-healing?)



Caprock: Chattanooga Shale




OD= 40mm

ID= 3.17mm


Height: $25\text{mm} < h < 35\text{mm}$

Caprock: Chattanooga Shale


Initial breakthrough test





After sealing treatments



Carbon geological storage




Gas replacement in hydrates




Gas replacement in hydrates

CH₄ Hydrate flooded by liquid CO₂ P=6MPa, T=275K




Gas replacement in hydrates




Carbon geological storage

Capillarity $C = \frac{v \mu_{CO_2}}{\sigma \cos \theta}$



T. Hamida – U. Calgary

Viscosity $M = \frac{\mu_{CO_2}}{\mu_{water}}$



Buoyancy $B = \frac{(\gamma_w - \gamma_{CO_2}) k_w}{\sigma \cos \theta}$



Péclet

$$Pe = \frac{v l}{D}$$



Damköhler $Da = \frac{\alpha l}{v}$

Convection /Advection

$$X = \frac{\mu v}{k \Delta \gamma}$$



Summary: HCTM phenomena

Complex HCTM material properties and couplings

Potential development of positive feedback mechanisms

Caution: poor understanding of some "common" processes

New emergent phenomena in CO₂ geologic storage

Engineered injection

Sealing strategies (promote self-healing conditions)

CO₂-CH₄ replacement



Presentation Outline

Project Overview: *The Proposal*

Accomplishments: **HTCM Coupled Processes**

Appendices: **Contact Information**

Schedule

Bibliography

Contact Information

J. Carlos Santamarina

404-894-7605

ics@gatech.edu

<http://pmrl.ce.gatech.edu/>

Project Schedule

Calendar Year	2010				2011				2012			
	Mar	Jun	Sept	Dec	Mar	Jun	Sept	Dec	Mar	Jun	Sept	Dec
Task #1 - Project Management and Planning	Team											
Task #2 - Experimental studies 2.1 Pore scale												
2.2 Dissolution												
2.3 Breakthrough / Self-heal												
Task #3 - Analyses – Scales – Parameter Domain												
Task #4 - Numerical Upscaling 4.1 Pore-scale phenomena												
4.2 Particle-scale phenomena												
Task #5 - Numerical Simulation: Coupled HCTM Processes												

Graduate Students (funded by this project)

	PhD 1: D. N. Espinoza (Numerical)
	PhD 2: S. Kim (Experimental)
	Carlos Santamarina

Bibliography

Theses

- Seunghee Kim (2012). Carbon Geological Storage – CHM Coupling
- Nicolas Espinoza (2011). CO₂ sequestration – Fundamental Studies.
- Minsu Cha (2012). Mineral Dissolution - Implications.
- Jaewon Jang (2011). Gas Production from Methane Hydrates
- Jong Won Jung (2010). Gas Production from Methane Hydrates.
- Hosung Shin (2009). Discontinuities.

Journal Papers (6 additional papers in preparation – Contact PI)

- Espinoza, D.N. and Santamarina J.C., Clay interaction with liquid and supercritical CO₂: The relevance of electrical and capillary forces, International Journal of Greenhouse Gas Control (submitted).
- Espinoza, D.N. and Santamarina J.C. (2010), Water-CO₂-mineral systems: interfacial tension, contact angle and diffusion – Implications to CO₂ geological storage, Water Resources Research, vol. 46, DOI: 10.1029/2009WR008634.
- Espinoza, D.N., Kim, S.H., Santamarina, J.C. (2011), Carbon Geological Storage, KSCE Journal of Civil Engineering, vol. 15, no. 4, pp. 707-719.
- Espinoza, D.N. and Santamarina, J.C. (2011), P-wave monitoring of hydrate-bearing sand during CH₄-CO₂ replacement, Int. J. Greenhouse Gas Control, doi:10.1016/j.ijggc.2011.02.006.
- Jung, J.W., Espinoza, D.N. and Santamarina, J.C. (2010), Hydrate Bearing Sediments: CH₄-CO₂ Replacement, Journal of Geophysical Research, vol. 115, B10102, doi:10.1029/2009JB000812
- Jung, J.W. and Santamarina, J.C. (2010), CH₄-CO₂ Replacement in Hydrate-Bearing Sediments: A Pore-Scale Study, G-Cubed Geochemistry, Geophysics and Geosystems, Vol. 11, Q0AA13, doi:10.1029/2010GC003339.
- Shin, H., Santamarina, J.C. and Cartwright, J. (2010), Displacement Field In Contraction Driven Faults, J. Geophysical Research, 115, B07408, doi:10.1029/2009JB006572.
- Shin H. and Santamarina J.C. (2009). Mineral Dissolution and the Evolution of k_0 . J. Geotechnical and Geoenvironmental Eng. ASCE, vol. 135, no. 8, pp. 1141-1147.
- Jang, J., Narsilio, G. and Santamarina, J.C. (2011), Hydraulic Conductivity in Spatially Varying Media -A Pore-Scale Investigation, Geophysical Journal International, vol. 184, pp. 1167-1179