



EVALUATION OF
DEVONIAN SHALE POTENTIAL
IN
OHIO

Morgantown
United States Department of Energy
Technology
Center

**EVALUATION
OF THE
DEVONIAN SHALE POTENTIAL
IN
OHIO**

Prepared for publication by:

TETRA TECH, INC.
Columbus, Ohio
under U.S. Department of Energy
Contract Number DE-AC21-79MC10389

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.

PREFACE

This report is a geologic screening effort to evaluate areas within Ohio that contain sufficient geologic and geochemical characteristics to warrant industry exploration activity. The results are an integration of contractor report data, maps, and logs generated in the Eastern Gas Shales Project. The areas outlined as favorable in this report are those in which the likelihood of encountering gas is greater than elsewhere. Within these areas, local geologic and geochemical factors must be considered as they can dictate success or failure. It is hoped that this information will guide industry activity to the areas of high shale gas potential.

C.A. Komar
Project Manager
Eastern Gas Shales

ACKNOWLEDGEMENTS

Participants in the accumulation, synthesis, and interpretation of data for the Ohio screening report included:

Tetra Tech, Inc.
Science Applications, Inc.

The assistance and cooperation received from representatives of all Federal, State and local agencies is gratefully acknowledged.

CONTENTS

	Page
Introduction	1
Summary and conclusions	1
Geologic setting	2
Stratigraphy	5
Olentangy Shale	5
Ohio Shale	8
Bedford Shale	9
Structure	9
Geochemistry	11
Thermal maturity	11
Organic content	11
Outgas volume	14
Fracture and producibility indicators	14
Radioactive shales	14
Siltstone lithologies	17
Prediction of natural fractures	17
Fracture gradient-stress ratio	18
Well stimulation technology	18
Gas production	20
Historical	20
Current	20
Future	24
East-central area	24
Lake Erie shoreline area	28
Exploiting the Devonian shales through dual completions	28
References	31
Appendix A	
Appendix B	

ILLUSTRATIONS

Plate I.	Fence diagram of the Devonian shales in eastern Ohio	In pocket
		Page
Figure	1. Generalized occurrence of the Devonian shales in eastern Ohio	3
	2. Thickness of the Devonian shales in eastern Ohio	3
	3. Elevation of the top of the Devonian shales in eastern Ohio	4
	4. Elevation of the base of the Devonian shales in eastern Ohio	4
	5. Stratigraphic column and schematic of the relative thickness changes of the Devonian shales in eastern Ohio	6

6.	Typical gamma ray-neutron log response of a well drilled through the Devonian shales in central Ohio	7
7.	Major structural elements affecting the deposition of the Devonian shales	10
8.	Thermal maturity of the Devonian shales as indicated by vitrinite reflectance	13
9.	Distribution of organic carbon content (weight percent) in the lower Huron submember of the Ohio Shale	13
10.	Areas of established production and shows superimposed on a map showing the combined net thickness of the radioactive facies of the Rhinestreet, Huron, and Cleveland Shales	16
11.	Structure/stress ratio relationships within the Appalachian basin	19
12.	Map showing total Devonian shale producing wells	21
13.	Areas of established production and reported shows in the Devonian shales	22
14.	Areas of established Devonian shales production and structural features in Washington County	24
15.	Map showing favorable areas for Devonian shale exploration	27
16.	Schematic diagram of a single packer, single tubing dual completion	30

TABLES

		Page
Table	1. Geochemical data of Ohio wells	12
	2. Outgas data--Knox County, Ohio, well (control no. OH 3)	15
	3. Outgas data--Washington County, Ohio, well (control no. R-109)	15
	4. Outgas data--Mason County, West Virginia, well	15
	5. Partial list of EGSP wells in Ohio	25
	6. Devonian Shale resource assessment for eastern Ohio	26
	7. Counties within the East-Central Ohio Area	29
	8. Counties within the Lake Erie Shoreline Area	29

INTRODUCTION

Dark, organic-rich Devonian shales--distributed across more than 10 states from Illinois to Pennsylvania and Michigan to Mississippi, in the contiguous Appalachian, Illinois, and Michigan basins--represent an important natural gas resource. A recent authoritative estimate indicates in-place reserves of gas, entrapped in the matrix and fracture systems of the shale, at 277 to 900 trillion cubic feet (Tcf). Of this, about 20-50 Tcf of gas are expected to be recoverable using presently available methods in the Appalachian basin. Estimates of reserves in the Illinois and Michigan basins are not yet determined (Pulle and Seskus, 1980).

Although geologic and engineering evidence indicates that the volume of natural gas in the eastern Devonian shales is enormous, little of the gas can be recovered by conventional methods. Production to date has been limited to areas where fracturing is present and geochemical parameters are favorable. As a result, although production of gas from Devonian black shales began in 1821 with the drilling of a well near Fredonia, New York, only about 2.5 Tcf of gas have been produced; most (2 Tcf) came from the Big Sandy gas field in eastern Kentucky (Hunter and Young, 1953). Additional production of gas from these eastern gas shales depends on identifying favorable areas for exploration and developing new stimulation techniques that will enhance the rate of gas recovery.

To evaluate the potential of the Devonian shale as a source of natural gas, the U.S. Department of Energy (DOE) has undertaken the Eastern Gas Shales Project (EGSP). The EGSP is designed not only to identify the resource, but also to test improved methods of inducing porosity and permeability to facilitate gas drainage, collection, and production. The ultimate goal of this project is to increase the production of gas from the eastern shales through advanced exploration and exploitation techniques.

The purpose of this report is to inform interested oil and gas operators about EGSP results as they pertain to the Devonian gas shales of the Appalachian basin in eastern Ohio. Geologic data and interpretations are summarized, and areas where the accumulation of gas may be large enough to justify commercial production are outlined. Because the data presented in this report are generalized and not suitable for evaluation of specific sites for exploration, the reader should consult the various reports cited for more detail and discussion of the data, concepts, and interpretations presented. A complete list of EGSP sponsored work pertinent to the Devonian shales in Ohio is contained as an appendix to this report.

SUMMARY AND CONCLUSIONS

Commercial quantities of gas are likely to occur within closely spaced natural fracture systems close to, or within, organic-rich source beds. Four principal source beds have been identified within the shales of eastern Ohio. Ranked in order of importance, based on their geographic distribution and thickness, they are the Huron, Rhinestreet, Cleveland, and Marcellus Shales. Within each of these zones, there is believed to be a

north-south trending area of most favorable shale lying between immature shales to the west and shales too organically lean to the east.

Closely spaced localized fracturing of the Devonian shale sequence is likely to occur along two regional trends in eastern Ohio: the Cambridge arch and the Lake Erie shoreline. Operators drilling within these areas, or near any structurally disturbed area, should evaluate and test shale zones that exhibit indications of being naturally fractured.

Dual completion techniques offer a low-cost means of exploiting the Devonian shales in Ohio. The technology has been tested and, where ideal conditions exist, is well-suited for dual development of the shale and the Clinton sandstone.

GEOLOGIC SETTING

The Devonian shales of Ohio comprise the stratigraphic sequence overlying the Onondaga Limestone, or driller's "Big Lime" (Middle Devonian), and underlying the Berea Sandstone (Lower Mississippian). These shales are present in three areas of the state (fig. 1). The smallest area, the Bellefontaine outlier, is located in eastern Logan and Champaign Counties. A second area, in northwest Ohio, includes all or parts of Lucas, Henry, Defiance, Fulton, and Williams Counties. The Devonian shales in these two areas are not considered potential sources of commercial supplies of natural gas since they are relatively thin and lack adequate cover to allow the use of advanced stimulation techniques.

The largest and most favorable area for future gas supplies from the Devonian shales lies in eastern Ohio. In this area, the shales outcrop along a belt that extends from Adams County in southern Ohio to Erie County in the north. The belt continues in an eastward direction paralleling the southern shore of Lake Erie and extending into western Pennsylvania and New York.

For more than a century, this eastern area has been widely explored and developed by the petroleum industry. Tens of thousands of wells have been, and are being, drilled to targets underlying the shales (generally the lower Silurian Clinton-Medina sandstones). These wells have provided a great deal of information about the structural configuration and stratigraphy of the shales.

As shown in figure 2, the Devonian shale sequence thickens eastward from about 400 feet in the central part of the state to more than 4,000 feet in Belmont and Jefferson Counties. A southeasterly dip is reflected on the top of shales which descends from about 800 feet above sea level in Cuyahoga County to about 1,500 feet below sea level in eastern Meigs, Gallia, and Lawrence Counties (fig. 3). Since there is a pronounced thickening of the interval to the east, the base of the sequence reflects a steeper dip than the top. The base, at about 600 feet below sea level in Cuyahoga County, plunges to more than 4,300 feet below sea level in Belmont County (fig. 4).




Figure 1. Generalized occurrence of the Devonian shales in Ohio. After Janssens and de Witt (1976).




Figure 2. Thickness of the Devonian shales in eastern Ohio. After Janssens and de Witt (1976).




Figure 3. Elevation of the top of the Devonian shales in eastern Ohio. After Janssens and de Witt (1976).




Figure 4. Elevation of the base of the Devonian shales in eastern Ohio. After Janssens and de Witt (1976).

STRATIGRAPHY¹

The stratigraphy of the Devonian shales of eastern Ohio has been the subject of geologic investigations for more than a century. A comprehensive summary of previous research on the Upper Devonian and Lower Mississippian shales has been prepared by Hoover (1960). Recent investigations include a thorough surface and subsurface stratigraphic investigation of the Devonian shales throughout the central Appalachian basin area by Schwietering (1979) and a reconnaissance study by Janssens and de Witt (1976), focusing on the black shale facies and its relation to Devonian shales gas production. In addition, Potter, et al. (1980) prepared a special report on research, conducted at the University of Cincinnati, dealing with the geology, geochemistry, and petrology of the Devonian shales.

In eastern Ohio, the Devonian shales include, in ascending order, the Olentangy Shale; the Ohio Shale and its members--the Huron, Chagrin, and Cleveland Shales; and the Bedford Shale. Figure 5 is a schematic diagram showing the sequence and its relative configuration.

The different stratigraphic units are identified and correlated in the subsurface by their distinctive signatures as recorded on gamma ray logs. A log showing typical gamma ray responses within the Devonian shales for a well drilled in central Ohio is presented on figure 6.

The stratigraphic relationships of the sequence are illustrated on a fence diagram (plate 1), based on detailed cross sections constructed by Majchszak (1980). The east-west panels of the diagram reflect a general facies transition from predominantly black or dark-colored shales in central Ohio to lighter colored, grayish shales and siltstones in the east. This feature is attributed to an eastward transition of depositional environments, from basinal, deep water regions in the west to a submarine shelf upon which slope turbidites were deposited in the east (Potter, et al., 1980). The north-south cross sections presented on the diagram reflect a characteristic lateral continuity of the stratigraphic units.

Olentangy Shale

The Olentangy Shale, at its type section outcrop in Delaware County, Ohio, is greenish gray and about 30 feet thick. It darkens eastward, and thickens to about 1,200 feet in eastern Ohio. Based on paleontological studies at the outcrop, Tillman (1970) divided the Olentangy into an upper unit of Late Devonian age and a lower unit of Middle Devonian age. The two units are separated by an unconformity. As shown on plate 1, the lower Olentangy thins to the south and is absent in southern Ohio.

Based on gamma ray log correlations, Java, West Falls, Sonyea, and Genesee equivalents have been traced from New York into the upper Olentangy in eastern Ohio. The lower Olentangy is thought to be equivalent to part of the Hamilton Group. A correlation chart for the Ohio and New York terminology is shown on the fence diagram (plate 1).

¹The nomenclature in this report is that accepted by the Ohio Division of Geological Survey and does not necessarily conform to U.S. Geological Survey Usage.




Figure 5. Stratigraphic column and schematic of the relative thickness changes of the Devonian shales in eastern Ohio. After Janssens and de Witt (1976).

Robert C. Swick #1
 Lake Shore Pipe Line Co. and
 Jerry Moore Inc.
 Sec. 17
 Eden Twp.
 Licking Co. Ohio




Figure 6. Typical gamma ray-neutron log response of a well drilled through the Devonian shales in central Ohio. Modified after Schwietering (1979).

In many areas of eastern Ohio, gamma ray logs run through the Olentangy will record two naturally radioactive shales. These units are, in ascending order, the Marcellus and Rhinestreet Shales. The Marcellus is located at the base of the lower Olentangy and has a limited presence in Ohio. The unit is thickest in Monroe County, and thins rapidly westward (Majchszak and Honeycutt, 1980a). The radioactive zone generally is absent in the central areas of the state. The upper radioactive zone is equivalent to the Rhinestreet Member of the West Falls Formation. This unit is more than 200 feet thick in eastern Ohio, thins westward, and is not present in the western areas of eastern Ohio (Honeycutt and Majchszak, 1980).

Ohio Shale

The Ohio Shale has been subdivided into the Huron, Chagrin, and Cleveland Shale Members. The Huron, exposed at its type area along the Huron River near Norwalk, Ohio, consists of about 350 feet of black shale. In the subsurface of eastern Ohio, based on gamma ray characteristics, the unit has been divided into an upper and lower submember.

As illustrated on the fence diagram, the contact between the upper Huron and the overlying Chagrin becomes undistinguishable in eastern Ohio, because of a change in natural gamma ray radiation from radioactive to nonradioactive facies in the upper submember. Consequently, the Huron-Chagrin contact is impossible to establish eastward of the upper Huron facies change.

The lower Huron Submember is distinguishable from the upper Huron by its anomalously high radioactive shale facies. The radioactive facies of the lower Huron continue much further eastward than the upper Huron, although it too undergoes a similar facies change (Majchszak, 1977).

The Huron Shale Member contains the thickest and most widely distributed radioactive shale beds in the state. In several areas of east-central Ohio, this unit is 350 feet thick (Majchszak and Honeycutt, 1980b).

The Chagrin Shale Member outcrops along the Chagrin River in Cuyahoga County and consists of greenish-gray or bluish-gray mudstone. The Chagrin is relatively thin in central Ohio, but, as illustrated on the fence diagram, thickens eastward. In the subsurface, the Chagrin is predominantly a gray to greenish-gray shale containing interbedded siltstones. These eastern Ohio siltstone beds represent the distal fringes of thicker prodelta marine clastics (slope turbidites) that are located in parts of New York, Pennsylvania, and West Virginia.

Within the upper part of the Chagrin, there is a stratigraphic marker, named the Three Lick Bed (Provo, et al., 1978), which has a distinctive lithologic sequence and characteristic gamma ray signature throughout much of the western half of eastern Ohio. Eastward into the state, the gamma ray signature becomes increasingly difficult to recognize until it is lost within the expanding Chagrin section.

The Cleveland Shale Member, in its type area along Doan Brook in Cleveland, consists of 20 to 50 feet of black shale. In the subsurface, the member parallels much of the outcrop belt across central and northeastern Ohio. Characteristically, the Cleveland is naturally radioactive. Its radioactive facies are thickest (more than 100 feet) in southern Lorain and northern Ashland Counties (Majchszak and Honeycutt, 1980c). As

shown on the fence diagram, the Cleveland thins eastward and is absent in the eastern portions of the state.

Bedford Shale

The Bedford Shale is the youngest formation to be included within the Devonian shale sequence. Near Bedford, Cuyahoga County, Ohio, in its type area, the unit consists of 60 feet of red and gray shale. In eastern Ohio, the red shale facies grade laterally into gray shale and siltstone that is lithologically similar to the underlying Chagrin. Where the black shale beds of the Cleveland are not present, the contact between the Bedford and Chagrin cannot be differentiated. Close examination of Majchszak's cross sections (1980) suggests the possibility that, in some areas of eastern Ohio, the Bedford Shale is absent and the overlying Berea Sandstone may rest directly on the Chagrin. However, the Cussewago Sandstone, if present, separates the Bedford from the Chagrin.

In north-central Ohio, the basal few feet of the Bedford Shale contains the conodont Spathognathodus anteposicornis which is Latest Upper Devonian. The rest of the Bedford is Mississippian because it overlies the Mississippian age Cussewago Sandstone in Ashtabula and Trumbull Counties (de Witt, 1970). Because the Bedford is related genetically to the Berea Sandstone, Pepper and others (1954) assigned it to the lower Mississippian. Since the contact between the Bedford and Chagrin cannot be differentiated in eastern Ohio, the Bedford is included within the Devonian shales sequence.

STRUCTURE

The major structural features believed to have affected the deposition of the Devonian shales in Ohio and its bordering states are shown in figure 7. In western Ohio, the Cincinnati Arch is believed to bifurcate into the Findlay Arch, which trends north-northeast through the state, and the Kankakee Arch, which extends northwestward into Indiana and Illinois. These positive structural elements separate, in a general manner, the Appalachian, Michigan, and Illinois basins.

The shale sequence in Ohio represents part of the westward building Catskill delta deposited during middle and late Devonian time. The delta forms a clastic wedge within the Appalachian basin that extends from the Hudson River in eastern New York to eastern Ohio, and from central New York southward to northern Virginia. Although the exact location and nature of the eastern source area of the Catskill delta is not known, most geologists believe the sediments were derived from either the highlands associated with the Acadian orogeny or a stable continental land mass now separated by continental drift.




Figure 7. Major structural elements affecting the deposition of the Devonian shales.

GEOCHEMISTRY

The amount and type of organic matter and its thermal maturity are important geochemical factors affecting the gas potential of the shales. The organic content within specific stratigraphic units decreases eastward, and the thermal maturity increases in the same direction. Potter and others (1980) suggest that for each potential horizon there will be a north-south trending band of favorable shale lying between immature carbon in the west and too little carbon in the east.

Thermal Maturity

The generation of hydrocarbons from organic matter in sedimentary rocks depends largely on length and temperature of burial. The determination of vitrinite reflectance is one of the best methods of estimating the relative maturity of the Devonian shales.

Vitrinite occurs as silt-sized detrital particles within the matrix of the shales. The reflectance of light by vitrinite particles increases with increasing maturity. Particle reflectances are measured as a percentage of a known standard reflectance. A reflectance value of 0.5 is generally regarded the minimum state of maturity for a shale to be able to generate some hydrocarbons.

Vitrinite studies have been conducted on samples from several wells in eastern Ohio by Zielinski and others at the Mound Facility in Miamisburg, Ohio (table 1). As shown on figure 8, the mean thermal maturity for the entire shale interval increases in an eastward-southeastward direction within the state.

Organic Content

The amount of organic content within the shales also is an important factor affecting its potential to produce hydrocarbons. Shales with organic contents exceeding 1.4 weight percent have excellent potential as a hydrocarbon source (Ronov, 1958).

The strata-specific organic content of several shale wells has been measured at the Mound Facility and the University of Cincinnati. Although the organic content of the shales is variable, the black or darker colored shales generally contain significant quantities of organic carbon.

A map showing the organic content of the lower Huron submember of the Ohio Shale is presented on figure 9. The organic carbon decreases dramatically as the black shales grade into lighter colored equivalents in eastern Ohio.

The organic matter within the Devonian shales of the Appalachian basin is a mixture of terrestrial and marine carbon. Carbon isotope studies by Potter and others (1980) indicate that a terrestrial source of carbon predominated to the east and that marine organic matter steadily increases westward. This observation is significant since it suggests that the Cincinnati Arch was probably not emergent during much of the time when the shales were deposited.

Table 1. Geochemistry data of Ohio wells

Control number	Laboratory	Sample number	County	Mean R_o	Lower Huron organic carbon content (weight percent)
1	Mound	R109	Washington	0.58	2.57
2	Mound	OH 1	Carroll	0.71	-
3	Mound	OH 3	Knox	0.56	-
4	Mound	OH 4	Ashtabula	0.45	2.11
5	Cincinnati	OH-R11-4	Richland	-	6.28
6	Cincinnati	OH-DE-1	Delaware	-	-
7	Mound	OH 5	Lorain	0.37	7.94
8	Mound	OH 6-1	Gallia	0.51	2.44
9	Mound	OH 7	Trumbull	0.58	2.14




Figure 8. Thermal maturity of the Devonian shales as indicated by vitrinite reflectance.




Figure 9. Distribution of organic carbon content (weight percent) in the lower Huron submember of the Ohio Shale.

Outgas Volume

The outgas volume, expressed in thousand cubic feet (Mcf) of gas per acre-foot (A-F) of shale, is a measurement of relative gas content of encapsulated samples. Although this is not a measurement of gas in place within the shale, the measurement will differentiate stratigraphic zones of high and low gas content.

Outgassing data have been compiled by the Mound Facility and are available for individual wells drilled in Knox (table 2) and Washington (table 3) Counties. In addition, data were obtained from a well drilled in Mason County, West Virginia (table 4), which borders Gallia and Meigs Counties, Ohio. As can be seen from table 3, the Washington County, Ohio data indicate an anomalously high content of gas; however, there is no reason to suspect the values since two independent analyses were performed on different sets of samples from the zones and the data were self-consistent. These data would indicate that further investigation of the Washington County area is warranted. (The R-109 well was never tested in the shale; it was cased and drilled to a deeper horizon.) (Zielinski, 1981).

FRACTURE AND PRODUCIBILITY INDICATORS

The major gas accumulations within the Devonian shales are thought to occur within closely spaced natural fracture systems and siltstone lithologies close to, or within, the organic-rich source beds. Widely scattered production, however, has been established in a variety of lithologies throughout the region. An examination of fields in several areas suggests that production is largely controlled by local factors, often related to unique geologic events that have fractured the shales.

Radioactive Shales

The dark, organic-rich, naturally radioactive beds within the Devonian shales are considered the principal source of hydrocarbons. An apparent empirical relationship exists between these shales and the occurrence of gas shows and some established production (fig. 10). The higher-than-normal gamma ray radiation observed in these dark beds is attributed to the preferential precipitation of uranium from sea water in the presence of organic matter (Swanson, 1961).

Evidence supporting this premise has been compiled by the staff of the Ohio Geological Survey through a project in which hot-wire gas detectors were installed on a number of wells in eastern Ohio. The early evaluation of this data indicates a high degree of correlation between anomalously high gamma ray log responses, shows of gas as detected by hot-wire gas detectors, and dark shales (Majchszak, 1978).

A series of maps showing the geographic distribution and net thickness of the four principal radioactive shale zones has been prepared by Majchszak and Honeycutt (1980a, b, and c, and Honeycutt and Majchszak, 1980). Ranked in order of importance, based on their distribution and thickness, these zones are the Huron, Rhinestreet, Cleveland, and Marcellus Shales.

Table 2. Outgas data--Knox County, Ohio, well control no. OH 3 (after Zielinski, 1981).

Stratigraphic unit	Interval	Thickness (feet)	Gas volume (Mcf of gas per A-F of shale)	Organic carbon (percent)
Cleveland	579-612	33	1.50	2.86
Three Lick	612-712	100	5.80	-
Huron	712-1154	443	7.80	2.73
Upper Olentangy	1154-1234	80	1.50	0.24
Lower Olentangy	1234-1251	17	3.30	0.42

Table 3. Outgas data--Washington County, Ohio, well control no. R-109 (after Zielinski, 1981).

Stratigraphic unit	Interval	Thickness (feet)	Gas volume (Mcf of gas per A-F of shale)	Organic carbon (percent)
Huron	3491-3580	89	156.99	1.09
Huron	3580-3610	30	353.71	2.86
Huron	3610-3700	90	707.41	1.02

Table 4. Outgas data--Mason County, West Virginia, well (after Zielinski, 1981).

Stratigraphic unit	Interval	Thickness (feet)	Gas volume (Mcf of gas per A-F of shale)	Organic carbon (percent)
Huron	2678-3050	372	11.05	2.43
Java	3050-3159	109	7.67	0.35
West Falls	3159-3407	248	11.26	2.50
Rhinstreet	3329-3407	78	20.38	1.27




Figure 10. Areas of established production and shows superimposed on a map showing the combined net thickness of the radioactive facies of the Rhinestreet, Huron, and Cleveland Shales.

The manner in which hydrocarbons are contained within these organic-rich beds is reflected in the production characteristics of shale wells. Natural gas is absorbed within the organic matter and water, and adsorbed onto the mineral constituents that comprise the matrix of the rock. If natural fractures are present within the shale, the gas will desorb from the matrix and fill the fracture porosity. When a borehole cuts a fractured zone, the gas flows freely, accounting for the "flashy" show of gas that is typical of shale gas wells.

The flush of free gas generally declines rapidly, often within hours or days. The depletion of this gas causes a low-pressure sink within the fractured reservoir surrounding the borehole. The difference in pressure causes the matrix gas to desorb and slowly move toward the natural fractures and, in turn, into the well. This slow diffusion of matrix gas into the fractures accounts for the long-lived, yet low daily deliverability characteristic of shale wells. Annual production for this type of reservoir is about 10 million cubic feet (MMcf), with a modest decline throughout the life of the well.

The 14 active wells operated by the Columbia Gas Transmission Corporation in southern Lawrence County demonstrate these characteristics. Average longevity for these shale wells is approaching 40 years, and average ultimate production per well is estimated at 355 MMcf (Janssens and de Witt, 1976).

Siltstone Lithologies

In several areas in southeastern Ohio, significant quantities of gas are being produced from the siltstone beds (Gordon and Fifth Sand) within the Chagrin Shale Member. The production characteristics of these silty zones are similar to those of coarser grained clastic reservoir rocks. However, the quality of the primary reservoir characteristics (i.e., intergranular porosity and permeability) within these zones is rather poor. Production is believed to be greatly enhanced by many natural fractures within the siltstone and surrounding shale. Production data for estimating reserves in the type of reservoir are not available.

Prediction of Natural Fractures

The porosity within the matrix of the shales is generally less than 3 percent; permeability values generally are 0.005 millidarcy or less (Smith, 1978). Given these primary reservoir characteristics, the production of hydrocarbons from the Devonian shales is controlled largely by the density and openness of natural fractures within the rock. Consequently, the search for shale gas is a search for naturally fractured reservoirs.

Sophisticated geophysical methods of predicting fracture occurrence are available to oil and gas operators. Conventional aerial photography and satellite imagery are becoming reliable tools that can be used to predict jointed, fractured, and/or faulted areas. A LANDSAT lineament study of Ohio is being conducted by R. Struble and D. Hodges of the Ohio Division of Geological Survey. (The results should be available in late 1981.)

Fractured shales often are present in sequences of rocks that have been folded or faulted. For example, over basement faults, the strata flex and fracture due to tensional

stress. Also, along salt pinch-outs where structural arches occur, the rocks may be fractured due to decollement-related thrust faulting. The extent of these fractured zones, however, often is localized and difficult to predict. Prediction methods include seismic analysis and detailed structural mapping on key stratigraphic horizons.

Geologists with the Ohio Division of Geological Survey have prepared detailed structural data base maps on the Packer Shell dolomite for several of the counties in northeastern Ohio. In addition, maps containing structural data for the Berea Sandstone, Onondaga Limestone, and Packer Shell dolomite are being prepared by J. Gray. These maps will be compiled on individual base maps (scale: 1:250,000) and should be published in late 1981. These structure maps, as well as the remote sensing study, will become valuable tools for future exploration in Ohio.

Fracture Gradient-Stress Ratio

Fracture gradients or stress ratios may be important indicators of natural fracture density. The stress ratio is defined as the ratio of minimum horizontal pressure caused by tectonic tension or compression to vertical pressure caused by overburden. The density of natural fractures is believed to be relatively high in areas where the stress-ratio factor is 0.3 to 0.5 (Komar et al., 1980). Figure 11 shows some areas where the stress ratio falls within this range (Komar and Bolyard, 1981).

Well Stimulation Technology

Thousands of wells have penetrated the organic-rich shale beds in eastern Ohio without encountering notable gas shows. In these areas, it is assumed the rocks have not been extensively fractured by natural forces. Much of the shale gas is thought to be in these areas, and unless an extensive fracture system can be induced artificially, much of the potential of the Devonian shales will not be realized.

"Shooting" the shale with conventional explosives has been the standard stimulation technique used in the past. Recent stimulation techniques include explosives (both solid and liquid) and hydraulic fracturing using liquefied gases and foams. Laboratory and field-oriented research has been undertaken to determine the factors affecting enhanced flows.

Hydraulically fractured wells generally are much more productive than wells shot by conventional methods. Tests suggest that foam fracturing is especially suited to the Devonian shales because of improved cleanup and reduced water damage to the formation (Komar, et al., 1980). Swelling from water-sensitive clays may be minimized effectively by using nonwetting foams.

Chemical explosive fracturing is a process in which liquid explosives are displaced into existing fractures surrounding the borehole. Detonation of the explosives extends and creates fractures (LaRocca and Spencer, 1977). Results obtained to date are encouraging, but its cost effectiveness has not been established.




Figure 11. Structure/stress ratio relationships within the Appalachian basin. Compiled by Komar and Bolyard (1981).

GAS PRODUCTION

Based on a survey of well records filed with the Ohio Department of Natural Resources through January 1980, at least 1,249 wells have produced, or are producing, hydrocarbons from the Devonian shales in Ohio (fig. 12). This survey did not include an estimated 500 wells thought to have been completed before Ohio began keeping records, and several hundred wells completed in the Chagrin Member in southeastern Ohio in 1979. (The number of Devonian shale wells in Ohio may total 2,000.)

A map showing individual wells and fields producing from the shales was compiled by Janssens (1975). Complementing this map is a second map showing individual wells and clusters of wells with reported shows in Devonian shales (Gearheart and Grapes, 1977). Both of these maps are updated periodically and maintained in the open files of the Ohio Division of Geological Survey. A map showing areas of shale production and reported shows is presented in figure 13.

Historical

From about 1860 to 1930, hundreds of shallow wells were drilled along the shore of Lake Erie from Lorain County to the Pennsylvania line. These low-pressured wells seldom produced initial volumes exceeding 50 thousand cubic feet (Mcf) per day. However, these wells were long-lived, often supplying the domestic needs of their owners for more than 30 years.


A second episode of drilling began in the 1930s, when a number of commercial shale gas wells were completed in central and southern Ohio. Significant gas fields were developed in Licking, Meigs, and Summit Counties. In southern Ohio, developmental drilling from eastern Kentucky was extended into southern Lawrence County, where more than 140 wells have been completed in the black shale beds.

In 1967, the Amerada #1 Ullman was drilled to a total depth of 11,442 feet in Elk Township, Noble County. Because the bottom zones of this well were dry, the hole was plugged back and completed in a silty zone within the Chagrin Member. After hydrofracturing, the well produced 30,000 barrels of oil and 50 MMcf of gas in 3 years. The discovery resulted in the drilling of more than 100 wells in Noble, Monroe, and Washington Counties. However, most of these wells were only moderately successful (Janssens and de Witt, 1976).

Current

Since early 1979, Washington County has been the subject of considerable drilling activity. As of October 1980, approximately 800 wells had been drilled. About 70 percent of these wells were drilled into the silty zones of the Chagrin Member. The number of successful completions, however, has not been compiled (Mychkovsky, 1980).

Most of the established production appears to be along the flank of an uplifted area northwest of the Burning Springs anticline in eastern Marietta and western Newport Townships (fig. 14). The possibility of faulting and the presence of fractures within the shale are believed to enhance productivity in this area. Production has been established in



Productive Zone

- Black shales
- Chagrin Shale Member
- Black shales; Chagrin Shale Member

Figure 12. Map showing total Devonian Shale producing wells. Includes commercial and domestic producers. Based on State of Ohio well records through January 1980.




Figure 13. Areas of established production and reported shows in the Devonian shales. From Gearheart and Grapes (1977), and Janssens (1975).




Figure 14. Areas of established Devonian shales production and structural features in Washington County. Based on State of Ohio well records through May 1980. From Honeycutt (1980), and Collins and Smith (1977).

several zones ranging between 400 to 1,700 feet below the Berea Sandstone. Many of the operators are stimulating production with advanced foam fracturing techniques.

DOE has funded, in part, a number of wells scattered throughout eastern Ohio (table 5). The wells were drilled to obtain geochemical data, as well as to test new exploration and exploitation concepts. Although the data still are being evaluated, Manilla (1980) has compiled some results.

Future

An estimate of possible in-place Devonian Shale gas reserves for eastern Ohio (table 6) has been calculated by the National Petroleum Council (1980). Recoverable reserves are dependent upon local geologic and geochemical conditions, as well as stimulation techniques.

Two trends with good potential for gas production from the Devonian shales are the east-central Ohio area and the Lake Erie shoreline area. In these areas (fig. 15), the Devonian shales are thought to have undergone extensive fracturing by either glacial off-loading or decollement-related events. Major portions of these favorable areas are located within the extensively drilled Clinton trend.

East-Central Area

The east-central area is a long narrow trend extending north-northwest through east-central Ohio from Washington County to Lorain County. The area falls along the western limit of the Upper Silurian Salina Salt section. Reservoirs are possible throughout the Upper Devonian shale sequence because of the probably decollement in the shale and associated fractures along the Cambridge Arch. Thin-skinned thrusting is postulated in the Salina Salt beds, causing a decollement surface near the base of the salt beds which ramped upward through the competent Onondaga Limestone into the Devonian sequence. Bedding plane thrusting produced folding that resulted in fracture reservoirs within the shale.

This trend crosses some of the most intensely drilled Clinton-Medina areas in Ohio. Many of these wells have encountered hydrocarbon shows in the shale, and a number that have been completed in the shale are commercial producers. For the most part, however, many of these shows have not been evaluated. Operators currently drilling within this trend should be certain that natural shows and lost-circulation zones within the shale be noted and logged for evaluation, since these occurrences indicate natural fracture systems.

Operators with nearly depleted Clinton-Medina wells located within this trend should examine their records for indications of natural fractures, since it may be possible to plug back and stimulate the shale for additional production. However, any fluids held within the annular space of the well could damage the shale formation irreparably.

Table 7 contains details on the counties located within this trend.

Table 5. Partial list of EGSP wells in Ohio.

County	Operator/Well name	Wells in program	Objective
Ashtabula	Monsanto Research Corporation Bessemer & Lake Erie Railroad Co. No. 3	1	Acquire geochemical data
Carroll	Canton Oil & Gas Glen-Gery No. 5-745	1	Acquire geochemical data
Carroll	Mitchell Energy Corporation	1	Test recompletion techniques in existing well
Gallia	Mitchell Energy Corporation	5	5-well program to test ex- ploration rationale
Knox	Thurlow Weed & Associates Louise Beckholt No. 1	1	Test stimulation techniques and acquire geochemical data
Lorain	Columbia Gas Transmission Corporation	5	5-well program to test stimu- lation techniques and acquire geochemical data
Noble	Donohue, Anstey & Morrill Schockling No. 1	1	Test seismic exploration ra- tionale
Trumbull	Tetra Tech, Inc., and Bois d'Arc Corp. W. Berg No. 1	1	Test dual completion tech- niques
Trumbull	Columbia Gas Transmission Corporation	5	5-well program to test stimu- lation techniques and acquire geochemical data
Washington	River Gas Company F. House No. R-109	1	Acquire geochemical data

Table 6. Devonian Shale resource assessment for eastern Ohio (after National Petroleum Council, 1980).

	LOG DATA			SAMPLE DATA		
	Average Thickness (Feet)	Land Area* (Sq Mi)	Total (TCF)	Average Thickness (Feet)	Land Area* (Sq Mi)	Total (TCF)
Black Shale	157	21,892	58	426	21,892	156
Gray Shale	1,442	21,892	88	1,173	21,892	72
	Average Depth (Feet)	Total (TCF)	Average (BCF/Sq Mi)	Average Depth (Feet)	Total (TCF)	Average (BCF/Sq Mi)
Total Shale Resource	2,500	146	7	2,500	228	10




Figure 15. Map showing favorable areas for Devonian Shale exploration.

Lake Erie Shoreline Area

The Lake Erie shoreline trend is a long narrow area along the southern shore of Lake Erie from Lorain County to the Pennsylvania line. Hundreds of shallow wells were drilled into the shale within this area beginning in the early 1860s. These shale wells typically were low-pressure domestic wells with initial gas flows of 1 to 50 Mcf per day, and were long-lived.

In this trend, most of the gas-productive shales are not black, are not highly radioactive, and do not have especially low density or high porosity. Production is best related to shale types rather than source rock evaluation, burial depth, and the thermal maturity of the organic matter. Based on detailed study of the shale's lithology along the lake by Broadhead and others (1979), concentrations of gas shows were correlated to stratigraphic units that contained more than 20 percent mudshale, siltshale, and siltstone (Potter, et al., 1980). The thick quartz laminae of these lithologies are thought to act as permeable reservoirs for gas.

Gas production is probably enhanced by natural fractures caused by Pleistocene glacial on-loading and off-loading. Extension fractures are believed to have developed due to rock expansion after the removal of the glacial ice sheets. Such fractures are thought to form perpendicular to the glaciated surface. They are caused by the release of compressional forces and hence called "release fractures." The fractures occur at relatively shallow depths and are not expected to occur below 800 feet. Impermeable clays within glacial lake deposits and tills have provided an impermeable seal over the fractured gas reservoirs.

The Lake Erie shoreline trend is undergoing considerable developmental drilling to the Clinton-Medina sandstones. As expected, many of these wells are encountering shows of gas in the Devonian Shale. Preliminary investigations indicate that eastern Lorain County, Ohio, is an area with high potential for producing economic quantities of Devonian shale gas. Dual objective prospects not only include the Clinton-Medina sandstones, but also the Newburg, Knox, and sub-Knox horizons.

Table 8 contains details on the counties located within this trend.

Exploiting the Devonian Shales Through Dual Completions

In many areas of Ohio, the marginal volume of gas production obtained from shale reservoirs places an economic constraint on any developmental drilling. However, Ohio operators that are willing to include dual completions in their drilling programs could realize a low cost means of exploiting the Devonian shales in conjunction with other reservoirs. With the exception of commingling Devonian Shale and Berea Sandstone production in Washington County, dual completions are not widely used in Ohio.

The lowest-cost completion technique having the most practicality for use in the Appalachian basin is the single string, single packer configuration (fig. 16). This is a single dual completion system that allows both tubing and annulus flow, and it permits two reservoirs to be produced simultaneously, but separately, in the same well. A production packer on tubing is set between the two reservoirs. This configuration is especially applicable when the upper reservoir is long lived and flowing. An excellent opportunity to utilize this method is afforded in wells that are drilled to objectives overlying and underlying the Devonian shale sequence (Tarr, 1980).

Table 7. Counties within the East-Central Ohio Area.

<u>County</u>	<u>Objective</u>	<u>Depth</u>	<u>Thickness</u>
Washington	Chagrin	3500-5500	1700-3700
Monroe	Chagrin	4500-6000	3000-3800
Noble	Chagrin	3500-4500	2000-2900
Guernsey	Chagrin	3000-4500	2000-2700
Coshocton	Chagrin/Huron	2000-3000	1100-1800
Muskingum	Chagrin/Huron	2000-3500	1200-2000
Holmes	Chagrin/Huron	2000-3000	1100-1800
Wayne	Chagrin/Huron	1500-2000	1100-1800
Medina	Chagrin/Huron	1500-2000	900-1500

Table 8. Counties within the Lake Erie Shoreline Area.

<u>County</u>	<u>Objective</u>	<u>Depth</u>	<u>Thickness</u>
Ashtabula	Chagrin	1500-2500	1300-2200
Lake	Chagrin	1500-2000	1200-1400
Cuyahoga	Chagrin/Huron	1000-2000	1000-1500
Lorain	Chagrin/Huron	500-1500	500-1000
Erie	Chagrin/Huron	0- 500	0- 500
Huron	Chagrin/Huron	0-1000	0- 700




Figure 16. Schematic diagram of a single packer, single tubing dual completion.

REFERENCES

- Broadhead, R.F., Kepferle, R.C., and Potter, P.E., 1980, Lithologic description of cores and exposures of Devonian shale and associated strata in Ohio along Lake Erie: U.S. Geological Survey, Open File Report 80-719, 96 p.
- Collins, H.R., and Smith, B.E., 1977, Geology and mineral resources of Washington County, Ohio: Ohio Division of Geological Survey, Bulletin 66, 133 p.
- de Witt, W., Jr., 1970, Age of the Bedford Shale, Berea Sandstone, and Sunbury Shale in the Appalachian and Michigan Basins, Pennsylvania, Ohio and Michigan: U.S. Geological Survey, Bulletin 1294-G, 11 p.
- Gearheart, L.C., and Grapes, C.R., 1977, Gas and oil shows in the Ohio Shale in eastern Ohio: Ohio Division of Geological Survey, Open File Map 101, 2 plates.
- Honeycutt, F.M., 1980, Wells completed in the Devonian shales of Washington County, Ohio: Ohio Division of Geological Survey, Open File Map 112, 1 plate.
- Honeycutt, F.M., and Majchszak, F.L., 1980, Net thickness of the radioactive shale facies in the upper Olentangy Shale: U.S. Department of Energy, METC/EGSP Series No. 302, 2 plates.
- Hoover, K.V., 1960, Devonian-Mississippian shale sequence in Ohio: Ohio Division of Geological Survey, Information Circular 27, 154 p.
- Hunter, C.D., and Young, D.M., 1953, Relationship of natural gas occurrence and production in eastern Kentucky (Big Sandy gas field) to joints and fractures in Devonian bituminous shale: American Association of Petroleum Geologists Bulletin, February 1953, Vol. 37/2, pp. 282-299.
- Janssens, A., 1975, Well producing from the Ohio Shale in eastern Ohio: Ohio Division of Geological Survey, Open File Map 77, 1 plate.
- Janssens, A., and de Witt, W., Jr., 1976, Potential natural gas resources in the Devonian shale; Ohio Division of Geological Survey, Geological Note 3, 12 p.
- Komar, C.A., and Bolyard, T., 1981, personal communication.
- Komar, C.A., Yost, A.B., and Sinclair, A.R., 1980, Foam fracturing the Devonian shale: World Oil, July 1980, Vol. 191, No. 1, pp. 119-134.
- LaRocca, S.J., and Spencer, A.M., 1977, Chemical explosive fracturing of eight tight gas wells: U.S. Department of Energy, First Eastern Gas Shale Symposium, Morgantown, West Virginia, October 1977, Proceedings, MERC/SP-77/5, pp. 368-380.

- Majchszak, F.L., 1977, Progress report on characterization of the Devonian black shales in Ohio: U.S. Department of Energy, First Eastern Gas Shales Symposium, Morgantown, West Virginia, October 1977, Proceedings, MERC/SP-77/5, pp. 668-677.
- _____, 1978, Preliminary assessment of the applicability of hot-wire gas-detection units to exploration and development of Devonian shale gas resources: U.S. Department of Energy, Second Eastern Gas Shales Symposium, Morgantown, West Virginia, October 1978, Preprints, METC/SP-78/6, Vol. 1, pp. 207-218.
- _____, 1980, Borehole geophysical-log correlation network for the Devonian shales in eastern Ohio: U.S. Department of Energy, METC/EGSP Series No. 304-309, 15 sheets.
- Majchszak, F.L., and Honeycutt, F.M., 1980a, Net thickness of the radioactive shale facies in the lower Olenangy Shale (Hamilton Group): U.S. Department of Energy, METC/EGSP Series NO. 303, 2 plates.
- _____, 1980b, Net thickness of the radioactive shale facies in the Huron and Chagrín Members of the Ohio Shale: U.S. Department of Energy, METC/EGSP Series No. 301, 2 plates.
- _____, 1980c, Net thickness of the radioactive shale facies in the Cleveland Member of the Ohio Shale: U.S. Department of Energy, METC/EGSP Series No. 300, 2 plates.
- Manilla, R.D., editor, 1980, Semi-annual report for the unconventional gas recovery program: U.S. Department of Energy, METC SP/80/12.
- Mychkovsky, G.O., 1980, Ohio Division of Oil and Gs, personal communication.
- National Petroleum Council, 1980, Devonian Shales, In Unconventional Gas Sources, Vol. III, 87 p. with appendices.
- Pepper, J.F., de Witt, W., Jr., and Demarest, D.F., 1954, Geology of the Bedford Shale and Berea Sandstone in the Appalachian basin: U.S. Geological Survey, Professional Paper 259, 109 p.
- Potter, P.E., Maynard, J.B., and Pryor, W.A., 1980, Final report of special geological, geochemical, and petrological studies of the Devonian shales in the Appalachian basin: University of Cincinnati, 86 p.
- Provo, L.J., Kepferle, R.C., and Potter, P.E., 1978, Division of black Ohio Shale in eastern Kentucky: American Association of Petroleum Geologists Bulletin, September 1978, Vol. 62/9, pp. 1703-1713.
- Pulle, C.V., and Seskus, A.P., 1980, Quantitative analysis of the economically recoverable resource, final report number 15: Science Applications, Inc., 102 p.
- Ronov, A.B., 1958, Organic carbon in sedimentary rocks (in relation to the presence of petroleum): *Geochemistry*, 5/1958, pp. 510-536.

- Schwietering, J.F., 1979, Devonian shales of Ohio and their eastern and southern equivalents: U.S. Department of Energy, METC/CR-79/2, 68 p.
- Smith, E.C., 1978, A practical approach to evaluating shale hydrocarbon potential: U.S. Department of Energy, Second Eastern Gas Shales Symposium, Morgantown, West Virginia, October 1978, Preprints, METC/SP-78/6, Vol. II, pp. 73-78.
- Swanson, V.E., 1961, Geology and geochemistry of uranium in marine black shales, a review: U.S. Geological Survey, Professional Paper 356-C, pp. 67-110.
- Tarr, E.G., 1980, Prospects for dually completed wells in the northern Appalachian basin: Society of Petroleum Engineers, SPE 9528, 5 p.
- Tillman, J.R., 1970, The age, stratigraphic relationships, and correlation of the lower part of the Olentangy Shale of central Ohio: Ohio Journal of Science, Vol. 70, pp. 202-217.
- Zielinski, R.E., et al., Quarterly status reports, Physical and chemical characterization of Devonian gas shale: Miamisburg, Ohio, Mound Facility, MLM-EGSP-TPR-Q-015.
- Zielinski, R.E., 1981, Mound Facility, personal communication.

APPENDIX
EVALUATION OF
DEVONIAN SHALE POTENTIAL
IN
OHIO

(Includes Documents, Logs, and Maps in the UGR Information File Concerning Ohio)

This Appendix is cross-referenced by subtopic. UGR File Accession List Numbers are indicated for each entry. The first time a particular entry appears, the complete reference is given. Subsequent references to that entry are only indicated by the UGR File Accession List Number.

OHIO REFERENCES

ARCHAEOLOGY

- UGR #132 "A Preliminary Archaeological Survey of Proposed Gas Well Locations in Green Township (Scioto County) and Elizabeth Township (Lawrence County), Ohio." Black, Deborah B., Christopher S. Peebles, and Ronald E. Zielinski, Mound Facility for USDOE under Contract No. EY-76-C-04-0053, October 24, 1978, 32 p.
- UGR #376 "Archaeological Resources within the Proposed Gas Well Drilling Sites in Knox County, Ohio." Bush, David R., The Cleveland Museum of Natural History, March 6, 1979, 12 p.

CONTRACTORS

- UGR #C054 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons." Battelle Columbus Laboratories, Quarterly Reports (DE-AC21-76MC05205): 78Q1, Q2-2 Vols., 78Q3, Q4, 79Q1, Q2.
- UGR #C055 "Study of Hydrocarbon Shale Interaction." Juniata College Quarterly and Annual Reports (DE-AS05-76MC05197): 77Q1, Q3, Q4, A77, 78Q2, Q4-4 Vols., 79Q1-4 Vols., A78, 79Q2, Q3, Q4.
- UGR #C051 "Physical and Chemical Characterization of Devonian Gas Shale." Mound Facility Quarterly Status Reports (DE-AC04-76DP00053): 77Q3, 78Q1, Q2, Q3, Q4, 79Q1, Q2, Q3, Q4, 80Q1, Q2, Q3, Q4.
- UGR #C047 "EGSP Study of the Upper Devonian Shale in Ohio." Ohio Division of Geological Survey (OGHS) Quarterly Reports (DE-AS05-76MC05200): 77Q3, Q4, 78Q2, Q3, Q4, 79Q1, Q2, Q3, Q4, 80Q1, Q2, Q3.
- UGR #C071 "Energy Resources of the Devonian Shale in the Appalachian Basin." University of Cincinnati (U. of Cin.) Quarterly and Annual Reports (DE-AC21-76MC05201): 77Q3, 78Q2, Q3, Q4, A78, 79Q1, Q2, Q3.

CORE ANALYSIS

- UGR #270 "Lithologic Descriptions of Core and Exposures of Devonian Shale and Associated Strata in Ohio Along Lake Erie." Broadhead, Ronald F., Roy C. Kepferle, and Paul Edwin Potter, USGS and U. of Cin., Open-File Report 80-__, 1980, 96 p.

CORING PROGRAM

- UGR #S129 "Proceedings, First Eastern Gas Shales Symposium, October 17-19, 1977." Paper EGS-20 USDOE, MERC/SP-77/5, March 1978, 783 p.

"Amex/Vescorp Devonian Shale Project--Lawrence & Scioto Counties, Ohio." Cochrane, John N., F. Daniel Ryan, Steven H. Alkire.

UGR #S357 "Unconventional Gas Recovery Symposium." Society of Petroleum Engineers of AIME and USDOE, May 18-20, 1980, 377 p.
Paper SPE/
DOE 8956

CRYOGENIC FRACTURING

UGR #S129
Paper EGS-20

DEVONIAN-MISSISSIPPIAN BOUNDARY

UGR #044 "Devonian-Mississippian Shale Sequence in Ohio." Hoover, Karl V., OHGS, Information Circular Number 27, 1960, 154 p. plus 3 maps.

UGR #240 "Nature and Position of the Devonian-Mississippian Boundary in Eastern Kentucky and Contiguous Areas." Zafar, Jaffrey S., and Edward Norman Wilson, KYGS and U. of KY., July 12, 1979.

UGR #300 "Stratigraphy and Sedimentology of Radioactive Devonian-Mississippian Shales of the Central Appalachian Basin." Provo, Linda J., Paul Edwin Potter, and J. Barry Maynard, U. of Cin., Final Report under Contract No. At(05-1)-1650, April 1, 1975-December 31, 1976, 102 p.

DIFFUSION EXPERIMENTS

UGR #S130 "Preprints for Second Eastern Gas Shales Symposium." 2 Vols., USDOE, Paper EGS-102
METC/SP-78/6, October 1978, 617 p.

"Diffusion Experiments on Cored Samples of Devonian Shale." Smith, Ronald D.

DRILLING PROGRAM

UGR #S129
Paper EGS-20

UGR #S357
Paper SPE/DOE
8956

ENVIRONMENTAL IMPACTS

UGR #375 "Environmental Impact Assessment, Drilling Fracturing Project, Knox County, Ohio." Krickenberger, K., P. Trudeau, and M. McNamara, The Mitre Corporation, January 1979, 99 p.

EXCHANGEABLE CATIONS

UGR #S357
Paper SPE/DOE
8956

UGR #S357 "Seismic Velocity Analysis to Locate Shale Gas Wells." Boyer, J. St.A., III,
Paper SPE/ and N.A. Anstey.
DOE 8972

FOAM FRACTURING

UGR #011 "Comparison of Conventional and Water/Nitrogen Foam Fracturing in Two
Ohio Devonian Gas Wells." Frohne, K-H, MERC/TPR-76/1, February 1972,
12 p.

UGR #S129
Paper EGS-20

FRACTURES

UGR #023 "Prediction of Fracture Extent by Stimulation of Gas Well Behavior."
Sawyer, W.K., J.C. Mercer, and K-H Frohne, METRC/TPR-76/8, October
1976, 20 p.

UGR #259 "Fractures in Oriented Devonian Shale Cores from the Appalachian Basin."
Evans, Mark A., WVU, Dept. of Geol. & Geography, 2 Vols., January 1980,
276 p.

UGR #357 "The Mapping of Nitrogen Gas Induced Hydraulic Fractures in Devonian
Paper SPE/ Shale by Observation of the Associated Surface Deformation." Evans,
DOE 8933 K.F., G.R. Holzhausen, M.D. Wood.

UGR #S357
Paper SPE/DOE
8956

GAMMA RAY STUDIES

UGR #S129 "Progress Report on Characterization of the Devonian Shale in Ohio."
Paper EGS-45 Majchszak, Frank L.

UGR #S129 "Use of the Scintillometer and Gamma-Ray Logs for Correlation from the
Paper EGS-46 Subsurface to the Surface in Black Shale." Ettensohn, Frank R., Linda
Provo Fulton, Roy C. Kepferle.

UGR #S130 "Preliminary Assessment of the Applicability of Hot-Wire Gas Detector
Paper EGS-81 Units to Exploration and Development of Devonian Shale Gas Resources."
Majchszak, Frank L.

GAS CONTENT

UGR #S129 "Wireline Logs and Sample Studies in Stratigraphy and Gas Occurrence of the Devonian Shales Along the Southern Tier Section in Eastern Kentucky and Vicinity." Wilson, Edward N., Jaffrey S. Zafar.
Paper EGS-9

UGR #S129
Paper EGS-45

UGR #S130
Paper EGS-81

UGR #188 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons, Well R-109, Washington County, Ohio." Kalyoncu, R.S., J.P. Boyer, and M.J. Snyder, Battelle Columbus Laboratories, June 20, 1979, 30 p. plus appendices.

UGR #408 "Eastern Gas Shales Project Out-Gassing Analysis--Special Report." Streik, Donald L., SAI, METC/CR-80/2, February 1980, 102 p.

GAS DETECTOR

UGR #S130
Paper EGS-81

GAS ESTIMATES

UGR #176 "Characterization and Resource Assessment of the Devonian Shales in the Appalachian and Illinois Basin." Zielinski, Ronald Ed., and Steven W. Nance, Mound Facility, 1979, 16 p.

GAS POTENTIAL

UGR #275 "Final Report of Special Geological, Geochemical and Petrological Studies of the Devonian Shales in the Appalachian Basin." Potter, Paul Edwin, J. Barry Maynard, and Wayne A. Pryor, H.N. Fisk Laboratory of Sedimentology, U. of Cin., under Contract No. DE-Ac21-76MC05201, January 1980, 86 p.

GAS PRODUCTION

UGR #128 "Reservoir Engineering Aspects and Resource Assessment Methodology of Eastern Devonian Gas Shales." Kucuk, Fikri, Javaid Alam, and D.L. Streib, SAI prepared for USDOE/METC under contract No. EY-78-C-21-8216, October 5, 1978, 47 p.

UGR #175 "Integrated Study of the Devonian Age Black Shales of Eastern Ohio." Struble, Richard A., OHGS, 1979, 8 p.

UGR #176

UGR #S357 "Empirical Evaluation of Clinton Sand Well Performance." Skillern, C.R.
Paper SPE/
DOE 8936

UGR #S357 "Utilizing Well Interference Data in Unconventional Gas Reservoirs."
Paper SPE/ Sawyer, W.K., J. Alam, and W.D. Rose.
DOE 8940

GEOCHEMISTRY

UGR #124 "Report of Phase III of the Multivariate Statistical Characterization of
Geochemical Data Generated by the EGSP for Cores 20403, 11940, 12041,
GG5, and 7239." Warshauer, Steven M., WVGS, 1978, 38 p.

UGR #131 "Geochemical Evaluation of the Eastern Gas Shales--Part I." McIver,
Richard D., and Ronald E. Zielinski, Mound Facility, for USDOE under
Contract No. EY-76-C-04-0053, September 19, 1978, 33 p.

UGR #S130 "Summary of Chemical Analyses and Some Geochemical Controls Related
Paper EGS-93 to Devonian Black Shales from Tennessee, West Virginia, Kentucky, Ohio,
and New York." Leventhal, Joel S.

UGR #S130
Paper EGS-102

UGR #175

UGR #188

HISTORY MATCHING

UGR #S357
Paper SPE/DOE
8940

HYDRAULIC FRACTURING

UGR #182 "Investigatoin of Hydraulic Fracturing Technology in Tight Gas Reser-
voirs." Forrest, Robert M., and Steven F. McKetta, Col. GSSC, 1979, 14 p.

UGR #326 "Analysis of Ground Deformations and Description of Hydraulic Fractures
Formed During Treatment of the Black Well, Knox County, Ohio, October
22, 1979." Wood, M.D., Inc., for Thurlow Weed & Associates, Inc., January
3, 1980, 56 p.

UGR #S357
Paper SPE/DOE
8933

UGR #489 "Summary of Devonian Shale Research by Columbia Gas System Service
Corporation Credited Toward ERDA Contract E(460-1)-8014." Cremean,

S.P., R.M. Forrest, and W.F. Morse, Columbia Gas System Service Corporation, January 22, 1976, 17 p.

LINEAMENT ANALYSIS

UGR #043 "Amex-Vescorp Phase I Report, Eastern Gas Shales Project." Amex-Vescorp, June 1977, 60 p.

UGR #160 "Mt. Vernon, Ohio Area Lineament Analysis." Shafter, William E., Thurlow Weed and Associates, Inc., December 15, 1978, 13 p. plus 1 map.

UGR #175

LOGGING PROGRAM

UGR #S129
Paper EGS-20

UGR #S357
Paper SPE/DOE
8956

MAPS

UGR #M04 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones in the Devonian Black Shales in Southeastern Ohio and West Central West Virginia." Wallace, Laure G., John B. Roen, and Wallace de Witt, Jr., USGS, Chart OC-83, 1977, 1 map.

UGR #M06 "Showing Wells Producing from Ohio Shale in Eastern Ohio. Including Sandstones and Siltstones within the Ohio Shale." Janssens, A., OHGS, April 1975, 1 map (microfiche).

UGR #M14 "Gas and Oil Shows in the Ohio Shale in Eastern Ohio." Gearheart, Linda C., and Charles R. Grapes II, OHGS, March 1977, 2 maps (microfiche).

UGR #M20 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones in the Devonian Black Shales in Eastern Ohio and West Central Pennsylvania." Roen, John B., Laure G. Wallace, and Wallace de Witt, Jr., USGS, Chart OC-82, 1977, 1 map.

UGR #M21 "Preliminary Regional Structure Map of the Base of the Huron Member of the Ohio Shale (Top of the Olentangy Shale)." Majchszak, Frank L., OHGS, August 1977, 1 map (microfiche).

UGR #M34 "Preliminary Regional Structure Map of the Base of a Radioactive Shale Unit Within the Olentangy Shale (Approximate Equivalent of the Rhine-street Shale Member of the West Falls Group of the New York State.)" Majchszak, Frank L., OHGS, November 1977, 1 map (microfiche).

- UGR #M36 "Thickness of the Radioactive Shale Facies of the Lower Huron Member of the Ohio Shale." Majchszak, Frank L., OHGS, August 1977, 1 map (microfiche).
- UGR #M37 "Thickness of the Radioactive Shale Facies of the Upper Huron Member of the Ohio Shale." Majchszak, Frank L., OHGS, November 1977, 1 map (microfiche).
- UGR #M38 "Thickness of a Radioactive Shale Unit Within the Upper Olentangy Shale (Approximate Equivalent of the Rhinestreet Shale Member of the West Falls Group of New York State)." Majchszak, Frank L., OHGS, August 1977, 1 map (microfiche).
- UGR#M62 "Borehole Geophysical-Log Correlation Network for the Devonian Shales in Eastern Ohio: Stratigraphic Cross Section A-A'." Majchszak, Frank L., OHGS, METC/EGSP Series No. 304, 1980, 3 maps.
- UGR#M63 "Borehole Geophysical-Log Correlation Network for the Devonian Shales in Eastern Ohio: Stratigraphic Cross Section B-B'." Majchszak, Frank L., OHGS, METC/EGSP Series No. 305, 1980, 3 maps.
- UGR#M64 "Borehole Geophysical-Log Correlation Network for the Devonian Shales in Eastern Ohio: Stratigraphic Cross Section C-C'." Majchszak, Frank L., OHGS, METC/EGSP Series No. 306, 1980, 3 maps.
- UGR#M65 "Borehole Geophysical-Log Correlation Network for the Devonian Shales in Eastern Ohio: Stratigraphic Cross Section D-D'." Majchszak, Frank L., OHGS, METC/EGSP Series No. 307, 1980, 3 maps.
- UGR#M66 "Borehole Geophysical-Log Correlation Network for the Devonian Shales in Eastern Ohio: Stratigraphic Cross Section E-E'." Majchszak, Frank L., OHGS, METC/EGSP Series No. 308, 1980, 3 maps.
- UGR#M67 "Borehole Geophysical-Log Correlation Network for the Devonian Shales in Eastern Ohio: Stratigraphic Cross Section F-F'." Majchszak, Frank L., OHGS, METC/EGSP Series No. 309, 1980, 3 maps.
- UGR #M68 "Landsat Lineaments in Parts of West Virginia, Kentucky, Ohio and Virginia." Colton, George W., USGS, 1 map (microfiche) and 3 p. notes.
- UGR #M101 "Net Thickness of the Radioactive Shale Facies in the Cleveland Member of the Ohio Shale." Majchszak, Frank L., and Mitchell Honeycutt, OHGS, METC/EGSP Series No. 300, 1980, 2 maps.
- UGR #M102 "Net Thickness of the Radioactive Shale Facies in the Huron and Chagrin Members of the Ohio Shale." Majchszak, Frank L., and Mitchell Honeycutt, OHGS, METC/EGSP Series No. 301, 2 maps.
- UGR #M103 "Net Thickness of the Radioactive Shale Facies in the 'Upper' Olentangy Shale." Honeycutt, Mitchell and Frank L. Majchszak, OHGS, METC/EGSP Series No. 302, 1980, 2 maps.

UGR #M104 "Net Thickness of the Radioactive Shale Facies in the 'Lower' Olentangy Shale (Hamilton Group)." Majchszak, Frank L., and Mitchell Honeycutt, OHGS, METC/EGSP Series No. 303, 1980, 2 mpas.

UGR #M106 "Joint Patterns in Six Lithologies in the Clarksburg 10 x 20 Quadrangle, West Virginia, Ohio, and Pennsylvania." Perry, William J. Jr., and David G. Becker, USGS, Open File Report, 1980, 1 map.

MODELING

UGR #S357
Paper SPE/
DOE 8940

OFFSET WELL PROGRAM

UGR #478 "Geologic Setting and Prognosis, Eastern Gas Shales Project, Offset Well Testing Program, Meigs County, Ohio." Gruy Federal, Inc., October 1980, 14 p.

PALEONTOLOGY

UGR #044

UGR #275

PETROLOGY

UGR #044

UGR #175

UGR #275

REMOTE SENSING

UGR #S129
Paper EGS-20

UGR #S357
Paper SPE/DOE
8956

SCINTILLOMETER

UGR #S129
Paper EGS-46

SEDIMENTOLOGY

UGR #300

SEISMIC STUDIES

UGR #S357
Paper SPE/DOE
8972

STRATIGRAPHY

UGR #009 "Three Lick Bed' Useful Stratigraphic Marker in Upper Devonian Shale in Eastern Kentucky and Adjacent Areas of Ohio, West Virginia and Tennessee." Provo, Linda J., Roy C. Kepferle, and Paul Edwin Potter, U. of Cin., and USGS, MERC/CR-77/2, no date, 56 p.

UGR #024 "Lithologic Description of Core Material from Glen Gery No. 5-745 Well, Rose Township, Carroll County, Ohio." Byrer, C.W., and S.J. Rhoades, MERC/TPR-76/6, October 1976, 20 p.

UGR #044

UGR #S129
Paper EGS-9

UGR #S129
Paper EGS-45

UGR #S129
Paper EGS-46

UGR #163 "Devonian Shales of Ohio and their Eastern and Southern Equivalentents." Schwietering, Joseph F., WVGS, METC/CR-79/2, January 1979, 68 p.

UGR #175

UGR #240

UGR #300

UGR #326

UGR #408

STRUCTURAL GEOLOGY

UGR #044

UGR #S129
Paper EGS-45

UGR #S357
Paper SPE/DOE
8933

UGR #478

THREE LICK BED

UGR #009

TILTMETER

UGR #326

UGR #S357
Paper SPE/DOE
8933

WELL LOGS

- UGR #L078 "Washington County, Ohio, Florence L. House, No. R-109 Well (Logs)." River Gas Company, 1976: C, D, E, GR, I, N.
- UGR #L083 "Carroll County, Ohio, Glen Gery No. 5-745 Well (Logs)." Canton Oil and Gas Company, 1974: D, GR.
- UGR #L165 "Knox County, Ohio, Everett Black No. L Well (Logs)." Thurlow Weed & Associates, Inc., 1978: COMP, D, 3D, DC, EP, I, N, SIB, T.
- UGR #L166 "Knox County, Ohio, Yauger No. I Well (Logs)." Thurlow Weed & Associates, Inc., 1978: C, COMP, D, GR, I, N, SIB, T.
- UGR #L167 "Knox County, Ohio, Fravel No. I Well (Logs)." Thurlow Weed & Associates, Inc., 1978: C, COMP, D, 3D, EP, GR, I, N, T.
- UGR #L174 "Knox County, Ohio, Louis Beckholt No. I Well (Logs)." Thurlow Weed & Associates, 1979: D, I, N, T.
- UGR #L303 "Ashtabula County, Ohio, EGSP OH-4 Well (Logs)." Monsanto Research Corporation, 1979: D, DI, FIL, I, N, S, T, VD.
- UGR #L304 "Trumbull County, Ohio, A.V. Meleski No. 20143-T Well (Logs)." Columbia Gas Transmission Corp., 1979: COMP, D, DI, N, S.
- UGR #L305 "Lorain County, Ohio, B&R McGuire No. 20149-T Well (Logs)." Columbia Gas Transmission Corp., 1979: A, COMP, D, DI, FIL, GR, L, N, S, SIB, T.
- UGR #L308 "Gallia County, Ohio, White-Price-Newberry Unit No. 1-7 Well (Logs)." Mitchell Energy Corporation, 1979: COMP, D, 3D, EP, FIL, GR, L, LL, MLL, N, S.
- UGR #L310 "Noble County, Ohio, HF & MM Schockling No. I Well (Logs)." Donohue, Anstey & Morrill, 1980: P, DI, FIL, GR, L, N, S, SIB, T.
- UGR #L312 "Gallia County, Ohio, M. Carter No. 1-9 Well (Logs)." Mitchell Energy Corporation, 1979: COMP, D, DLL, FIL, HC, L, MLL, MP, N, S.

- UGR #L314 "Gallia County, Ohio, Straight-Wisemandle Unit No. 1-8 Well (Logs)." Mitchell Energy Corporation, 1979: CMS, COMP, D, DI, DLL, FIL, GR, MLL, MP, N, NGRS, S.
- UGR #L315 "Gallia County, Ohio, J. Carpenter No. 1-5 Well (Logs)." Mitchell Energy Corporation, 1980: BOND, CCL-PR, COMP, D, DI, 3D, FIL, HC, L, MLL, MP, N, S, T, TDT, VD, WAVE.
- UGR #L480 "Hocking County, Ohio, Lauren B. Crumley No. 12143 Well (Logs)." Col. GTC, 1980: D, DI, N.
- UGR #L481 "Hocking County, Ohio, Columbus and Franklin Co. Metro Park No. 12188 Well (Logs)." Col. GTC, 1980: D, DI, N.

WELL REPORTS, CORE GEOLOGY AND CHEMISTRY

UGR #024

UGR #124

UGR #S129
Paper EGS-20

UGR #131

UGR #176

UGR #188

UGR #259

UGR #270

UGR #326

UGR #338 "Cliffs Minerals, Inc. Eastern Gas Shales Project, Ohio Well #3--Knox County, Phase II and Phase III Reports." Preliminary Laboratory Results and Summary of Testing Results, Cliffs Minerals, Inc., February 1980 and August 1980, 49 p. plus 1 plate and 52 p.

UGR #339 "Cliffs Minerals, Inc. Eastern Gas Shales Project, Ohio Well #4--Ashtabula County, Phase I and Phase II Reports." Field Operations and Preliminary Laboratory Results, Cliffs Minerals, Inc., April 1980, 117 p. plus 1 plate.

UGR #340 "Cliffs Minerals, Inc. Eastern Gas Shales Project, Ohio Well #5, Phase I and Phase II Reports." Field Operations and Preliminary Laboratory Results, Cliffs Minerals, Inc., September 1979 and April 1980, 117 p. and 56 p.

UGR #341 "Cliffs Minerals Inc. Eastern Gas Shales Project, Ohio Well #6-1, Phase I and Phase II Reports." Field Operations and Preliminary Laboratory Results, Cliffs Minerals, Inc., September 1979 and June 1980, 26 p. and 127 p., plus 1 plate.

NOTE: Phase II Reports for UGR #341 through UGR #345 are under one cover as listed here:

- UGR #342 "Cliffs Minerals, Inc. Eastern Gas Shales Project, Ohio Well #6-2, Phase I and Phase II Reports." Field Operations and Preliminary Laboratory Results, Cliffs Minerals, Inc., October 1979, 25 p. (See UGR #341.)
- UGR #343 "Cliffs Minerals, Inc. Eastern Gas Shales Project, Ohio Well #6-3, Phase I and Phase II Reports." Field Operations and Preliminary Laboratory Results, Cliffs Minerals, Inc., October 1979, 15 p. (See UGR #341.)
- UGR #344 "Cliffs Minerals, Inc. Eastern Gas Shales Project, Ohio Well #6-4, Phase I and Phase II Reports." Field Operations and Preliminary Laboratory Results, Cliffs Minerals, Inc., November 1979, 129 p. (See UGR #341.)
- UGR #345 "Cliffs Minerals, Inc. Eastern Gas Shales Project, Ohio Well #6-5, Gallia County, Phase I and Phase II Reports." Field Operations and Preliminary Laboratory Results, Cliffs Minerals, Inc., December 1979, 24 p. (See UGR #341.)
- UGR #346 "Cliffs Minerals, Inc. Eastern Gas Shales Project, Ohio Well #7, Phase I and Phase II Reports." Field Operations and Preliminary Laboratory Results, Cliffs Minerals, Inc., October 1979 and August 1980, 148 p. and 92 p. plus 1 plate.
- UGR #347 "Cliffs Minerals, Inc. Eastern Gas Shales Project, Ohio Well #8, Noble County, Phase I and Phase II Reports." Field Operations and Preliminary Laboratory Results, Cliffs Minerals, Inc., March 1980 and December 1980, 187 p. and 113 p. plus 1 plate.

UGR #S357
Paper SPE/DOE
8940

UGR #S357
Paper SPE/DOE
8956

UGR #375

UGR #376

UGR #408

UGR #478

WELL SITE SELECTION

UGR #043

UGR #132

WELL STIMULATIONS AND TESTING

UGR #011

UGR #023

UGR #S129
Paper EGS-20

UGR #182

UGR #222 "Investigation of Stimulation Technology on Tight Gas Reservoirs of the United States." McKetta, Steven F., Col. GSSC, 1979, 12 p.

UGR #317 "DOE-METC Gas Well Testing Service Contract No. DE-AC21-78MC08096, Well Test Analysis for Columbia Gas Transmission Corp. Well No. 20613." Gry Federal, Inc., 2 Vols., May 13, 1980, 40 p.

UGR #326

UGR #S357
Paper SPE/DOE
8933

UGR #S357
Paper SPE/DOE
8956

UGR #489

WIRELIN LOG STUDIES

UGR #S129
Paper EGS-9

**APPENDIX
EVALUATION OF
DEVONIAN SHALE POTENTIAL
IN THE
APPALACHIAN BASIN**

(Includes Documents, Logs, and Maps in the UGR Information File Concerning the Appalachian Basin)

This Appendix is cross-referenced by subtopic. UGR File Accession List Numbers are indicated for each entry. The first time a particular entry appears, the complete reference is given. Subsequent references to that entry are only indicated by the UGR File Accession List Number.

APPALACHIAN BASIN REFERENCES

BRALLIER INFORMATION

UGR #S130

Paper EGS-56 "Preprints for Second Eastern Gas Shales Symposium." 2 Vols., USDOE, METC/SP-78/6, October 1978, 617 p.

"The Brallier Formation--Upper Devonian Turbidite Slope Facies of the Central and Southern Appalachian." Lundegard, Paul D., Neil D. Samuels, Wayne A. Pryor.

UGR #319

"Sedimentology, Petrology, and Gas Potential of the Brallier Formation--Upper Devonian Turbidite Facies of the Central and Southern Appalachians." Lundegard, Paul D., Neil D. Samuels, and Wayne A. Pryor, U. of Cin., DOE/METC/5201-5, March 1980, 220 p.

CLAY MINERALOGY

UGR #140

"Preliminary Report on the Clay Mineralogy of the Upper Devonian Shales in the Southern and Middle Appalachian Basin." Hosterman, John W., and Patricia J. Loferski, USGS, Open File Report 78-1084, January 1979, 20 p.

CONODONT COLOR ALTERATION

UGR #S129

Paper EGS-40 "Proceedings, First Eastern Gas Shales Symposium, October 17-19, 1977." USDOE, MERC/SP-77/5, March 1978, 783 p.

"Conodont Color Alteration, An Organo-Mineral Metamorphic Index, and its Application to Appalachian Basin Geology." Harris, Anita G.

CONTRACTORS

UGR #C054

"Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons." Battelle Columbus Laboratories Quarterly Reports (DE-AC21-76MC 05205): 78Q1, Q2-2, Vols., Q3, Q4, 79Q1, Q2.

UGR #C055

"Study of Hydrocarbon Shale Interaction." Juniata College Quarterly and Annual Reports (DE-AS05-76MC05197): 77Q1, Q3, Q4, A77, 78Q2, Q4-4 Vols., 79Q1-4 Vols., A78, 79Q2, Q3, Q4.

UGR #C051

"Physical and Chemical Characterization of Devonian Gas Shale." Mound Facility Quarterly Status Reports (DE-AC04-76DP00053): 77Q3, 78Q1, Q2, Q3, Q4, 79Q1, Q2, Q3, Q4, 80Q1, Q2, Q3, Q4.

UGR #C071

"Energy Resources of the Devonian Shale in the Appalachian Basin." University of Cincinnati (U. of Cin.) Quarterly and Annual Reports (DE-AC21-76MC05201): 77Q3, 78Q2, Q4, A78, 79Q1, Q2, Q3.

- UGR #C141 "Shale Characterization and Resource Appraisal of Devonian Black Shale in the Appalachian Basin." U.S. Geological Survey (USGS) Annual Report (DE-A121-78MC10516): A78.
- UGR #C048 "Analysis of Structural Geological Parameters that influence Gas Production from the Devonian Shale of the Appalachian Basin." West Virginia University, Dept. of Geology and Geography (WVU, Department of Geol. & Geography) Quarterly and Annual Reports (DE-AC21-76MC05194): 77Q2, Q3, A77, 78Q1, Q2, Q3, Q4, A78-2 Vols., 79Q1, Q3, Q4, A79-2 Vols., 80Q1, Q2, Q3, Q4, A80-3 Vols., 81Q1.

CORE ANALYSES

- UGR #061 "Stratigraphic and Geographic Distribution of Core in Black Shale Sequence (Mississippian and Devonian) in Appalachian Basin." Kepferle, Roy C., and Paul Edwin Potter, USGS and U. of Cin., March 1978, 8 p.
- UGR #113 "A Biostratigraphic Analysis of Core Samples from Wells Drilled in the Devonian Shale Interval of the Appalachian and Illinois Basins." Martin, Stephen J., and Ronald E. Zielinski, Mound Facility, July 14, 1978, 24 p.
- UGR #S129
Paper EGS-13 "Physicochemical Characterization of Devonian Gas Shale." Zielinski, R.E., A. Attalla, E. Stacy, B.D. Craft, R.L. Wise.
- UGR #S129
Paper EGS-14 "Characterization and Analysis of Devonian Shales: I. Physical Characterization." Kalyoncu, R.S., W.G. Coppins, D.T. Hooie, M.J. Snyder.
- UGR #S129
Paper EGS-34 "Characterization and Analysis of Devonian Shales: Gas Composition and Release Rates." Snyder, M. Jack, M.P. Rausch, J.S. Ogden, R.W. Coutant.
- UGR #S129
Paper EGS-35 "Geochemical Characterization of Devonian Gas Shale." Zielinski, Ron E.

CROSS STRIKE STRUCTURAL DISCONTINUITIES

- UGR #S223
Paper EGS-24 "Proceedings, Third Eastern Gas Shales Symposium." Barlow, Hilma, Editor, USDOE, METC/SP-79/6, October 1-3, 1979, 542 p.
- "Cross-Strike Structural Discontinuities: Their Use in an Exploration Rationale for Eastern Plateau Province, Appalachian Basin." Wheeler, L.

ECONOMIC ANALYSIS

- UGR #468 "Quantitative Analysis of the Economically Recoverable Resource." Pulle, C.V., and A.P. Seskus, SAI, November 17, 1980, 103 p.

ENGINEERING ANALYSIS

UGR #243 "Analysis of Gas Production for Eastern Gas Shales, Phase II Final Report." Intercomp Resource Development and Engineering, Inc., Contract No. Ew-78=C-21-8485, November 1979, 32 p. plus tables and figures.

FRACTURES

UGR #S008
Paper VI "Devonian Shale Production and Potential, Proceedings of the Seventh Appalachian Petroleum Geology Symposium held at Morgantown, W.Va., March 1-4, 1976." Shumaker, R.C., and W.K. Overbey, Jr., Editors, WVGS, WVU, and MERC, MERC/SP-76/2, 271 p.

"A Digest of Appalachian Structural Geology." Shumaker, R.C.

UGR #040 "Application of Remote Sensing Studies to the Interpretation of Fracture Systems and Structural Styles in the Plateau Regions of Eastern Kentucky, Southwestern Virginia, and Southwestern West Virginia for Application to Fossil Fuel Extraction Processes." Werner, Eberhard, WVU, Dept. of Geol. & Geography, Dec. 1977, 98 p. plus 9 maps.

UGR #059 "Remote Sensing Studies in the Appalachian Plateau for Application to Fossil Fuel Extraction." Werner, Eberhard, WVU, Dept. of Geol. & Geography, 1976, 10 p.

UGR #064 "Remote Sensing Methods for Application of Natural Gas Production from Fractured Devonian Shale Reservoirs of Western West Virginia." Werner, Eberhard, WVU, Dept. of Geol. & Geography, in V. 2--ERDA EGR Symposium, August 30-September 1, 1977, pp. G-14/1 to G-14/7.

UGR #S129
Paper EGS-33 "Analysis of Structural Geological Parameters that Influence Gas Production from the Devonian Shale of the Appalachian Basin." Shumaker, R.C., Keith G. Kirk, E.B. Nuckols III, Brian R. Long.

UGR #159 "Extension Structures in the Central Appalachians." Berger, Philip S., WVU, Dept. of Geol. & Geography, December 1978, 97 p.

UGR #208 "Fractures from Devonian Shale Outcrops Along the Pine Mountain Thrust." Lee, Kevin D., WVU, Dept. of Geol. & Geography, May 1979, 25 p.

UGR #S223
Paper EGS-9 "Late Tectonic Faulting in the Central Appalachians." Berger, P.S., R.L. Wheeler.

UGR #S357
Paper SPE/DOE
8955 "Unconventional Gas Recovery Symposium." Society of Petroleum Engineers of AIME and USDOE, May 18-20, 1980, 377 p.

"Earth Stress Relationships in the Appalachian Basin." McKetta, S.F.

- UGR #413 "Feasibility Study on Modeling of Stress Trajectories Across the Appalachian Plateau Province in West Virginia." Chang, H.Y., S.H. Advani, H.V.S. Ganga Rao, and C.S. Dean, WVU, College of Engineering and METC, under Contract No. EY-77-X-21-0368, no date, 74 p.
- UGR #452 "Possible Interaction Between Thin-Skinned and Basement Tectonics in the Appalachian Basin and Its Bearing on Exploration for Fractured Reservoirs in the Devonian Shale." Dean, Claude S., and W.K. Overbey Jr., MERC, no date, 27 p.

FRACTURE PREDICTION

- UGR #137 "Fracture Intensity Predictions for Eastern Gas Shales." Wheeler, Russell L., WVU, Dept. of Geol. & Geography, Final Report under Contract EY-77-C-21-8087, Task Order No. 25, December 1978, 62 p.

UGR #S357
Paper SPE/DOE
8955

GAS CONTENT

- UGR #S129
Paper EGS-9 "Wireline Logs and Sample Studies in Stratigraphy and Gas Occurrence of the Devonian Shales Along the Southern Tier Section in Eastern Kentucky and Vicinity." Wilson, Edward N., Jaffrey S. Zafar.

UGR #S129
Paper EGS-14

UGR S129
Paper EGS-34

- UGR #S130
Paper EGS-60 "The Eastern Interior Aulacogen and its Relation to Devonian Shale Gas Production." Harris, Leonard D.

UGR #S130
Paper EGS-63 "Natural Gas Occurrence Related to Regional Thermal Rank of Organic Matter (Maturity) in Devonian Rocks of the Appalachian Basin." Claypool, G.E., C.N. Threlkeld, N.H. Bostick.

UGR #S130
Paper EGS-70 "A Practical Approach to Evaluating Shale Hydrocarbon Potential." Smith, Eric C.

GAS ESTIMATES

- UGR #058 "Devonian Shales as a Source of Gas." Avila, John, in Natural Gas From Unconventional Geologic Sources, Chapter 5, 1976, pp. 73-85.

- UGR #062 "Energy From Shale--A Little Used Natural Resource." Brown, Porter J., in Natural Gas from Unconventional Geologic Sources, 1976, pp. 86-99.
- UGR #128 "Reservoir Engineering Aspects and Resource Assessment Methodology of Eastern Devonian Gas Shales." Kucuk, Fikri, Javaid Alam, and D.L. Streib, SAI, prepared for USDOE/METC under Contract No. EY-78-C-21-8216, October 5, 1978, 47 p.
- UGR #S129
Paper EGS-35
- UGR #S129
Paper EGS-40
- UGR #S130
Paper EGS-57 "Characterization and Resource Assessment of the Devonian Shales in the Appalachian and Illinois Basins." Zielinski, R.E., S.W. Nance, P.W. Seabaugh, R.J. Larson.
- UGR #S130
Paper EGS-59 "Status Report on the Gas Potential from Devonian Shales of the Appalachian Basin." Robel, Robert J.
- UGR #S130
Paper EGS-70
- UGR #176 "Characterization and Resource Assessment of the Devonian Shales in the Appalachian and Illinois Basins." Zielinski, R.E., and Steven W. Nance, Mound Facility, 1979, 16 p.
- UGR #S223
Paper EGS-9
- UGR #S223
Paper EGS-13
(Abstract Only) "A Current Assessment of the Physicochemical Characterization Data for the Eastern Gas Shales." Nance, S.W., P.W. Seabaugh, R.E. Zielinski.
- UGR #275 "Final Report of Special Geological, Geochemical, and Petrological Studies of the Devonian Shales in the Appalachian Basin." Potter, Paul Edwin, J. Barry Maynard, and Wayne A. Pryor, H.N. Fisk Laboratory of Sedimentology, U. of Cin., under Contract No. DE-AC21-76MC05201, January 1980, 86 p.
- UGR #319
- UGR #452

UGR #468

GAS INDUSTRY INFRASTRUCTURE

UGR #S357

Paper SPE/DOE
8944 "After the Technology, What Happens?" Merrill, T.W. Jr.

GAS PRODUCTION

UGR #040

UGR #058

UGR #062

UGR #128

UGR #S129

Paper EGS-33

UGR #S130

Paper EGS-59

UGR #S130

Paper EGS-60

UGR #176

UGR #201 "Devonian Paleocurrents of the Appalachian Basin." Potter, Paul Edwin, Wayne A. Pryor, Paul Lundegard, Neil Samuels, and J. Barry Maynard, H.N. Fisk Laboratory of Sedimentology, U. of Cin., METC/CR-79/22, May 1979, 60 p.

UGR #243

UGR #S357

Paper SPE/DOE
8944

UGR #S357

Paper SPE/DOE
8945 "Economics of Devonian Shale, Coal Seam and Similar Special Appalachian Gas Sources." Miller, R.M., N.E. Mutchler.

UGR #452

UGR #507

"The Importance of Regional and Local Structure to Devonian Shale Gas Production from the Appalachian Basin." Shumaker, Robert C., WVU, Dept. of Geol. & Geography, February 1981, 28 p.

GAS PRODUCTION BARRIERS

UGR #094 "Preliminary Investigation of Market, Institutional and Regulatory Barriers to Natural Gas Production and Use Within Appalachia." TRW, November 1977, 32 p.

UGR #S357
Paper SPE/DOE
8944

UGR #S357
Paper SPE/DOE
8945

GEOCHEMISTRY

UGR #117 "Geochemical Characterization of Devonian Gas Shale." Zielinski, R.E., Mound Facility, October 1977, 25 p.

UGR #S129
Paper EGS-13

UGR #S129
Paper EGS-14

UGR #S129
Paper EGS-34

UGR #S129
Paper EGS-35

UGR #130
Paper EGS-57

UGR #S130
Paper EGS-63

UGR #S130
Paper EGS-70

UGR #131 "Geochemical Evaluation of the Eastern Gas Shales--Part I." McIver, Richard D., and Ronald E. Zielinski, Mound Facility, for USDOE under Contract No. EY-76-C-04-0053, September 29, 1978, 33 p.

UGR #176

UGR #S223
Paper EGS-13
(Abstract
Only)

UGR #243

UGR #275

UGR #282 "Munsell Color Values as Related to Organic Carbon in Devonian Shale of the Appalachian Basin." Hosterman, John W., and Sallie I. Whitlow, USGS, Open-File Report 80-660, no date, 8 p.

UGR #446 "Comparative Geochemistry of Devonian Shale Cores from the Appalachian Basin: Mason, Monongalia, and Upshur Counties, West Virginia; Illinois Basin: Tazwell (sic) County, Illinois; Clark County, Indiana; and Michigan Basin: Sanilac County, Michigan." Leventhal, Joel S., USGS, Open File Report 80-938, 1980, 32 p.

IN-SITU STRESS

UGR #413

LANDSAT STUDIES

UGR #S223
Paper EGS-8 "Digital Image Processing and Enhancement of Landsat Data for Lineament Mapping and Natural Gas Exploration in Appalachian Region." Wescott, Thomas F., Alan F. Smith.

LINEAMENT ANALYSIS

UGR #S008
Paper VI

UGR #040

UGR #059

UGR #060 "Photolineament Mapping in the Appalachian Plateau and Continental Interior Geological Provinces--A Case Study." Werner, Eberhard, WVU, Dept. of Geol. & Geography, in Remote Sensing of Earth Resources, Shahrokhi, F., Editor, V. 5, March 29-30, 1976, pp. 403-417.

UGR #064

UGR #137

UGR #S223
Paper EGS-8

UGR #S223
Paper EGS-24

MAPS

- UGR #M01 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones in the Devonian Black Shales in the Eastern Part of the Appalachian Basin." West, Mareta, USGS, Chart OC-86, 1978, 2 maps.
- UGR #M02 "Middle Huron Shale Member of Ohio Shale, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).
- UGR #M05 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones in the Devonian Black Shales in the Western Part of the Appalachian Basin." Wallace, Laure G., John B. Roen, and Wallace deWitt Jr., USGS, Chart OC-80, 1977, 2 maps.
- UGR #M07 "Upper Huron Shale Member of Ohio Shale, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).
- UGR #M09 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones in the Devonian Black Shales in the Central Part of the Appalachian Basin." Roen, John B., Laure G. Wallace, and Wallace deWitt Jr., USGS, Chart OC-80, 1977, 2 maps.
- UGR #M12 "Lower Huron Shale Member of Ohio Shale, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).
- UGR #M13 "Cleveland Shale Member of Ohio Shale, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).
- UGR #M15 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones in the Devonian Black Shales in the Southern Part of the Appalachian Basin." Kepferle, Roy C., Edward N. Wilson, and Frank R. Ettensohn, USGS, Chart OC-95, 1978, 1 map.
- UGR #M16 "Three Lick Bed Member of Ohio Shale, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).
- UGR #M22 "Ohio, Olentangy and Marcellus (?) Shales, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).
- UGR #M68 "Landsat Lineaments in Parts of West Virginia, Kentucky, Ohio, and Virginia." Colton, George W., USGS, 1 map (microfiche) and 3 p. notes.
- UGR #M77 "Oil and Gas Data From Paleozoic Rocks in the Appalachian Basin: Maps for Assessing Hydrocarbon Potential and Thermal Maturity (Conodont Color Alteration Isograds and Overburden Isopachs)." Harris, Anita G., Leonard D. Harris, and Jack B. Epstein, USGS, Map I-917-E, 1978, 4 maps.
- UGR #M90 "Maps Showing Location of Stratigraphic Cross Sections and Cored Drill Holes Used in the Study of the Devonian Black Shales in the Appalachian Basin." Roen, J.B., L.G. Wallace, R.C. Kepferle, P.E. Potter, and W.A. Pryor, USGS, METC/EGSP Series No. 1400, 1980, 2 maps.

UGR #99 "Outgassing Data Summary Report--EGSP." SAI, April 1980, 2 maps (Plates).

UGR #M105 "Base Map of Middlesboro Syncline in Kentucky, Virginia, and Tennessee." Wilson, Edward N., Jaffrey S. Zafar, and Paul Edwin Potter, KVGS, 1980, 1 map (plate).

MATHEMATICAL ANALYSIS

UGR #468

MINERALOGY

UGR #S129
Paper EGS-13

UGR #S129
Paper EGS-14

UGR #S130
Paper EGS-70

UGR #139 "Sulfure Isotopes of Iron Sulfides in Shales of the Appalachian Basin: Influence of Sedimentation Rate." Maynard, J. Barry, U. of Cin., November 15, 1978, 27 p.

UGR #S223
Paper EGS-13
(Abstract
Only)

MUNSELL COLOR

UGR #282

ORGANIC RICH FACIES

UGR #368 "Defining Organic-Rich Facies in the Devonian Shale in the Western Part of the Appalachian Basin." Schmoker, James W., USGS, Open File Report 80-707, 1980, 12 p.

PALEOCURRENTS

UGR #201

UGR #S129 "Paleocurrent Systems in Shaly Basins: Preliminary Results for Appalachian Basin (Upper Devonian)." Kepferle, R.C., Paul Lundegard, J.B. Maynard, P.E. Potter, W.A. Pryor, Neil Samuels, Fred Schauf.

PALEONTOLOGY

UGR #113

UGR #275

PARSON'S LINEAMENT

UGR #S223
Paper EGS-24

PETERSBURG LINEAMENT

UGR #S223
Paper EGS-24

PETROLOGY

UGR #S129
Paper EGS-10 "Tioga Bentonite Time-Marker Associated with Devonian Shales in Appalachian Basin." Dennison, John M., Daniel A. Textoris.

UGR #S130
Paper EGS-70

UGR #275

UGR #319

PHYSICOCHEMISTRY

UGR #119

UGR #S129
Paper EGS-13

UGR #243

PINE MOUNTAIN OVERTHRUST

UGR #208

UGR #275

REMOTE SENSING

UGR #040

UGR #059

UGR #060

UGR #064

ROME TROUGH

UGR #S130
Paper EGS-60

SEDIMENTOLOGY

UGR #139

UGR #300 "Stratigraphy and Sedimentology of Radioactive Devonian-Mississippian Shales of the Central Appalachian Basin." Provo, Linda J., Paul Edwin Potter, and J. Barry Maynard, U. of Cin., Final Report under Contract No. AT(05-1)-1650, April 1, 1975-December 31, 1976, 102 p.

UGR #319

SEISMIC STUDIES

UGR #S129
Paper EGS-53

SPECIFIC DEGASIBILITY

UGR #177 "The Concept of Specific Degasibility and Its Application to the Gas-Bearing Tight Formations as Represented by the Devonian Shales of Appalachia." Schettler, Paul D. Jr., Juniata College, 1979, 14 p.

STRATIGRAPHY

UGR #S008
Paper VI

UGR #009 "Three Lick Bed: Useful Stratigraphic Marker in Upper Devonian Shale in Eastern Kentucky and Adjacent Areas of Ohio, West Virginia, and Tennessee." Provo, Linda J., Roy C. Kepferle, and Paul Edwin Potter, U. of Cin. and USGS, MERC/CR-77-2, no date, 56 p.

UGR #053 "What are Possible Stratigraphic Controls for Gas Fields in Eastern Black Shale?" Harris, Leonard D., and G.W. Colton, USGS, Oil and Gas Journal, V. 76, No. 14, April 13, pp. 162-165.

UGR #061

UGR #110 "Stratigraphy of the Devonian Harrell and Millboro Shales in Parts of Pennsylvania, Maryland, West Virginia and Virginia." Hasson, Kenneth O., and John M. Dennison, ERRA, Final Report for ERDA under Contract No. EY-77-C-21-8153, May 1978, 124 p. plus 14 maps.

UGR #113

UGR #S129
Paper EGS-1
(Abstract
Only)

"Some Preliminary Results of Regional Stratigraphic Studies of the Devonian Black Shales in the Appalachian Basin." Roen, John B., Wallace deWitt Jr., Roy C. Kepferle, Laure G. Wallace, Mareta West.

UGR #S129
Paper EGS-9

UGR #S129
Paper EGS-10

UGR #S129
Paper EGS-27

UGR #S130
Paper EGS-55
(Abstract
Only)

"A Progress Report of the Regional Stratigraphic Studies of the Devonian Black Shales in the Appalachian Basin." Roen, John B., Wallace deWitt Jr., Roy C. Kepferle, Laure G. Wallace, Mareta West.

UGR #S130
Paper EGS-56

UGR #S130
Paper EGS-57

UGR #S130
Paper EGS-59

UGR #S130
Paper EGS-60

STRESS RATIO

UGR #S357
Paper SPE/DOE
8955

UGR #163 "Devonian Shales of Ohio and their Eastern and Southern Equivalents." Schwietering, Joseph F., WVGS, METC/CR-79/2, January 1979, 68 p.

UGR #201

UGR #275

UGR #300

UGR #368

- UGR #469 "A Preliminary Report on the Stratigraphy of the Previously Unreported Devonian Ash-Fall Localities in the Appalachian Basin." Roen, John B., USGS, Open File Report 80-505, no date, 10 p.
- UGR #471 "Stratigraphy of the Devonian Chattanooga and Ohio Shales and Equivalent in the Appalachian Basin: An Example of Long Range Subsurface Correlation Using Gamma-Ray Logs." Roen, John B., USGS, DOE/METC/10866-21, 1980, 26 p.

STRUCTURAL GEOLOGY

UGR #S008
Paper VI

UGR #040

UGR #S129
Paper EGS-33

UGR #159

UGR #S223
Paper EGS-9

UGR #S223
Paper EGS-24

UGR #413

UGR #507

SULFUR ISOTOPES

UGR #139

THERMAL MATURATION

UGR #S129
Paper EGS-40

UGR #S130
Paper EGS-57

THREE LICK BED

UGR #009

TIOGA BENTONITE

UGR #S129
Paper EGS-10

TURBIDITE SYSTEMS

UGR #319

WELL REPORTS, CORE GEOLOGY AND CHEMISTRY

UGR #061

UGR #113

UGR #117

UGR #119

UGR #131

UGR #176

WELL STIMULATIONS AND TESTING

UGR #062


UGR #S130
Paper EGS-70

WIRELINER LOG STUDIES


GUR #S129
Paper EGS-9

SYSTEM	OHIO		NEW YORK	
	FORMATION	MEMBER	GROUP OR FORMATION	MEMBER
MISSISSIPPIAN	Sunbury Shale			
	Berea Sandstone			
	Bedford Shale	Cussewago Sandstone		
DEVONIAN	Ohio Shale	Cleveland Shale	Perryssburg Formation	Dunkirk Shale
		Chagrin Shale		Java Formation
	Olentangy Shale	Huron Shale	West Falls Formation	Pipe Creek Shale
		"Upper" Olentangy	Sonyea Formation	Angola Shale
		"Lower" Olentangy	Genesee Formation	Rhinestreet Shale
			Hamilton Group	Cashoga Shale
			West River Shale	
			Penn Yan Shale	
Middle	Delaware Limestone	Onondaga Limestone (Drillers term)	Onondaga Formation	
	Columbus Limestone			
	Bois Blanc Formation			

* The nomenclature in this report is that accepted by the Ohio Division of Geological Survey and does not necessarily conform to U.S. Geological Survey usage.



Index to Panel Diagram



REFERENCES

Majczszak, F.L., 1980, Borehole geophysical-log correlation network for the Devonian shales in eastern Ohio, U.S. Department of Energy - METC, METC/EGSP Series No. 304-309, 15 sheets.

EXPLANATION

Predominantly radioactive shale facies.
Vertical Scale: 1 inch is equal to approximately 400 feet

TETRA TECH INC. ENERGY MANAGEMENT DIVISION COLUMBUS, OHIO	
INTEGRATED PROGRAM TO IDENTIFY AND TEST THE NATURAL GAS PRODUCTIVITY OF DEVONIAN SHALE PROSPECTS IN THE APPALACHIAN, MICHIGAN AND ILLINOIS BASINS. FOR UNITED STATES DEPARTMENT OF ENERGY MORGANTOWN ENERGY TECHNOLOGY CENTER	
FENCE DIAGRAM OF THE DEVONIAN SHALES IN EASTERN OHIO.	
PROGRAM MANAGER: E. G. Tarr	CONTRACT NO.
INTERPRETATION BY: Science Applications, Inc.	MODIFICATION NO.
DATE: January, 1981	DRAWN BY: L.Y. Clements
CONTOUR INT:	DATUM:
	DWG. NO.