

Oil & Natural Gas Technology

DOE Award No.: DE-FE0010144

Quarterly Research Performance Progress Report (Period ending 09/30/2016)

Mapping Permafrost and Gas Hydrate using Marine CSEM Methods

Project Period (10/1/2012 – 09/30/16)

Submitted by:

Project PI Steven Constable
Scripps Institution of Oceanography
University of California San Diego
DUNS #:175104595.
9500 Gilman Drive
La Jolla, CA 92093-0210
e-mail: sconstable@ucsd.edu
Phone number: (858) 534-2409

Prepared for:

United States Department of Energy
National Energy Technology Laboratory



Office of Fossil Energy

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

TABLE OF CONTENTS

	Page
DISCLAIMER	i
CONTENTS PAGE	ii
EXECUTIVE SUMMARY	1
ACCOMPLISHMENTS	1
PRODUCTS	4
PARTICIPANTS AND OTHER COLLABORATING ORGANIZATIONS	5
CHANGES/PROBLEMS	5
BUDGETARY INFORMATION	6
Table 1 – Milestone status report	3
Table 2 – Spend profile	6

EXECUTIVE SUMMARY

This quarter we revised the paper that we had submitted to *Earth and Planetary Science Letters* and, given the reviews, are optimistic that the revisions will be accepted or that only minor further revisions will be required.

Last quarter we discovered that by including anisotropy in our inversions we could eliminate a problem associated with simultaneous fits to amplitude and phase. This quarter we extend the anisotropic inversions to all the data collected in 2105 (the year we had good phase data), and the results confirm that areas where we expect to see permafrost are highly anisotropic. The ties between survey lines are excellent. We see a general decrease in the amount of permafrost from the east of Prudhoe Bay to the west, which is consistent with observations made on land.

ACCOMPLISHMENTS

Major goals of project

Permafrost underlies an estimated 20% of the land area in the northern hemisphere and often has associated methane hydrate. Numerous studies have indicated that permafrost and hydrate are actively thawing in many high-latitude and high-elevation areas in response to warming climate and rising sea level. Such thawing has clear consequences for the integrity of energy infrastructure in the Arctic, can lead to profound changes in arctic hydrology and ecology, and can increase emissions of methane as microbial processes access organic carbon that has been trapped in permafrost or methane hydrate dissociates. There has, however, been significant debate over the offshore extent of subsea permafrost.

Our knowledge of sub-seafloor geology relies largely on seismic data and cores/well-logs obtained from vertical boreholes. Borehole data are immensely valuable (both in terms of dollar cost and scientific worth), but provide information only about discrete locations in close to one (vertical) dimension. Seismic data are inherently biased towards impedance contrasts, rather than bulk sediment properties. In the context of mapping offshore permafrost and shallow hydrate, seismic methods can identify the top of frozen sediment through the identification of high amplitude reflections and high-velocity refractors but simple 2D seismic surveys do little to elucidate the bulk properties of the frozen layers, particularly the thickness. However, permafrost and gas hydrate are both electrically resistive, making electromagnetic (EM) methods a complementary geophysical approach to seismic methods for studying these geological features. Deep ocean EM methods for mapping gas hydrate have been developed by both academia and industry, but the deep-ocean techniques and equipment are not directly applicable to the shallow-water, near-shore permafrost environment. This project addresses this problem by designing, building, and testing an EM system designed for very shallow water use, and using it to not only contribute to the understanding of the extent of offshore permafrost, but also to collect baseline data that will be invaluable for future studies of permafrost degradation.

We will use the new equipment to carry out a pilot project to map the contemporary state of subsea permafrost on part of the U.S. Beaufort inner shelf, reoccupying seismic lines acquired in 2010 to 2012. We will combine the interpretation of EM data with seismic data through a no-cost collaboration with Carolyn Ruppel of the USGS. Modeling suggests that a 500 m long EM array will be adequate to sense the top of permafrost in many of the areas where the USGS has completed mapping, although our receiver array is now 1,000 m long. The towed array will be supplemented by the deployment of 2 to 4 seafloor recorders that will be retrieved after the cruise so that nothing remains in the area. The use of a small number of seafloor recorders will allow us to collect data at larger offsets, providing insight into deeper structure.

We are exploiting the close association of hydrate and permafrost at high latitudes, and in particular their common response to changing climate. By using a second geophysical method to supplement seismic data, we will be able to better map the current extent of permafrost and so better understand the impact of past sea level rise on the hydrate stability field, and provide a critical baseline for studies which target the effects of current climate change.

Our work will not only expand our geophysical tool-kit but also expand our understanding of the geological and hydrological systems associated with gas hydrate. Instrumentation and analytical methods developed for this project can be easily applied for future permafrost and hydrate mapping elsewhere, and also other applications such as

groundwater exploration and engineering studies associated with near-shore infrastructure development, and most recently offshore geothermal exploration.

Work accomplished during the project period

We are using the MARE2DEM code of Kerry Key (<http://mare2dem.ucsd.edu/>) to invert the data. This code uses adaptive refinement of a 2-dimensional unstructured finite element mesh to ensure that the forward model calculations are accurate. Such inversions are computationally demanding, running for significant fractions of a day on 100-core clusters, and many runs are required to ensure that (a) the data errors are appropriately scaled, (b) the data are free of outliers, (c) the model domain is large enough, (d) and the model domain is adequately discretized. However, we have now inverted all the data collected during the 2015 field season. The results are shown in Figure 1, as vertical resistivity and anisotropy ratio. These are individual inversions of discrete tow lines, but the line-to-line agreement is excellent, which provides confidence in the results.

We see vertical resistivities from 10–100 Ωm at depths associated with permafrost, with a fairly high lateral variability as seen in apparent resistivity pseudosections (see earlier quarterly reports). This variability is likely associated with the fraction of the sediment that contains ice, and resistivity increases from the west to the east, consistent with observations of permafrost on land.

If we look at the anisotropy ratio, defined as the ratio of vertical to horizontal resistivities, we see very high anisotropy ratios (10 or more). We infer that in horizontally stratified sediments, permafrost preferentially forms in beds of one lithology, perhaps sands, and that salts excluded during ice formation might reside in fluids associated with other layers, perhaps silts. Importantly, the anisotropy ratio has a sharp base at a depth of about 600 m, which is consistent with the base of permafrost inferred from well logs.




Figure 1. Anisotropic inversions of all the marine EM data collected in 2015. Top: Vertical resistivity of anisotropic inversion. Bottom: Anisotropy ratio (vertical resistivity divided by horizontal resistivity). Left is to the west, right to the east. The vertical axis extends from the seafloor to one kilometer depth.

Training and professional development.

Dallas Sherman, PhD student, is now the student working on this project, and has carried out all the processing and inversion presented in the past year’s quarterly reports. She has taken the lead on writing and revising the manuscript we have submitted for publication.

Plans for next project period.

This is the last project period, but we will continue to work on the publication of the results from this project under other funding. The paper we submitted to EPSL received good reviews and we have re-submitted the revisions and are optimistic that it will be accepted soon. Based on the results of the anisotropic inversions (Figure 1), we plan to submit our next paper to *Nature Geoscience*.

Milestone status report.

Milestone Title	Planned Completion Date	Actual Completion Date	Verification Method	Comments on progress
Equipment design approved	5/1/2013	5/1/2013	Internal review	
Equipment passes tests	12/6/2013	12/1/2013	Internal review	delayed one quarter
Y2 data collection	9/1/2014	7/22/2014	Internal review	
Y2 data processing	9/30/2014	9/30/2014	Internal review	
Y3 data collection	9/1/2015	7/7/2015	Internal review	
Y3 data processing	9/30/2015	9/1/2015	Internal review	
Publications(s) submitted	4/1/2016	5/20/2016	Internal review	Submitted to <i>EPSL</i>
Publications(s) accepted	9/30/2016	mid 11/16	<- (estimated)	revisions sub. 11/3/16

PRODUCTS

Project Management Plan. The revised Project Management Plan was accepted on 19 November 2012.

The following abstracts are relevant to this and past DoE funded research:

Gordon Conference Abstract, 2016: Surveying hydrates in the California Borderlands using electromagnetic methods. Presented at the Natural Gas Hydrate Systems Gordon Research Conference. Galveston, Texas. Peter Kannberg and Steven Constable.

AGU 2015 Fall Meeting: Resistivity structure of the Del Mar methane seep, Peter Kannberg and Steven Constable.

AGU 2015 Fall Meeting: Surface towed CSEM systems for shallow water mapping, Joanna Sherman, Steven Constable, and Peter Kannberg.

AGU 2015 Fall Meeting: Water and electricity do mix: Studying plates, petroleum, and permafrost using marine electromagnetism, Steven Constable (invited Bullard Lecture).

AGU 2014 Fall Meeting: Hydrates in the California Borderlands revisited: Results from a controlled-source electromagnetic survey of the Santa Cruz Basin, Peter Kannberg and Steven Constable.

Gordon Conference Abstract, 2014: Hydrates in the California Borderlands: Results from controlled-source electromagnetic surveys, Peter Kannberg, Steven Constable, and Kerry Key.

AGU 2013 Fall Meeting: Hydrates in the California Borderlands: 2D inversion results from CSEM towed and seafloor arrays, Peter Kannberg, Steven Constable, and Kerry Key.

AGU 2012 Fall Meeting: Mapping methane hydrate with a towed marine transmitter-receiver array, Peter K. Kannberg; Steven Constable, presented in *GP33A. Advances in Electromagnetic Induction: From the Near Surface to the Deep Mantle III Posters.*

AGU 2012 Fall Meeting: Mapping marine gas hydrate systems using electromagnetic sounding, Steven Constable; Karen A. Weitemeyer; Peter K. Kannberg; Kerry W. Key, presented in *OS34A. Marine and Permafrost Gas Hydrate Systems III.*

AGU 2012 Fall Meeting: Electrical conductivity of lab-formed methane hydrate + sand mixtures; technical developments and new results, Laura Stern; Wyatt L. Du Frane; Karen A. Weitemeyer; Steven Constable; Jeffery J. Roberts, presented in *OS43B. Marine and Permafrost Gas Hydrate Systems IV Posters.*

The following papers acknowledge this or past DoE funded research:

Constable, S., P. K. Kannberg, and K. Weitemeyer, 2016. Vulcan: A deeptowed CSEM receiver. *Geochemistry, Geophysics, Geosystems*, **17**, doi:10.1002/2015GC006174.

Du Frane, W., L.A. Stern, S. Constable, K.A. Weitemeyer, M.M. Smith, and J.J. Roberts, 2015. Electrical properties of methane hydrate + sediment mixtures. *Journal of Geophysical Research*, **120**, 4773–4787, doi:10.1002/2015JB011940.

Weitemeyer, K., and S. Constable, 2014. Navigating marine electromagnetic transmitters using dipole field geometry. *Geophysical Prospecting*, **62**, 573–593, doi: 10.1111/1365-2478.12092.

Du Frane, W.L., L.A. Stern, K.A. Weitemeyer, S. Constable, J.C. Pinkston, J.J. Roberts, 2011. Electrical prop-

erties of polycrystalline methane hydrate. *Geophysical Research Letters*, **38**, doi:10.1029/2011GL047243.

Weitemeyer, K.A., S. Constable, S. and A.M. Trehu, 2011. A marine electromagnetic survey to detect gas hydrate at Hydrate Ridge, Oregon. *Geophysical Journal International* , **187**, 45-62.

Weitemeyer, K., G. Gao, S. Constable, and D. Alumbaugh, 2010. The practical application of 2D inversion to marine controlled-source electromagnetic sounding. *Geophysics*, **75**, F199–F211.

Weitemeyer, K., and S. Constable, 2010. Mapping shallow geology and gas hydrate with marine CSEM surveys. *First Break*, **28**, 97–102.

PARTICIPANTS AND OTHER COLLABORATING ORGANIZATIONS

Name:	Steven Constable
Project Role:	PI
Nearest person month worked:	1
Contribution to project:	Management, scientific direction
Funding support:	Institutional matching funds
Foreign collaboration:	Yes
Country:	United Kingdom
Travelled:	No

Name:	Dallas Sherman
Project Role:	PhD student
Nearest person month worked:	3
Contribution to project:	Processing and inverting data. Writing manuscripts.
Funding support:	This project, federal plus matching funds
Foreign collaboration:	No

CHANGES/PROBLEMS

No changes or problems to report at this time.

BUDGETARY INFORMATION

Table 2a: Spend profile

baseline	Budget Period 1							
	10/1/12 – 12/31/12		1/1/13 – 3/31/13		4/1/13 – 6/30/13		7/1/13 – 9/30/13	
	Q4		Q1		Q2		Q3	
	Q4	Cum. Total	Q1	Cum. Total	Q2	Cum. Total	Q3	Cum. Total
Baseline cost:								
Federal	\$49,969	\$49,969	\$33,192	\$83,161	\$19,810	\$102,971	\$18,771	\$121,742
Non-federal	\$9,897	\$9,897	\$9,897	\$19,794	\$9,897	\$29,692	\$29,897	\$59,589
Total	\$59,866	\$59,866	\$43,089	\$102,955	\$29,707	\$132,663	\$48,668	\$181,331
Actual cost:								
Federal	\$19,027	\$19,027	\$8,160	\$27,187	\$17,444	\$44,631	\$43,370	\$88,001
Non-federal	\$10,874	\$10,874	\$9,514	\$20,388	\$3,500	\$23,888	\$24,215	\$48,103
Total	\$29,901	\$29,901	\$17,674	\$47,575	\$20,944	\$68,519	\$67,585	\$136,104
Variance:								
Federal	-\$30,942	-\$30,942	-\$25,032	-\$55,974	-\$2,366	-\$58,340	\$24,599	-\$33,741
Non-federal	\$977	\$977	-\$383	\$594	-\$6,379	-\$5,804	-\$5,682	-\$11,486
Total	-\$29,964	-\$29,964	-\$25,415	-\$55,380	-\$8,763	-\$64,144	\$18,917	-\$45,227

Table 2b: Spend profile

baseline	Budget Period 1		Budget Period 2					
	10/1/13 – 12/31/13		1/1/14 – 3/31/14		4/1/14 – 6/30/14		7/1/14 – 9/30/14	
	Q4		Q1		Q2		Q3	
	Q4	Cum. Total	Q1	Cum. Total	Q2	Cum. Total	Q3	Cum. Total
Baseline cost:								
Federal	\$0	\$121,742	\$10,588	\$132,330	\$160,134	\$292,464	\$16,705	\$309,169
Non-federal	\$0	\$59,589	\$9,899	\$69,488	\$14,854	\$84,341	\$14,854	\$99,196
Total	\$0	\$181,331	\$20,487	\$201,818	\$174,988	\$372,360	\$31,559	\$408,365
Actual cost:								
Federal	\$18,959	\$106,960	\$12,002	\$118,962	\$144,084*	\$263,046*	\$35,382	\$298,428
Non-federal	\$11,486	\$59,589	\$3,247	\$62,836	\$36,360	\$99,196	\$0	\$99,196
Total	\$30,445	\$166,549	\$15,249	\$181,798	\$180,444*	\$362,242*	\$35,382	\$397,624
Variance:								
Federal	\$18,959	-\$14,782	\$1,414	-\$13,368	-\$16,050	-\$29,418	\$18,677	-\$10,741
Non-federal	\$11,486	\$0	-\$6,652	-\$6,652	\$21,506	\$19,300	-\$14,854	\$0
Total	\$30,445	-\$14,782	-\$5,238	-\$20,020	\$5,456	-\$14,563	\$3,823	-\$10,741

* = estimate, includes ship time liened for 2014 field work.

Table 2c: Spend profile

	Budget Period 3							
baseline	10/1/14 – 12/31/14		1/1/15 – 3/31/15		4/1/15 – 6/30/15		7/1/15 – 9/30/15	
	Q4		Q1		Q2		Q3	
	Q4	Cum. Total	Q1	Cum. Total	Q2	Cum. Total	Q3	Cum. Total
Baseline cost:								
Federal	\$18,842	\$328,011	\$18,842	\$346,853	\$48,842	\$395,695	\$111,322	\$507,017
Non-federal	\$9,900	\$109,096	\$9,900	\$118,996	\$9,900	\$128,896	\$9,900	\$138,796
Total	\$28,742	\$437,107	\$28,742	\$465,849	\$58,742	\$524,591	\$121,222	\$645,813
Actual cost:								
Federal	\$6,397	\$304,825	\$35,075	\$339,900	\$72,796	\$412,696	\$104,030	\$516,726
Non-federal	\$9,900	\$109,096	\$9,900	\$118,996	\$9,900	\$128,896	\$9,900	\$138,796
Total	\$16,297	\$413,921	\$44,975	\$458,896	\$82,696	\$541,592	\$113,930	\$655,522
Variance:								
Federal	-\$10,741	-\$23,186	\$16,233	-\$6,953	\$23,954	\$17,001	-\$7,292	\$9,709
Non-federal	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Total	-\$10,741	-\$23,186	\$16,233	-\$6,953	\$23,954	\$17,001	-\$7,292	\$9,709

Table 2d: Spend profile

	Budget Period 4							
baseline	10/1/15 – 12/31/15		1/1/16 – 3/31/16		4/1/16 – 6/30/16		7/1/16 – 9/30/16	
	Q4		Q1		Q2		Q3	
	Q4	Cum. Total	Q1	Cum. Total	Q2	Cum. Total	Q3	Cum. Total
Baseline cost:								
Federal	\$18,482	\$525,499	\$24,596	\$550,095	\$24,596	\$574,691	\$24,595	\$599,286
Non-federal	\$9,900	\$148,696	\$10,719	\$159,415	\$10,719	\$170,134	\$10,718	\$180,852
Total	\$28,382	\$674,195	\$35,315	\$709,510	\$35,315	\$744,825	\$35,313	\$780,138
Actual cost:								
Federal	\$8,810	\$525,536	\$4,338	\$529,874	\$36,945	\$566,819	\$32,467	\$599,286
Non-federal	\$9,900	\$148,696	\$10,719	\$159,415	\$10,719	\$170,134	\$10,718	\$180,852
Total	\$18,710	\$674,232	\$15,057	\$689,289	\$47,664	\$736,953	\$43,185	\$780,138
Variance:								
Federal	-\$9,672	\$37	-\$20,258	-\$20,221	\$12,349	-\$7,872	\$7,872	\$0
Non-federal	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Total	-\$9,672	\$37	-\$20,258	-\$20,221	\$12,349	-\$7,872	\$7,872	\$0