



# NETL Life Cycle Inventory Data

## Process Documentation File

**Process Name:** Blended Conventional and F-T Jet Fuel, Acquisition, Transport, Conversion, Delivery and Use: 20% Torrefied Biomass

**Reference Flow:** 1 MJ of Blended Conventional and F-T Jet Fuel, Combusted

**Brief Description:** This process includes all inputs for the raw material acquisition, raw material transportation, energy conversion, product transport, and end use for 1 MJ of combusted blended conventional and F-T jet fuel.

---

### Section I: Meta Data

---

**Geographical Coverage:** US **Region:** N/A

**Year Data Best Represents:** 2011

**Process Type:** Energy Conversion (EC)

**Process Scope:** Cradle-to-Gate Process (CG)

**Allocation Applied:** No

**Completeness:** Individual Relevant Flows Captured

**Flows Aggregated in Data Set:**

<input checked="" type="checkbox"/> Process	<input checked="" type="checkbox"/> Energy Use	<input checked="" type="checkbox"/> Energy P&D	<input type="checkbox"/> Material P&D
---	--	--	---------------------------------------

**Relevant Output Flows Included in Data Set:**

Releases to Air:	<input checked="" type="checkbox"/> Greenhouse Gases	<input checked="" type="checkbox"/> Criteria Air	<input checked="" type="checkbox"/> Other
Releases to Water:	<input checked="" type="checkbox"/> Inorganic	<input type="checkbox"/> Organic Emissions	<input type="checkbox"/> Other
Water Usage:	<input checked="" type="checkbox"/> Water Consumption	<input checked="" type="checkbox"/> Water Demand (throughput)	
Releases to Soil:	<input checked="" type="checkbox"/> Inorganic Releases	<input type="checkbox"/> Organic Releases	<input type="checkbox"/> Other

**Adjustable Process Parameters:**

Coal_mine_methane	<i>Amount of methane released from the mining and coal cleaning process</i>
Biomass_yield	<i>Southern pine biomass yield</i>

Coal_distance	<i>Transport distance for coal from the mine to the CBTL facility</i>
Bio_to_torr	<i>Transport distance for biomass from the field to the torrefaction facility</i>
Bio_torr_to_CBTL	<i>Transport distance for biomass from the torrefaction facility to the CBTL facility</i>
Biomass_treat	<i>Binary switch to select biomass treatment scenario: 0 = Chipped Biomass; 1 = Torrefied Biomass</i>
CO2_pipe_length	<i>CO<sub>2</sub> pipeline length from the CBTL facility to the EOR site</i>
CO2_pipe_loss	<i>Loss of CO<sub>2</sub> per km of pipeline distance</i>
Jet_pipe_length	<i>Jet fuel pipeline length from the CBTL facility to the user</i>
Jet_trans_scen	<i>Binary switch to select blended jet fuel transport scenario: 1 = Pipeline; 0 = Pipeline (60%) and Truck (40%)</i>

**Tracked Input Flows:**

Montana Rosebud Coal	<i>Mass of Montana Rosebud sub-bituminous coal required per reference flow</i>
Southern Pine Biomass	<i>Mass of Southern pine biomass required per reference flow</i>
Conventional Jet Fuel	<i>Conventional jet fuel required per reference flow</i>
Water	<i>Water required per reference flow</i>
Energy Resources	<i>Energy Requirements per reference flow</i>

**Tracked Output Flows:**

Blended Conventional and F-T Jet Fuel, Combusted [Valuable Substance]	<i>Reference flow</i>
---	-----------------------

---

**Section II: Process Description**

---

**Associated Documentation**

This unit process is composed of this document and the data sheet (DS) *DS\_CTG\_CCAT\_Conv\_and\_FTjet\_20\_Percent\_Torrefied\_Biomass\_2012.01.xlsx*, which provides additional details regarding relevant calculations, data quality, and references.

**Goal and Scope**

This unit process provides a summary of relevant input and output flows associated with the acquisition and transport of coal and biomass to a coal and biomass to liquids (CBTL) facility for conversion to Fischer-Tropsch (F-T) jet fuel. The unit process also accounts for the blending of the finished F-T jet fuel product with conventional jet fuel, transport to the user, and combustion in an aircraft. This unit process examines a scenario in which there is 20% torrefied biomass and 80% coal converted to F-T jet fuel at the CBTL facility in a single gasifier. Available adjustable parameters and their default values are provided in Section I. The reference flow of this unit process is: 1 MJ of Blended Conventional and F-T Jet Fuel, Combusted

**Boundary and Description**

LC stage #1, raw material acquisition (RMA) of southern pine, includes land preparation for the southern pine production, cultivation of southern pine, and the harvesting and storing of the southern pine. Most of the data used in the formation of the operation processes are from states in the US Midwest.

The RMA of southern pine includes the construction of the machinery needed for RMA operation processes. Within the machinery construction, upstream processes (for example, steel or rubber) are included.

The biomass processes are set up slightly differently than some of the other feedstocks. Unlike other RMA pathways, biomass has a set order of operations for its production. The product from one process is the input to another process which lends itself to assembly of the model in series. Each of the operations use a distinct set of machinery, and each piece is constructed as many times as needed during the study period. For the operation processes, each requires diesel fuel and calculates the emissions based on the diesel consumed. The cultivation process also includes the production and application of different fertilizers (potassium, nitrogen and phosphorus).

The construction processes for machinery contain all of the machinery needed for the initial clearing of the site, cultivation, and harvesting of the southern pine. The machinery includes:

- Tiller  
(DS/DF\_Stage1\_C\_Tiller\_5015\_lbs\_TractorPropelled\_2009.01.doc)

- Tractor  
(DS/DF\_Stage1\_C\_Diesel\_Tractor\_165\_HP\_2009.01.doc)
- Tree Planter  
(DS/DF\_Stage1\_C\_Treeplanter\_4500\_lbs\_TractorPropelled\_2009.01.doc)
- Tree Harvester  
(DS/DF\_Stage1\_C\_Tree\_Harvester\_Chipper\_440\_HP\_2010.01.doc)
- Pushoff Trailer  
(DS/DF\_Stage1\_C\_Pushoff\_Trailer\_60m3\_Tractor\_Propelled.01.doc)

Each piece of equipment is scaled to the production of one kilogram of southern pine accounting for the lifetime of each piece of equipment, as relevant.

LC stage #1, RMA for subbituminous coal, includes the construction of an aboveground Powder River Basin – Montana Rosebud coal mine and required operation equipment, the operation of the coal mine, and the commissioning and decommissioning of the mine. The mine was modeled based on a compilation of surface mines in Wyoming and Montana, producing Montana Rosebud Coal.

Each of the processes included in RMA for Montana Rosebud coal include upstream processes (for example, diesel fuel or steel). Coal mine construction and operation include individual construction unit processes for key equipment, which are aggregated within the model as described below.

Coal mine commissioning and decommissioning integrates diesel and gasoline use during commissioning and decommissioning of the Montana Rosebud mine. Due to lack of available data, coal mine decommissioning was assumed to require 10% of the commissioning inputs. The coal mine operation includes energy from the power grid and diesel use for the operation of the mine and mine equipment. Coal mine methane emissions are included as an adjustable parameter in this process.

The construction process contains key machinery needed for the initial clearing of the site and the extraction of the coal. The machinery includes:

- Blasthole Drill  
(DS/DF\_Stage1\_C\_Blasthole\_Drill\_250000lb\_2010.01.doc)
- Coal Loading Silo  
(DS/DF\_Stage1\_C\_Coal\_Loading\_Silo\_PRB\_2010.01.doc)
- Conveyor System  
(DS/DF\_Stage1\_C\_Conveyor\_System\_48\_Inch\_2010.01.doc)
- Dragline  
(DS/DF\_Stage1\_C\_Dragline\_8200ton\_2010.01.doc)
- Coal Loader  
(DS/DF\_Stage1\_C\_Track\_Loader\_239\_HP\_2010.01.doc)
- Mining Truck  
(DS/DF\_Stage1\_C\_Mining\_Truck\_623690kg\_2010.01.doc)

- Electric Shovel  
(DS/ DF\_Stage1\_C\_Electric\_Shovel\_120\_Tons\_Payload\_2010.01.doc)
- Coal Crusher  
(DS/ DF\_Stage1\_C\_Coal\_Crusher\_254000lb\_2010.01.doc)

Each piece of equipment is scaled to coal mine production, accounting for the lifetime of each piece of equipment, as relevant.

LC Stage #2, raw material transport (RMT), includes the transport of the southern pine from the farm to the energy conversion facility (ECF) (LC Stage #3). The construction of equipment used to transport southern pine and the operation of that equipment are the two processes within RMT. Southern pine transport takes place via a chip truck, which is suitable for the transport of southern pine, and which is powered by diesel. The transport distance is an adjustable parameter for RMT. LC Stage#2 also includes the torrefaction of the biomass prior to delivery to the ECF. There are two transportation legs for the biomass: farm to the torrefaction facility and then from the torrefaction facility to the CBTL facility.

Construction of the truck for RMT includes the materials required to construct the following piece of equipment for transport:

- Container/Chip Truck  
(DS/ DF DF\_Stage2\_C\_Chip\_Truck\_Biomass\_Transport\_2010.01.doc)

LC Stage #2 (RMT) includes the transport of the mined and processed Montana Rosebud subbituminous coal from the aboveground coal mine site to the energy conversion facility (LC Stage #3). The construction of equipment used to transport mined coal and the operation of that equipment are considered within RMT. Coal transport takes place via a diesel powered train/locomotive, which is suitable for the transport of coal. The transport distance is an adjustable parameter for RMT.

Construction of the train for RMT includes the materials required to construct the following piece of equipment for transport:

- Coal railcar  
(DS/DF\_Stage2\_C\_Railcar\_244000\_lbs\_Net\_Capacity\_2009.01)
- Diesel locomotive  
(4,400 horsepower) (DS/DF\_Stage2\_C\_Locomotive\_2009.01)
- Coal unit train (100 railcars and the required number of locomotives)  
(DS/DF\_Stage2\_C\_Assembly\_Coal\_Unit\_Train\_100\_Cars\_2010.01)

LC Stage #3, energy conversions facility (ECF), includes the combination of torrefied biomass with the Montana Rosebud coal for reaction in the CBTL facility in a single gasifier. The CBTL process creates the following products: F-T Jet Fuel, F-T Diesel Fuel, F-T Naphtha, F-T Liquefied Petroleum Gas (LPG), and Electricity. The main product of interest in this study is F-T jet fuel. All co-products are allocated by means of system expansion, meaning displacement of conventional production methods for those

products. Because no existing commercial scale CBTL energy conversion facilities have been produced, there are no real world data sources for construction requirements of the modeled CBTL facility. Therefore, the analysis provided here relies on proxy data to estimate the total construction materials required for the construction of the CBTL facility. Specifically, construction requirements for concrete, steel, pipe, iron, and aluminum were quantified based on prior estimates for a hypothetical CBTL facility, as previously estimated by NETL for a separate modeling effort

The CBTL facility includes a carbon capture system which sends the captured stream to be used for Enhanced Oil Recovery (EOR). ECF includes the construction of the EOR facility as well as any emissions from the operations of that facility. The products of EOR include crude oil and natural gas liquids. Similar to the handling of the co-products at the CBTL facility, the crude oil and natural gas liquids produced from EOR displace conventional production methods.

LC Stage #4, product transport (PT), includes pipeline transport of F-T jet fuel from the CBTL facility to a blending station. At the blending facility, the F-T jet fuel is blended with conventional, petroleum-based jet fuel. The pipeline used for transporting the F-T jet fuel to the refinery/blending station is assumed to be a pre-existing pipeline used to transport petroleum products. However, it is assumed that an approximately 20 mile length of pipeline will need to be constructed to connect the CBTL facility to the existing portion of the petroleum pipeline. Construction related materials and emissions are included for this 20-mile pipeline segment. Total distance from the CBTL facility to the refinery/blending station was assumed to be 225 miles. F-T jet fuel is blended with conventional jet fuel on a 1:1 basis (by volume). Blended jet fuel, which is the resulting fuel following blending, is tracked through the remainder of the life cycle model. Blended fuels transport is modeled according to two separate options. The first option includes exclusive pipeline delivery of the blended jet fuel to a single large airport, while the second includes pipeline delivery to a single large airport, plus tanker truck delivery to additional smaller regional airports.

LC Stage #5, end use, includes the combustion of the blended jet fuel stream in an aircraft. End use also accounts for the construction of the aircraft.

A visual schematic of the life cycle model is shown in **Figure 1**. The profiles and processes included in the five stages of the life cycle model are provided in **Table 2**. Those shown in bold face were developed by NETL.

Figure 1: Unit Process Scope and Boundary

CBTL Life Cycle - System Expansion

p

GaBI 4 process plan: Mass [kg]




Table 1: Profiles and Processes Included in the CTG Model for CBTL Jet Fuel

CBTL Life Cycle - All Scenarios - System Expansion

Stage #1 - Montana Rosebud Coal Production

RMA - Rosebud Coal Mining, Commissioning/Decommissioning

Diesel - NETL Baseline &lt;u-so&gt;

**US: Commissioning and Decommissioning of Rosebud Coal Mine NETL <u-so>**

RMA - Rosebud Coal Mining, Construction

Blasthole Drill Construction

**US: Blasthole Drill, 250,000 lbs, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL &lt;u-so&gt;

Coal Crusher Construction

DE: Steel cold rolled PE

**US: Coal Crusher, 254,000 lbs, Construction NETL <u-so>**

Conveyor Construction

**BF: Hot-dip Galvanized NETL**

DE: Steel cold rolled PE

DE: Styrene-butadiene rubber mix (SBR) PE

**US: Steel-Cord Conveyor System, 72", Construction NETL <u-so>**

Dragline Construction

**US: Dragline, 8,200 ton, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL &lt;u-so&gt;

Electric Shovel Construction

**US: Electric Shovel, 120 tons payload, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL &lt;u-so&gt;

Mining Truck Construction

DE: Styrene-butadiene rubber mix (SBR) PE

**US: Mining Truck for Surface Mine, 623,690 kg, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

Silo Construction

**US National Average Electricity Mix, 2007**

**US: Coal-Loading Silo, 12,000 Tons, Rosebud, Construction NETL <u-so>**

**US: Concrete, ready mixed, R-5-0 (100% Portland Cement) NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

Track Loader Construction

**US: Track Loader, 239 Horsepower (HP), Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

**US: Rosebud Surface Mine Assembly, Construction NETL <u-so>**

RMA - Rosebud Coal Mining, Operation

**US National Average Electricity Mix, 2007**

**Diesel - NETL Baseline <u-so>**

RER: Ammonium nitrate PE

US: Fuel oil light at refinery PE

**US: Rosebud Surface Subbituminous Coal Mine, Operations NETL <u-so>**

**US: STAGE#1: COAL MINE CONSTRUCTION & OPERATION NETL**

Stage #1 - Southern Pine Biomass Production

RMA - Southern Pine Cultivation, Construction

Tiller, Construction

**US: Tiller, 5015 lbs, Tractor-Propelled, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

Tractor, Construction

**US: Diesel Tractor, 165 Horsepower, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

Tree Planter (SRWC), Construction

**US: Treeplanter, 4500 lbs, Tractor-Propelled, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

**US: Southern Pine Cultivation Assembly, Construction NETL <u-so>**

RMA - Southern Pine Cultivation, Operation

**Direct Land Use - Southern Pine <u-so>**

**Indirect Land Use - Southern Pine <u-so>**

Average K Fertilizer

**US National Average Electricity Mix, 2007**

**EU-15: Average K Fertilizer NETL**

Average N Fertilizer

**US National Average Electricity Mix, 2007**

DE: Ammonia (NH<sub>3</sub>) PE

DE: Nitric acid (98%) PE

**EU-15: Average N Fertilizer NETL**



Average P Fertilizer

**US National Average Electricity Mix, 2007**

DE: Sulphuric acid (96%) PE

**EU-15: Average P Fertilizer NETL**

**US: Phosphate NETL**

**US National Average Electricity Mix, 2007**

Diesel - NETL Baseline <u-so>

**US: Southern Pine Biomass Cultivation, Operation NETL <u-so>**

RMA - Southern Pine Harvesting, Construction

Disc Wood Micro-chipper Construction

**US: Disc Micro-Chipper for Wood, 765 HP NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

Skidder Construction

**US: Grapple Skidder 172 HP, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

Standard Drum Chipper Construction

**US: Standard Drum Wood Chipper, 630 HP, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

Tree Harvester Construction

**US: Tree Harvester, 241 HP, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

**US: Southern Pine Harvesting Assembly, Construction NETL <u-so>**

RMA - Southern Pine Harvesting, Operation

**Diesel - NETL Baseline <u-so>**

**US: Southern Pine Harvesting & Storage, Operation NETL <u-so>**

RMA - Southern Pine Land Preparation, Operation

**Diesel - NETL Baseline <u-so>**

**US: SRWC Southern Pine Land Preparation, Operation NETL <u-so>**

Stage #2 - Montana Rosebud Coal Transport

Coal Train Construction

RER: Aluminum sheet mix PE

**US: Coal Railcar, 244000 lbs Net Capacity, Construction NETL <u-so>**

**US: Coal Unit Train Assembly, 100 Railcars, Construction NETL <u-so>**

**US: Diesel Locomotive, 4400 Horsepower, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

WOR: Steel, Stainless, 316 2B, 80% Recycled NETL <u-so>

Transport of Coal via Train, Operation

**Diesel - NETL Baseline <u-so>**

**US: Coal, Train Transport NETL <u-so>**

**US: Assembly: Coal Rail Transport (Construction & Operation) NETL**

Stage #2 - Southern Pine Biomass Transport

Biomass Truck & Container Trailer, Construction

DE: Lead (99,995%) PE

DE: Styrene-butadiene rubber mix (SBR) PE

RER: Aluminum sheet mix PE

RER: Nylon 6.6 granulate (PA 6.6) ELCD/PlasticsEurope <p-agg>

RER: Polyurethane flexible foam (PU) PlasticsEurope

**US: Chip Truck, Biomass Transport, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

**Diesel - NETL Baseline <u-so>**

**US: Tractor Trailer Biomass Transport, Class 8B, Operation NETL <u-so>**

Stage #3 - CBTL Facility - All Scenarios - System Expansion

Biomass Drying

**Natural Gas RMA/RMT 2009 Mix 02022012 <u-so>**

**US: Biomass Drying for Coal-Biomass Cofiring NETL <u-so>**

Biomass Torrefaction

**US National Average Electricity Mix, 2007**

**US: Biomass Torrefaction for Coal-Biomass Cofiring NETL <u-so>**

**US: Watertube or Firetube Industrial Boiler, 150,000 lbs/hr Capacity NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

CBTL Facility Construction

DE: Aluminum sheet mix PE

DE: Cast iron part PE <p-agg>

**US: CBTL Facility Construction NETL**

**US: Concrete, ready mixed, R-5-0 (100% Portland Cement) NETL <u-so>**

**US: US National Average Electricity Mix, 2007 080811 NETL**

US: Thermal energy from heavy fuel oil PE

WOR: Steel Pipe, Welded, BF, Manufacture NETL <u-so>

WOR: Steel Plate, BF, Manufacture NETL <u-so>

CO2 Management

CO2 Pipeline Operation and Construction

**US: Carbon Dioxide (CO2) Pipeline, Construction NETL <u-so>**

**US: CO2 Pipeline Operation NETL <u-so>**

WOR: Steel Pipe, Welded, BF, Manufacture NETL <u-so>

CO2 Sequestration Operation and Construction

**US National Average Electricity Mix, 2007**

**US: Carbon Dioxide (CO2) Sequestration Pipeline & Injection Well, Construction NETL <u-so>**

**US: CO2 Saline Sequestration Operation NETL <u-so>**

**US: Concrete, ready mixed, R-5-0 (100% Portland Cement) NETL <u-so>**

WOR: Steel Pipe, Welded, BF, Manufacture NETL <u-so>

Enhanced Oil Recovery

**Conventional Crude Oil - National Average, 2010**

**Enhanced Oil Recovery Construction**

**US National Average Electricity Mix, 2007**

**Diesel - NETL Baseline <u-so>**

**Enhanced Oil Recovery Operations <u-so>**  
**Natural Gas RMA/RMT 2009 Mix 02022012 <u-so>**  
US: Liquid gas LPG (70% propane; 30% butane) PE  
**US: System expansion (Crude Oil) NETL**  
**US: System expansion (NGL) NETL**

**US National Average Electricity Mix, 2007 Busbar**

Southern Pine Torrefied Biomass Transport

Biomass Truck & Container Trailer, Construction

DE: Lead (99,995%) PE

DE: Styrene-butadiene rubber mix (SBR) PE

RER: Aluminum sheet mix PE

RER: Nylon 6.6 granulate (PA 6.6) ELCD/PlasticsEurope <p-agg>

RER: Polyurethane flexible foam (PU) PlasticsEurope

**US: Chip Truck, Biomass Transport, Construction NETL <u-so>**

WOR: Steel Plate, BF, Manufacture NETL <u-so>

US: Diesel PE

**US: Tractor Trailer Torrefied Biomass Transport, Class 8B, Operation NETL <u-so>**

Biomass to CBTL Pretreatment <u-so>

Diesel - NETL Baseline <u-so>

**US: FT Jet Fuel from CBTL - Generic Scenario NETL <u-so>**

**US: Liquid gas LPG (70% propane; 30% butane) PE**

**US: Naphtha at refinery PE**

**US: Sulphur at refinery PE**

**US: System expansion (Diesel) NETL**

**US: System expansion (Electricity) NETL**

**US: System expansion (LPG) NETL**

**US: System expansion (Naphtha) NETL**

**US: System expansion (Sulphur) NETL**

Stage #4 - Product

Transport

Blended Fuels Transport

Blended Fuels Transport Construction

**Fuel Transport Pipeline Construction**

**Fuels Tanker Trailer Construction**

**US: Assembly of fuel transport construction and installation/deinstallation NETL <u-so>**

**US National Average Electricity Mix, 2007**

Diesel - NETL Baseline <u-so>

**Finished Jet Fuels Transportation Mixer <u-so>**

**US: Blended Jet Fuel Transport to Aircraft, Operation NETL <u-so>**

**US: Tractor-Trailer Liquid Fuels Transport, Class 8B, Operation NETL <u-so>**

Finished Fuels Blending

**US National Average Electricity Mix, 2007**

**Jet - NETL Baseline Updated to 2010 <u-so>**

**US: Fischer-Tropsch and Conventional Jet Fuel Blending NETL <u-so>**

F-T Finished Fuels Transport

Fuel Transport Pipeline Construction

**Diesel - NETL Baseline <u-so>**

**US: Fuel Transport Pipeline, Construction NETL <u-so>**

WOR: Steel Pipe, Welded, BF, Manufacture NETL <u-so>

**US National Average Electricity Mix, 2007**

**US: Pipeline Transport and Blending Energy Requirements for F-T Jet Fuel NETL <u-so>**

Stage #5 - Use - Airplane Construction and Operations

RER: Aluminum sheet mix PE

**US: Airplane Combustion of Blended F-T/Conventional Jet Fuel Updated NETL <u-so>**

**US: Jet Aircraft, 46 Short Tons, Construction NETL <u-so>**

### Parameters and Balances

The parameters for the highest level modeling plans for the CBTL jet fuel model are shown in **Table 2**. These parameters may or may not include the adjustable parameters shown previously depending on how the model was created. **Table 3** presents a summary level review of the input and output balances for resources and emissions of interest for the cradle-to-gate plan. **Table 4** shows the full suite of results for the input and output balances.

**Table 2: Adjustable Parameters included in the in the CTG Model for CBTL Jet Fuel**

Plan	Parameter	Value	Comment
<b>LC Stage #1: Raw Material Acquisition</b>			
Stage #1 - Montana Rosebud Coal Production	Coal_mine_methane	40	[scf/ton] Amount of methane released from the mining and coal cleaning process
Stage #1 - Southern Pine Biomass Production	Biomass_yield	6,350	[kg/acre-yr] Southern pine biomass yield
<b>LC Stage #2: Raw Material Transport</b>			
Stage #2 - Montana Rosebud Coal Transport	Coal_distance	1,600	[miles] Transport distance for coal from the mine to the CBTL facility
Stage #2 - Southern Pine Biomass Transport	Bio_to_torr	40	[miles] Transport distance for biomass from the field to the torrefaction facility
Stage #2 - Southern Pine Biomass Transport	Bio_torr_to_CBTL	50	[miles] Transport distance for biomass from the torrefaction facility to the CBTL facility
<b>LC Stage #3: Energy Conversion Facility</b>			
Stage #3 - CBTL Facility	Biomass_treat	1	[dimensionless] 0 = Chipped Biomass; 1 = Torrefied Biomass
CO2 Pipeline Operation and Construction	CO2_pipe_length	775	[miles] CO2 pipeline length from the CBTL facility to the EOR site
CO2 Pipeline Operation and Construction	CO2_pipe_loss	2.6E-07	[%/km] Loss of CO2 per km of pipeline distance
<b>LC Stage #4: Product Transport</b>			
F-T Finished Fuels Transport	Jet_pipe_length	225	[miles] Jet fuel pipeline length from the CBTL facility to the user
F-T Finished Fuels Transport	Jet_trans_scen	1	[dimensionless] 1 = Pipeline; 0 = Pipeline (60%) and Truck (40%)

Table 3: Unit Process Input and Output Flows

Flow Name	Value	Units (Per Reference Flow)
<b>Inputs</b>		
Montana Rosebud Coal	8.14E-02	kg
Southern Pine Biomass	2.45E-02	kg
Conventional Jet Fuel	1.18E-02	kg
Water	1.08E+01	kg
Energy Resources	-4.38E-02	kg
<b>Outputs</b>		
Blended Conventional and F-T Jet Fuel, Combusted [Valuable Substance]	1	MJ
Carbon dioxide	8.43E-02	kg
Methane	-1.22E-05	kg
Nitrous oxide (laughing gas)	5.06E-06	kg
Nitrogen oxides	2.62E-04	kg
Sulphur dioxide	-4.34E-05	kg
Carbon monoxide	1.77E-04	kg
Dust (unspecified)	1.27E-05	kg
Lead (+II)	-1.75E-10	kg
Mercury (+II)	1.43E-09	kg
Ammonia	1.31E-06	kg
Radioactive emissions to air	-2.36E-12	kg
Group NMVOC to air	2.29E-04	kg
Heavy metals to industrial soil	-4.53E-05	kg
Waste (solid)	1.47E-04	kg
Aluminum (+III)	5.50E-06	kg
Ammonium / ammonia	1.62E-06	kg
Heavy metals to fresh water	2.63E-05	kg
Nitrate	1.54E-07	kg
Nitrogen	8.15E-06	kg
Phosphate	-8.44E-09	kg
Phosphorus	6.33E-06	kg
Water (output)	2.74E-01	kg

**Table 1: Inputs and Output Balances for Cradle-to-Gate and Life Cycle Stages for CBTL Jet Fuel (kg/MJ combusted)**

Process or Category	CTG
<b>Inputs</b>	
Flows	1.077E+01
Resources	1.076E+01
Energy resources	-4.383E-02
Non renewable energy resources	-4.383E-02
Crude oil (resource)	-4.369E-02
Hard coal (resource)	-8.254E-04
Lignite (resource)	-1.562E-05
Natural gas (resource)	6.964E-04
Uranium (resource)	-2.327E-10
Renewable energy resources	-4.210E-08
Unspecified	0.000E+00
Energy unspecified (APME)	0.000E+00
Land use	0.000E+00
Material resources	1.078E+01
Non renewable elements	2.452E-05
Aluminum	-5.766E-11
Chromium	1.064E-12
Copper	2.130E-13
Iron	2.438E-05
Lead	1.038E-12
Magnesium	1.258E-15
Mercury	3.188E-13
Nickel	3.930E-15
Phosphorus	1.257E-10
Sulphur	2.914E-09
Zinc	1.357E-07
Non renewable resources	-9.394E-03
Barium sulphate	-1.143E-16
Basalt	-9.048E-07
Bauxite	5.313E-05
Bentonite	-1.845E-04
Calcium carbonate (CaCO <sub>3</sub> )	3.750E-05
Calcium chloride	-1.171E-14
Chalk (Calciumcarbonate)	2.091E-39

Process or Category	CTG
Chromium ore (39%)	1.132E-06
Clay	-1.205E-05
Colemanite ore	-1.873E-09
Copper - Gold - Silver - ore (1,0% Cu; 0,4 g/t Au; 66 g/t Ag)	-1.841E-07
Copper - Gold - Silver - ore (1,1% Cu; 0,01 g/t Au; 2,86 g/t Ag)	-1.121E-07
Copper - Gold - Silver - ore (1,16% Cu; 0,002 g/t Au; 1,06 g/t Ag)	-6.330E-08
Copper - Molybdenum - Gold - Silver - ore (1,13% Cu; 0,02% Mo; 0,01 g/t Au; 2,86 g/t Ag)	-2.369E-08
Copper ore (0.14%)	-4.333E-07
Copper ore (1.2%)	-1.909E-08
Copper ore (4%)	-6.784E-17
Copper ore (sulphidic, 1.1%)	-2.574E-08
Dolomite	2.215E-06
Feldspar (aluminum silicates)	8.868E-11
Ferro manganese	2.594E-13
Fluorspar (calcium fluoride; fluorite)	4.007E-07
Granite	2.780E-20
Gravel	-8.128E-07
Gypsum (natural gypsum)	-6.657E-06
Heavy spar (BaSO <sub>4</sub> )	-4.462E-04
Ilmenite (titanium ore)	-3.828E-12
Inert rock	-8.824E-03
Iron ore (56,86%)	-1.169E-04
Iron ore (65%)	-4.498E-09
Kaolin ore	-3.317E-09
Lead - zinc ore (4.6%-0.6%)	-3.527E-05
Limestone (calcium carbonate)	-3.083E-04
Magnesit (Magnesium carbonate)	-1.314E-10
Magnesium chloride leach (40%)	-2.735E-06
Manganese ore	2.714E-07
Manganese ore (R.O.M.)	-1.409E-06
Molybdenite (Mo 0,24%)	-1.451E-08
Molybdenum ore (0.1%)	3.932E-07
Natural Aggregate	-2.630E-05
Nickel ore (1,5%)	2.788E-07
Nickel ore (1.6%)	-4.972E-06
Olivine	2.698E-12



Process or Category	CTG
Peat	-1.490E-07
Phosphate ore	1.755E-05
Phosphorus minerals	2.038E-07
Phosphorus ore (29% P2O5)	1.646E-13
Potassium chloride	4.890E-04
Precious metal ore (R.O.M)	-6.962E-10
Quartz sand (silica sand; silicon dioxide)	-5.147E-06
Raw pumice	-3.740E-10
Rutile (titanium ore)	1.405E-10
sand	3.212E-10
Slate	6.437E-12
Sodium chloride (rock salt)	1.084E-06
Sodium nitrate	6.027E-20
Sodium sulphate	4.558E-11
Soil	-1.041E-05
Sulphur (bonded)	-4.680E-13
Talc	-1.183E-10
Tin ore	-9.915E-18
Titanium ore	-4.638E-07
Zinc - copper ore (4.07%-2.59%)	-6.042E-06
Zinc - lead - copper ore (12%-3%-2%)	-2.438E-06
Zinc - lead ore (4.21%-4.96%)	-2.316E-17
Zinc ore (4%)	-1.077E-07
Zinc ore (sulphidic, 4%)	-1.163E-16
Renewable resources	1.079E+01
Water	1.080E+01
Water	1.734E-02
Water (feed water)	1.355E-05
Water (ground water)	1.138E+00
Water (lake water)	-1.888E-06
Water (municipal)	-1.683E-06
Water (river water)	2.233E-01
Water (sea water)	-4.346E-04
Water (storm)	8.512E+00
Water (surface water)	9.034E-01
Water (well water)	8.932E-07
Water (well-produced water)	3.365E-03

Process or Category	CTG
Water (with river silt)	8.096E-17
Water,turbine use, unspecified natural origin	0.000E+00
Air	-3.425E-03
Carbon dioxide	-2.060E-05
Nitrogen	4.980E-08
Oxygen	0.000E+00
Unspecified	-1.655E-08
Unspecified minerals	-3.765E-09
Unspecified resources	-1.278E-08
Area of Production Land	0.000E+00
Rosebud Subbituminous Coal	0.000E+00
SRWC Biomass	2.445E-02
Watertube or Firetube Industrial Boiler, 150,000 lbs/hr Capacity	0.000E+00
Valuable substances	3.646E-03
Construction	0.000E+00
Crusher Facility	0.000E+00
Loading Silo	0.000E+00
Rosebud Coal Commissioning	0.000E+00
Energy carrier	1.082E-04
Electric power	0.000E+00
Intermediate	0.000E+00
Hard Coal (Illinois No 6)	0.000E+00
System-dependent	0.000E+00
Electricity (Average Gen II Nuclear Reactor)	0.000E+00
Power (from biomass power)	0.000E+00
Power (from hard coal)	0.000E+00
Power (from heavy fuel oil)	0.000E+00
Power (from hydropower)	0.000E+00
Power (from lignite)	0.000E+00
Power (from natural gas)	0.000E+00
Power (from wind power)	0.000E+00
FT Power	0.000E+00
Power	0.000E+00
Fuels	1.082E-04
Thermal energy	0.000E+00
Energy (recovered)	0.000E+00
Thermal energy (MJ)	0.000E+00

Process or Category	CTG
Installation	0.000E+00
Materials	8.148E-04
Concrete_Cement	9.707E-05
Asphalt	0.000E+00
Cement, Portland	9.707E-05
Concrete, ready mix, R-5-0	0.000E+00
Gravel 8mm	0.000E+00
Intermediate products	5.240E-06
Materials from renewable raw materials	0.000E+00
K Fertilizer	0.000E+00
N Fertilizer	0.000E+00
P Fertilizer	0.000E+00
Metals	0.000E+00
Aluminum sheet	0.000E+00
Copper (99.999%; electrolyte copper)	0.000E+00
Hot-dip Galvanized Steel	0.000E+00
Lead (99.995%)	0.000E+00
Stainless steel (cold rolled)	0.000E+00
Stainless steel, 316 2B, 80% Recycled	0.000E+00
Steel cold rolled (St)	0.000E+00
Steel plate, BF (85% Recovery Rate)	0.000E+00
Steel, pipe welded, BF (85% Recovery Rate)	0.000E+00
Minerals	3.408E-04
Aggregate, Coarse	2.130E-04
Aggregate, Fine	1.278E-04
Oil shale (fired)	2.755E-08
Operating materials	3.717E-04
Cooling water	3.717E-04
Plastics	0.000E+00
Nylon 6.6 granulate (PA 6.6)	0.000E+00
Polyurethane flexible foam (PU)	0.000E+00
Styrene-butadiene-rubber (SBR)	0.000E+00
Systems	0.000E+00
Assembly of fuel transport construction and installation/deinstallation	0.000E+00
Chip Truck	0.000E+00
Coal mix	0.000E+00
Coal Railcar, 244000 lbs Net Capacity	0.000E+00

Process or Category	CTG
Coal Unit Train Assembly, 100 Railcars, per kg Coal Transported	0.000E+00
Diesel Locomotive, 4400 Horsepower	0.000E+00
EOR Construction Pieces	0.000E+00
FT Diesel	0.000E+00
FT jet fuel from CBTL Facility	0.000E+00
FT Naphtha	0.000E+00
I6 Commissioning	0.000E+00
Natural gas 2009 Mix	0.000E+00
Natural Gas Processed	2.723E-03
PRB Coal Surface Mine	0.000E+00
PRB comm	0.000E+00
tanker truck used for fuel transport	0.000E+00
Ecoinvent	0.000E+00
Others	4.178E-04
Cargo	4.178E-04
Production residues in life cycle	2.306E-05
Hazardous waste for recovery	8.604E-18
Carcass meal	8.604E-18
Waste for recovery	2.306E-05
Cast iron scrap	-2.341E-10
Industrial waste (incineration)	0.000E+00
Steel scrap (alloyed)	-3.500E-11
Steel scrap (St)	1.479E-08
Steel Scrap, Carbon	1.168E-05
Steel Scrap, Stainless (304 from external supply)	0.000E+00
Steel Scrap, Stainless (316 from external supply)	1.137E-05
Steel Scrap, Stainless (430 from external supply)	0.000E+00
Deposited goods	9.202E-09
Consumer waste	9.202E-09
Municipal waste	9.202E-09
Stockpile goods	0.000E+00
Overburden (deposited)	0.000E+00
<b>Output</b>	
Flows	3.683E-01
Resources	2.744E-01
Energy resources	0.000E+00
Non renewable energy resources	0.000E+00

Process or Category	CTG
Crude oil (resource)	0.000E+00
Hard coal (resource)	0.000E+00
Non Renewable Energy	0.000E+00
Renewable energy resources	0.000E+00
Total Primary Energy	0.000E+00
Land use	0.000E+00
Hemeroby	0.000E+00
Occup. as Forest land	0.000E+00
Material resources	2.744E-01
Renewable resources	2.744E-01
Water	2.744E-01
Water	0.000E+00
Water (feed water)	0.000E+00
Water (ground water)	0.000E+00
Water (river water)	0.000E+00
Water (sea water)	0.000E+00
Water (storm runoff)	2.707E-01
Water (wastewater)	7.354E-03
Water (wastewater)	-3.706E-03
Nitrogen	0.000E+00
Oxygen	9.104E-07
Land Area Required	0.000E+00
Rosebud Subbituminous Coal	0.000E+00
Watertube or Firetube Industrial Boiler, 150,000 lbs/hr Capacity	0.000E+00
Valuable substances	2.615E-05
Ecoinvent	-1.742E-06
Others	7.484E-08
Cargo	0.000E+00
Cargo (Foreign)	7.484E-08
Production residues in life cycle	8.279E-03
Hazardous waste for disposal	1.542E-05
Chromium containing slag	-1.053E-11
Dross (Fines)	1.025E-07
Natrium oxide	1.743E-07
Red mud (dry)	1.514E-05
Soil and sand containing heavy metals	-1.298E-09
Toxic chemicals (unspecified)	6.270E-09

Process or Category	CTG
Hazardous waste for recovery	6.689E-07
Used oil	2.757E-08
Waste water processing residue	6.414E-07
Waste for disposal	1.696E-04
Incineration good	3.160E-09
Sludge from water works (6% dry matter-content)	6.743E-12
Waste (solid)	1.472E-04
Waste for disposal (unspecified)	4.303E-10
Waste from steel works	2.240E-05
Waste for recovery	8.093E-03
Aluminum scrap	7.427E-14
Ash	8.086E-03
Boiler ash (unspecified)	0.000E+00
Chemicals (unspecified)	2.398E-09
Cooling water	6.365E-06
Cryolite	4.780E-08
Dross	1.110E-08
Filter dust	-1.671E-12
Fly ash (unspecified)	0.000E+00
Furnace clinker	-4.178E-13
Gypsum	0.000E+00
Gypsum (contaminated)	-6.665E-17
Gypsum (FDI)	-3.305E-12
Plastic (unspecified)	3.284E-09
Production residues (unspecified)	2.375E-11
Rolling gravel	4.413E-10
Rolling tinder	-2.340E-13
Slag	4.654E-08
Slag (containing precious metal)	-1.546E-13
Slag (Iron plate production)	-8.871E-09
Slag (Mn 6,5%)	-3.172E-09
Waste paper	3.049E-14
Wood	2.742E-12
Wooden pallet (EURO)	1.362E-17
Mixed Waste (Hazardous or Radioactive)	-2.123E-08
Neutralized residues	-6.165E-13
Deposited goods	-7.994E-03

Process or Category	CTG
Consumer waste	6.603E-07
Bulky waste	-3.788E-08
Bulky waste from steel production	-3.962E-09
Industrial waste for municipal disposal	4.037E-09
inert chemical waste	0.000E+00
Liquid waste	3.707E-12
Mineral waste	2.283E-08
Municipal waste	0.000E+00
Organic waste	1.012E-09
Packaging waste (metal)	1.270E-11
Packaging waste (plastic)	2.777E-18
Paper (unspecified)	1.737E-11
Rubber	-4.122E-09
Waste (unspecified)	6.783E-07
Hazardous waste	1.735E-06
Carbon (unspecified)	1.119E-07
Carbon filter dust	2.631E-08
Dust containing heavy metals	-8.371E-10
Dust containing zinc	-3.659E-09
Ferriferous furnace slags	-3.013E-08
Filter dust	2.647E-08
Filter tar	4.723E-09
Furnace clinker	7.085E-08
Glass fibres	1.048E-09
Hazardous waste (underground deposit)	1.183E-07
Hazardous waste (unspec.)	1.922E-07
Hazardous waste from steel production	-2.369E-09
Heavy metal sludge	-5.976E-10
Inert chemical waste	4.618E-10
Liquid hazardous waste	0.000E+00
Oxalate (Alumina production)	7.017E-08
Refractory	1.920E-07
Slag	2.144E-09
Sludge	9.424E-07
Soot	1.399E-08
Radioactive waste	3.147E-08
CaF2 (low radioactice)	3.546E-11

Process or Category	CTG
Highly radioactive waste	1.058E-10
Highly-active fission product solution	0.000E+00
Jacket and body material	0.000E+00
Medium and low radioactive liquid waste	0.000E+00
Medium and low radioactive wastes	1.256E-10
Plutonium as residual product	2.105E-13
Radioactive tailings	3.023E-08
Slag (Uranium conversion)	2.348E-10
Uranium depleted	2.429E-10
Uranium spent as residue	0.000E+00
Volatile fission products (inert gases;iodine;C14)	0.000E+00
Waste radioactive	4.901E-10
Stockpile goods	-7.996E-03
Ash	0.000E+00
Demolition waste (deposited)	-2.228E-10
Overburden (deposited)	-7.701E-03
Sand (Alumina production)	1.154E-06
Slag (deposited)	-2.595E-08
Spoil (deposited)	-3.245E-04
Tailings	-6.059E-08
Treatment residue (mineral, deposited)	-9.850E-09
Waste from Steel Manufacturing	2.834E-05
Solid Waste (crystal)	0.000E+00
Emissions to air	8.387E-02
Heavy metals to air	-6.575E-08
Antimony	-3.609E-12
Arsenic (+V)	-5.078E-11
Arsenic trioxide	-2.477E-14
Cadmium (+II)	-9.691E-13
Chromium (+III)	-5.177E-12
Chromium (+VI)	8.823E-13
Chromium (unspecified)	1.528E-09
Cobalt	-2.102E-11
Copper (+II)	-6.457E-11
Heavy metals to air (unspecified)	-1.049E-12
Hydrogen arsenic (arsine)	-2.055E-12
Iron	-1.681E-09



Process or Category	CTG
Lanthanides	-6.390E-15
Lead (+II)	-1.754E-10
Manganese (+II)	-1.390E-10
Mercury (+II)	1.425E-09
Molybdenum	6.353E-11
Nickel (+II)	-6.262E-10
Palladium	-3.240E-19
Rhodium	-3.128E-19
Selenium	-5.013E-11
Silver	1.010E-18
Tellurium	-6.902E-13
Thallium	-5.060E-12
Tin (+IV)	-1.458E-11
Titanium	-3.716E-13
Vanadium (+III)	-6.276E-08
Zinc (+II)	-3.168E-09
Inorganic emissions to air	8.434E-02
Ammonia	1.306E-06
Ammonium	-5.807E-14
Ammonium nitrate	-2.762E-15
Argon	-1.137E-12
Barium	-2.810E-07
Beryllium	-2.651E-12
Boron compounds (unspecified)	-2.981E-10
Bromine	-1.536E-10
Carbon dioxide	1.085E-01
Carbon dioxide (biotic)	6.711E-08
Carbon dioxide (biotic)	-2.413E-02
Carbon disulphide	2.283E-13
Carbon monoxide	1.770E-04
Carbon monoxide (biotic)	-1.928E-13
Chloride (unspecified)	-1.003E-08
Chlorine	5.365E-11
Cyanide (unspecified)	-1.042E-09
Fluoride	7.607E-09
Fluorides	-1.011E-09
Fluorine	-2.650E-13

Process or Category	CTG
Helium	-9.709E-11
Hydrogen	-2.053E-08
Hydrogen bromine (hydrobromic acid)	-5.634E-12
Hydrogen chloride	-3.095E-08
Hydrogen cyanide (prussic acid)	-8.949E-13
Hydrogen fluoride	3.529E-09
Hydrogen iodide	-7.817E-16
Hydrogen phosphorous	2.490E-13
Hydrogen sulphide	-2.603E-07
Lead dioxide	4.492E-10
Nitrogen (atmospheric nitrogen)	-1.845E-06
Nitrogen (N-compounds)	-2.224E-13
Nitrogen dioxide	3.320E-06
Nitrogen monoxide	7.730E-11
Nitrogen oxides	2.623E-04
Nitrous oxide (laughing gas)	5.063E-06
Oxygen	-1.654E-05
Scandium	-3.211E-15
Steam	-3.828E-04
Strontium	-1.227E-13
Sulphur dioxide	-4.335E-05
Sulphur hexafluoride	1.396E-09
sulphur oxide	8.749E-06
Sulphuric acid	-1.306E-10
Tin oxide	-1.272E-16
Unspecified Particles	-3.081E-08
Zinc oxide	-2.543E-16
Zinc sulphate	-5.178E-11
Organic emissions to air (group VOC)	2.189E-04
Group NMVOC to air	2.291E-04
Group PAH to air	-8.763E-09
Anthracene	-6.616E-12
Benzo{a}anthracene	-3.329E-12
Benzo{a}pyrene	-7.290E-11
Benzo{ghi}perylene	-2.970E-12
Benzofluoranthene	-5.939E-12
Chrysene	-8.177E-12

Process or Category	CTG
Dibenz(a)anthracene	-1.851E-12
Indeno[1,2,3-cd]pyrene	-2.210E-12
Naphthalene	-6.947E-10
Phenanthrene	-2.182E-10
Polycyclic aromatic hydrocarbons (PAH)	-7.746E-09
Halogenated organic emissions to air	1.789E-09
Dichloroethane (ethylene dichloride)	-2.298E-14
Dichloromethane (methylene chloride)	1.351E-14
Dioxins (unspec.)	-1.403E-15
Halogenated hydrocarbons (unspecified)	1.623E-12
Halon (1301)	0.000E+00
Polychlorinated biphenyls (PCB unspecified)	-4.516E-12
Polychlorinated dibenzo-p-dioxins (2,3,7,8 - TCDD)	-7.717E-17
R 11 (trichlorofluoromethane)	-6.759E-13
R 114 (dichlorotetrafluoroethane)	-6.924E-13
R 116 (hexafluoroethane)	1.866E-10
R 12 (dichlorodifluoromethane)	-1.454E-13
R 13 (chlorotrifluoromethane)	-9.125E-14
R 22 (chlorodifluoromethane)	-1.587E-13
Tetrafluoromethane	1.675E-09
Vinyl chloride (VCM; chloroethene)	-6.802E-11
Acetaldehyde (Ethanal)	-9.016E-10
Acetic acid	-4.302E-10
Acetone (dimethylcetone)	-8.045E-10
Acrolein	-4.669E-11
Aldehyde (unspecified)	-5.263E-11
Alkane (unspecified)	-1.054E-09
Alkene (unspecified)	-6.676E-10
Aromatic hydrocarbons (unspecified)	-2.447E-11
Benzene	-1.598E-08
Butadiene	-5.122E-14
Butane	-3.349E-06
Butane (n-butane)	-2.429E-10
Caprolactam	4.659E-18
Cumene (isopropylbenzene)	-1.483E-20
Cyclohexane (hexahydro benzene)	2.442E-13
Diethylamine	-1.304E-18

Process or Category	CTG
Ethane	-8.881E-06
Ethanol	-2.043E-10
Ethene (ethylene)	-2.254E-10
Ethyl benzene	-7.770E-10
Fluoranthene	-2.155E-11
Fluorene	-6.837E-11
Formaldehyde (methanal)	2.272E-04
Heptane (isomers)	-1.191E-07
Hexamethylene diamine (HMDA)	-3.013E-15
Hexane (isomers)	-1.759E-07
Mercaptan (unspecified)	-9.017E-10
Methanethiol	-7.834E-10
Methanol	-2.035E-10
NMVOC (unspecified)	3.266E-05
Octane	-6.554E-08
Pentane (n-pentane)	-1.117E-06
Phenol (hydroxy benzene)	-4.216E-14
Propane	-1.694E-05
Propene (propylene)	-5.827E-11
Propionic acid (propane acid)	-1.188E-14
Styrene	1.331E-14
Toluene (methyl benzene)	-2.118E-09
Trimethylbenzene	-1.239E-15
Xylene (dimethyl benzene)	-4.007E-09
Hydrocarbons (unspecified)	-1.723E-09
Methane	-1.222E-05
Methane (biotic)	2.691E-09
Organic chlorine compounds	2.022E-12
Unspecified Organic Compounds	-2.141E-14
VOC (unspecified)	1.974E-06
Other emissions to air	-7.040E-04
Aldehydes, unspecified	-1.071E-14
Carbonyl sulfide (US LCI)	2.863E-15
Exhaust	-1.842E-03
non used primary energy from wind power	0.000E+00
Particulate Matter, unspecified	6.394E-05
Sand (Silica) (SiO <sub>2</sub> )	-2.041E-10

Process or Category	CTG
Unused primary energy from solar energy	0.000E+00
Used air	1.074E-03
Waste heat	0.000E+00
Particles to air	1.406E-05
Dust (PM10)	-4.188E-07
Dust (PM2,5 - PM10)	5.536E-07
Dust (PM2.5)	-4.533E-07
Dust (Portland cement kiln)	1.669E-06
Dust (unspecified)	1.271E-05
Metals (unspecified)	2.360E-12
Unspecified Organic Chlorine Compounds	-1.413E-13
Wood (dust)	-4.694E-14
Radioactive emissions to air	-2.356E-12
Antimony (Sb124)	0.000E+00
Argon (Ar41)	0.000E+00
Carbon (C14)	0.000E+00
Cesium (Cs134)	0.000E+00
Cesium (Cs137)	0.000E+00
Cobalt (Co58)	0.000E+00
Cobalt (Co60)	0.000E+00
Hydrogen (H3)	0.000E+00
Iodine (I129)	0.000E+00
Iodine (I131)	0.000E+00
Krypton (Kr85)	0.000E+00
Krypton (Kr85m)	0.000E+00
Plutonium (Pu alpha)	0.000E+00
radionuclides	0.000E+00
Radon (Rn222)	0.000E+00
Uranium (total)	-2.356E-12
Uranium (U234)	0.000E+00
Uranium (U235)	0.000E+00
Uranium (U238)	0.000E+00
Xenon (Xe131m)	0.000E+00
Xenon (Xe133)	0.000E+00
Xenon (Xe133m)	0.000E+00
Xenon (Xe135)	0.000E+00
Xenon (Xe135m)	0.000E+00

Process or Category	CTG
Xenon (Xe137)	0.000E+00
Xenon (Xe138)	0.000E+00
Unspecified Heavy Metals	-1.103E-17
Emissions to fresh water	1.068E-02
Analytical measures to fresh water	-2.952E-05
Adsorbable organic halogen compounds (AOX)	-9.238E-09
Biological oxygen demand (BOD)	1.759E-07
Chemical oxygen demand (COD)	-2.818E-06
Nitrogenous Matter (unspecified, as N)	5.553E-09
Solids (dissolved)	-4.899E-05
Total Biochemical Oxygen Demand	0.000E+00
Total dissolved organic bounded carbon	2.367E-07
Total Dissolved Solids	2.209E-05
Total organic bounded carbon	-2.064E-07
Total Suspended Solids	0.000E+00
Heavy metals to fresh water	2.629E-05
Aluminium	2.022E-07
Antimony	4.882E-08
Arsenic (+V)	1.529E-07
Cadmium (+II)	1.110E-08
Chromium (+III)	-1.287E-11
Chromium (+VI)	1.513E-10
Chromium (unspecified)	2.585E-07
Cobalt	-2.226E-11
Copper (+II)	2.103E-07
Heavy metals to water (unspecified)	-3.458E-10
Iron	1.439E-05
Lead (+II)	5.298E-07
Manganese (+II)	1.026E-06
Mercury (+II)	4.692E-09
Molybdenum	2.322E-11
Nickel (+II)	3.748E-06
Selenium	8.970E-09
Silver	4.755E-08
Strontium	-7.217E-08
Thallium	-8.681E-13
Tin (+IV)	-7.097E-11

Process or Category	CTG
Titanium	-1.915E-11
Unspecified Substance	-9.544E-14
Uranium	-1.421E-06
Vanadium (+III)	-6.083E-10
Zinc (+II)	7.139E-06
Inorganic emissions to fresh water	1.063E-02
Acid (calculated as H+)	1.160E-08
Acidity	0.000E+00
Aluminum (+III)	5.502E-06
Ammonia	5.963E-05
Ammonia, as N	5.837E-12
Ammonium (total N)	1.239E-09
Ammonium / ammonia	1.622E-06
Barium	8.847E-07
Beryllium	-5.724E-15
Boron	-2.381E-09
Bromate	1.806E-14
Bromine	-2.962E-12
Calcium (+II)	6.659E-05
Carbonate	1.044E-04
Chlorate	1.818E-11
Chloride	-1.594E-04
Chlorine (dissolved)	-2.694E-08
Copper ion (+II/+III)	3.544E-12
Cyanide	4.431E-07
Fluoride	3.628E-06
Fluorine	-2.731E-10
Hydrogen chloride	-5.236E-12
Hydrogen fluoride (hydrofluoric acid)	-2.858E-12
Hydrogen ions (H+)	-2.131E-11
Hydroxide	3.256E-08
Inorganic salts and acids (unspecified)	7.110E-20
Iron ion (+II/+III)	1.641E-09
Magnesium (+III)	-5.592E-08
Magnesium chloride	-8.814E-14
Metal ions (unspecific)	9.705E-10
Neutral salts	1.682E-13

Process or Category	CTG
Nickel ion (+III)	1.026E-10
Nitrate	1.542E-07
Nitrate (as total N)	-3.422E-13
Nitrogen	8.151E-06
Nitrogen (as total N)	1.728E-08
Nitrogen organic bounded	-9.973E-08
Phosphate	-8.436E-09
Phosphorus	6.328E-06
Potassium	-1.192E-09
Silicate particles	1.053E-09
Sodium (+I)	-5.643E-07
Sodium chloride (rock salt)	1.821E-05
Sodium hypochlorite	5.511E-13
Sulfates	3.420E-03
Sulphate	-2.861E-05
Sulphide	-3.690E-07
Sulphite	-5.416E-11
Sulphur	-2.141E-09
Sulphur dioxide	0.000E+00
Sulphuric acid	-6.749E-10
Total Dissolved Solids	7.121E-03
Unspecified Iron Oxides	-2.444E-13
Unspecified Oil	-8.659E-13
Unspecified Organic Chlorine compounds	-1.962E-15
Unspecified Salt	-7.851E-12
Unspecified Solids (Suspended)	-3.048E-11
Organic emissions to fresh water	-2.100E-06
Halogenated organic emissions to fresh water	-3.834E-12
1,2-Dibromoethane	5.736E-17
Chlorinated hydrocarbons (unspecified)	-1.192E-13
Chloromethane (methyl chloride)	-3.708E-12
Dichloroethane (ethylene dichloride)	-9.768E-16
Dichloropropane	-2.418E-18
Polychlorinated dibenzo-p-dioxins (2,3,7,8 - TCDD)	-3.122E-18
Vinyl chloride (VCM; chloroethene)	-5.449E-15
Hydrocarbons to fresh water	-1.538E-06
Acenaphthene	-5.681E-12



Process or Category	CTG
Acenaphthylene	-2.404E-12
Acetic acid	-5.855E-11
Acrylonitrile	-1.769E-13
Anthracene	-9.343E-12
Aromatic hydrocarbons (unspecified)	-2.586E-09
Benzene	-1.221E-08
Benzo{a}anthracene	-7.384E-13
Benzofluoranthene	-2.658E-13
Chrysene	-3.059E-12
Cresol (methyl phenol)	-5.545E-11
Ethyl benzene	-6.374E-10
Fluoranthene	-8.422E-13
Hexane (isomers)	-6.054E-12
Hydrocarbons (unspecified)	2.630E-08
Methanol	2.082E-07
Oil (unspecified)	-1.734E-06
Phenol (hydroxy benzene)	-1.196E-08
Polycyclic aromatic hydrocarbons (PAH, unspec.)	-4.409E-10
Toluene (methyl benzene)	-7.634E-09
Xylene (isomers; dimethyl benzene)	-2.651E-09
Carbon, organically bound	-5.618E-07
Naphthalene	-3.869E-10
N-unspecified (N)	-6.776E-13
Organic chlorine compounds (unspecified)	3.610E-13
Organic compounds (dissolved)	4.020E-10
Organic compounds (unspecified)	3.654E-11
Unspecified wastewater	-5.124E-10
Other emissions to fresh water	0.000E+00
Detergent (unspecified)	0.000E+00
non used primary energy from water power	0.000E+00
Unused primary energy from geothermal	0.000E+00
Waste heat	0.000E+00
Waste water	0.000E+00
Particles to fresh water	5.471E-05
Metals (unspecified)	1.101E-11
Silicon dioxide (silica)	5.439E-09
Soil loss by erosion into water	-5.172E-11

Process or Category	CTG
Solids (suspended)	-1.542E-04
Suspended solids, unspecified	3.843E-09
Total suspended solids	2.089E-04
Unspecified Oxides	-2.032E-13
Radioactive emissions to fresh water	0.000E+00
Americium (Am241)	0.000E+00
Antimony (Sb124)	0.000E+00
Antimony (Sb125)	0.000E+00
Carbon (C14)	0.000E+00
Cesium (Cs134)	0.000E+00
Cesium (Cs137)	0.000E+00
Cobalt (Co58)	0.000E+00
Cobalt (Co60)	0.000E+00
Curium (Cm alpha)	0.000E+00
Hydrogen (H3)	0.000E+00
Iodine (I129)	0.000E+00
Iodine (I131)	0.000E+00
Manganese (Mn54)	0.000E+00
Plutonium (Pu alpha)	0.000E+00
Radionuclides	0.000E+00
Radium (Ra226)	0.000E+00
Ruthenium (Ru106)	0.000E+00
Silver (Ag110m)	0.000E+00
Strontium (Sr90)	0.000E+00
Thorium (Th234)	0.000E+00
Uranium	0.000E+00
Bromide	0.000E+00
Radionuclide	0.000E+00
Sulfite	0.000E+00
Unspecified Solids (Dissolved)	-5.875E-11
Uranium (total)	-1.320E-13
Emissions to sea water	-8.518E-04
Analytical measures to sea water	-5.015E-06
Adsorbable organic halogen compounds (AOX)	-3.417E-13
Biological oxygen demand (BOD)	-3.769E-07
Chemical oxygen demand (COD)	-4.262E-06
Total organic bounded carbon	-3.769E-07

Process or Category	CTG
Heavy metals to sea water	-1.180E-06
Arsenic (+V)	-6.251E-09
Cadmium (+II)	-3.181E-09
Chromium (unspecified)	-9.577E-09
Cobalt	-7.440E-10
Copper (+II)	-2.979E-08
Iron	-6.432E-08
Lead (+II)	-8.765E-09
Manganese (+II)	-6.380E-09
Mercury (+II)	-1.254E-10
Molybdenum	-5.180E-10
Nickel (+II)	-9.079E-09
Silver	-1.273E-09
Strontium	-1.025E-06
Tin (+IV)	-1.525E-09
Titanium	-1.553E-10
Vanadium (+III)	-7.044E-10
Zinc (+II)	-1.214E-08
Inorganic emissions to sea water	-5.454E-04
Aluminum (+III)	-4.999E-09
Ammonia	-1.486E-07
Barium	-1.021E-07
Beryllium	-1.881E-11
Boron	-8.084E-08
Calcium (+II)	-8.828E-06
Carbonate	-6.420E-06
Chloride	-5.161E-04
Magnesium	-2.197E-06
Nitrate	-8.321E-09
Sodium (+I)	-7.526E-06
Sulphate	-2.714E-06
Sulphide	-1.169E-06
Sulphur	-4.325E-08
Sulphur dioxide	2.700E-09
Organic emissions to sea water	-3.332E-07
Hydrocarbons to sea water	-3.315E-07
Acenaphthene	-3.826E-11

Process or Category	CTG
Acenaphthylene	-1.495E-11
Acetic acid	-3.723E-12
Anthracene	-2.172E-11
Aromatic hydrocarbons (unspecified)	-3.769E-09
Benzene	-3.886E-08
Benzo{a}anthracene	-7.785E-12
Benzofluoranthene	-7.814E-12
Chrysene	-4.234E-11
Cresol (methyl phenol)	-1.120E-09
Ethyl benzene	-1.637E-09
Fluoranthene	-9.037E-12
Hexane (isomers)	-1.223E-10
Oil (unspecified)	-2.249E-07
Phenol (hydroxy benzene)	-2.707E-08
Toluene (methyl benzene)	-2.756E-08
Xylene (isomers; dimethyl benzene)	-6.321E-09
Naphthalene	-1.709E-09
Particles to sea water	-2.999E-04
Solids (suspended)	-2.999E-04
Emissions to agricultural soil	1.812E-07
Heavy metals to agricultural soil	1.812E-07
Cadmium (+II)	2.852E-09
Chromium (unspecified)	1.383E-07
Copper (+II)	6.027E-09
Lead (+II)	9.319E-10
Mercury (+II)	1.240E-11
Nickel (+II)	3.306E-09
Zinc (+II)	2.974E-08
Emissions to industrial soil	-4.653E-05
Heavy metals to industrial soil	-4.526E-05
Antimony	-2.047E-20
Arsenic (+V)	-2.484E-08
Cadmium (+II)	-5.022E-12
Chromium (+III)	1.073E-12
Chromium (+VI)	-7.416E-20
Chromium (unspecified)	-1.192E-09
Cobalt	-2.123E-11

Process or Category	CTG
Copper (+II)	-1.038E-11
Iron	-4.445E-05
Lead (+II)	-1.776E-07
Manganese (+II)	-2.513E-10
Mercury (+II)	-4.594E-10
Nickel (+II)	-3.401E-10
Selenium	-2.950E-09
Strontium	-4.457E-07
Thallium	-2.147E-08
Vanadium (+III)	-1.356E-07
Zinc (+II)	-1.226E-10
Inorganic emissions to industrial soil	-1.269E-06
Aluminum (+III)	-1.288E-09
Ammonia	-6.885E-07
Bromide	-1.820E-10
Calcium (+II)	-1.507E-09
Chloride	-2.124E-07
Chlorine	-1.730E-17
Fluoride	-6.065E-09
Magnesium (+III)	-2.105E-10
Phosphorus	-7.249E-08
Potassium (+I)	-1.439E-07
Sodium (+I)	-1.315E-10
Sulphate	-2.037E-08
Sulphide	-1.222E-07
Organic emissions to industrial soil	-1.224E-09
Oil (unspecified)	-1.224E-09
Radioactive emissions to industrial soil	0.000E+00
Uranium	0.000E+00
Calcium Fluoride	-3.392E-09
Radionuclide	0.000E+00
Waste Flow	-3.626E-05
Slag and Ashes from Energy Production	-6.492E-09
Slag and Ashes from Waste Incineration	-1.848E-08
Slags Containing Manganese	-1.295E-12
Unspecified Furnace Slag	-1.145E-08
Uranium Tailings	-3.623E-05

## Embedded Unit Processes

- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Blasthole Drill, 250,000 lb, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: December 2011 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Coal Crusher 254,000 lbs, Tractor-Propelled, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: December 2011 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Coal Unit Train Assembly, 100 Railcars, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: January 2012 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Dragline, 8,200 tons, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: December 2011 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Electric Shovel, 120 Tons Payload, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: December 2011 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Fuel Transport Pipeline, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2010 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Fuels Tanker Trailer, 7500 gallons, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2010 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Mining Truck for Surface Mine, 623,690 kg, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: December 2011 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Steel Cord Conveyor System, 72", Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: December 2011 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2010). *NETL Life Cycle Inventory Data – Unit Process: Track Loader, 239 HP, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: December 2011 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2011). *NETL Life Cycle Inventory Data – Unit Process: Assembly of fuel transport construction and installation/deinstallation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: January 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2011). *NETL Life Cycle Inventory Data – Unit Process: Biomass Drying for Coal-Biomass Cofiring, Operation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated:

- July 2011 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2011). *NETL Life Cycle Inventory Data – Unit Process: Disc Micro-Chipper for Wood, 765 HP, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2011). *NETL Life Cycle Inventory Data – Unit Process: Disc Micro-Chipper for Wood, 765 HP, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2011). *NETL Life Cycle Inventory Data – Unit Process: FT Jet Fuel from CBTL with 20 percent Torrefied Biomass*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: March 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2011). *NETL Life Cycle Inventory Data – Unit Process: Southern Pine Cultivation Assembly, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2011). *NETL Life Cycle Inventory Data – Unit Process: SRWC Biomass Torrefaction for Coal-Biomass Cofiring, Operation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: July 2011 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2011). *NETL Life Cycle Inventory Data – Unit Process: Standard Drum Wood Chipper, 630 HP, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2011). *NETL Life Cycle Inventory Data – Unit Process: Steel Coal Loading Silo, Rosebud, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: December 2011 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Airplane Combustion of Blended F-T/Conventional Jet Fuel, Operation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: CO2 Pipeline Operation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February, 2012 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: CO2 Saline Sequestration Operation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February, 2012 (version 02). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Coal Mine Operation – Rosebud Coal – Surface Mining*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: January 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
-

- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Commissioning and Decommissioning of Rosebud Coal Mine*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: January 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Enhanced Oil Recovery, Operations*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: January 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Enhanced Oil Recovery, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: January 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Fischer-Tropsch and Conventional Jet Fuel Blending*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February, 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: FT Jet Fuel, Blending and Transport, Operation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: January 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>).
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Grapple Skidder 172 HP, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Jet Aircraft, 46 Short Tons, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: January 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Pipeline Transport and Blending Energy Requirements for F-T Jet Fuel*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Southern Pine Cultivation, Operation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: October 2010 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Southern Pine Harvesting & Storage, Operation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Southern Pine Land Preparation, Operation*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Tree Harvester, 241 HP, Construction*. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: February 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)
- NETL (2012). *NETL Life Cycle Inventory Data – Unit Process: Watertube or Firetube Industrial Boiler, 150,000 lbs/hr Capacity*. U.S. Department of Energy, National Energy Technology Laboratory.



Last Updated: February, 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses)  
(<http://www.netl.doe.gov/energy-analyses>)

## References

None.

---

### Section III: Document Control Information

---

**Date Created:** April 26, 2012

**Point of Contact:** Timothy Skone (NETL), [Timothy.Skone@NETL.DOE.GOV](mailto:Timothy.Skone@NETL.DOE.GOV)

**Revision History:**

Original/no revisions

**How to Cite This Document:** This document should be cited as:

NETL (2012). NETL Life Cycle Inventory Data – Unit Process: Blended Conventional and F-T Jet Fuel, 20 Percent Torrefied Biomass, Acquisition, Transport, Conversion, Delivery, and Use. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: April 2012 (version 01). [www.netl.doe.gov/energy-analyses](http://www.netl.doe.gov/energy-analyses) (<http://www.netl.doe.gov/energy-analyses>)

---

### Section IV: Disclaimer

---

Neither the U.S. Department of Energy (DOE) National Energy Technology Laboratory (NETL) nor any person acting on behalf of these organizations:

- A. Makes any warranty or representation, express or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this document, or that the use of any information, apparatus, method, or process disclosed in this document may not infringe on privately owned rights; or
- B. Assumes any liability with this report as to its use, or damages resulting from the use of any information, apparatus, method, or process disclosed in this document.

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by NETL. The views and opinions of the authors expressed herein do not necessarily state or reflect those of NETL.