



the **ENERGY** lab

R&D FACTS

Geological & Environmental Sciences

Spatio-Temporal Tools & Geostatistical Approaches for Engineered-Natural Systems Risk Reduction

Assessing Trends to Support Environmental Risk Reduction and Reduce Geologic Uncertainty for Carbon Storage and Hydrocarbon Related Systems

Background

As new technologies are developed and exploration pushes into more remote and extreme environments to meet increasing energy needs, concerns related to safe development and production have also increased. To support risk reduction efforts, spatio-temporal and geostatistical approaches can be utilized to detect data trends, reduce geologic uncertainty, identify knowledge gaps, and evaluate environmental risks for systems such as geologic carbon storage, and conventional and unconventional hydrocarbons. The U.S. Department of Energy's (DOE) National Energy Technology Laboratory (NETL) has created several spatio-temporal and geostatistical tools and approaches to support DOE's mission to produce science-based evaluations of engineered and natural systems, to ensure sustainable, environmentally responsible access to domestic resources. These tools and approaches include NETL's Subsurface Databook, Subsurface Trend Analysis (STA), Cumulative Spatial Impact Layers (CSILs), Spatially Weighted Impact Model (SWIM), Spatially Integrated Multivariate Probability Assessment (SIMPA) tool, and the Variable Grid Method (VGM). Used together or separately, these powerful, data-driven tools and approaches can be applied to various regions and at multiple scales to support risk assessment, risk prevention, and a range of scientific analytical or regulatory decision making needs. While originally developed in association with projects spanning multiple NETL portfolios, including Offshore Resources, Carbon Storage, and Unconventional Resources, many of these approaches are flexible and adaptable for a wider range of uses and needs.

Descriptions

Subsurface Databook

All tools, models, and methods require a foundation of solid data in order to output meaningful results. The Subsurface Databook is a compilation of geologic and subsurface knowledge and data developed as a result of NETL R&D to support reducing subsurface uncertainty about domestic regions of interest. The original

CONTACTS

OFFICE OF RESEARCH AND DEVELOPMENT



Kelly Rose

Principal Investigator
Research Physical Scientist
541-967-5883
kelly.rose@netl.doe.gov

Jennifer Bauer

Geospatial Researcher
541-918-4507
jennifer.bauer@contr.netl.doe.gov

Cynthia Powell

Acting Focus Area Lead
541-967-5803
cynthia.powell@netl.doe.gov

RESEARCH PARTNERS

AECOM

ORISE

Oregon State University

Pacific Northwest National Laboratory

NATIONAL ENERGY TECHNOLOGY LABORATORY

Albany, OR • Anchorage, AK • Morgantown, WV • Pittsburgh, PA • Sugar Land, TX

Website: www.netl.doe.gov

Customer Service: 1-800-553-7681



U.S. DEPARTMENT OF
ENERGY


database was started by NETL's Geology and Geospatial (G&G) team for the U.S. Gulf of Mexico (GOM). Each region that has a Databook provides information ranging from general overviews of a basin's geology to point data, maps, and interpretations of specific formation parameters. Currently, NETL's Energy Data eXchange (EDX) team is working to build a "wiki-style" platform to house future versions of the Subsurface Databook tool. When released, the Databook tool will be a resource for NETL researchers to search and add to, preserving information, knowledge, and data for future research needs. Present versions of Databooks are maintained and augmented by the G&G Team for NETL R&D needs.



Left: A graphic illustration of data included within the Subsurface Databook for the Offshore Gulf of Mexico (GOM).

Subsurface Trend Analysis


Identifying the need to span the data gaps in the subsurface GOM inspired a novel solution: the Subsurface Trend Analysis (STA). This unique approach combines geostatistical analyses with a prior geologic knowledge of the subsurface to provide an understanding of subsurface characteristics where little or no data exist. STA evaluates the variability of subsurface attribute (e.g., pressure, temperature, porosity, permeability) within a desired depth range and region, accompanied by descriptions of the geology and petroleum system of that region. This approach can assist a wide-range of users, from researchers to industry to policy-makers, who seek to reduce the geologic uncertainty of the subsurface GOM.



Above: Logo for STA, Subsurface Trend Analysis

Cumulative Spatial Impact Layers and Spatially Weighted Impact Model

To analyze broad risks associated with various forms of energy production and exploration, NETL developed the Cumulative Spatial Impact Layers (CSILs). Utilizing a spatio-temporal approach, CSILs integrates datasets related to various social, economic, and environmental uses for a region (e.g., oil and gas infrastructure, tourism, local parks, etc.) to rapidly assess potential impacts and inform environmental risk reduction efforts.



Above: Graphic illustration of an example output of the Cumulative Spatial Impact Layers (CSILs) tool at a 4.8km resolution, based off estimated economic value of dominant offshore activities in the Gulf of Mexico (GOM).


Building on the CSILs approach, the Spatially Weighted Impact Model (SWIM) integrates CSILs with user defined weights related to potential impacts to support research and regulatory decision needs. Originally designed for evaluating simulated off-shore hydrocarbon spills, both CSILs and SWIM can be utilized with NETL's Blow-Out Spill Occurrence Model (BLOSOM) to evaluate different scenarios and use these results to identify knowledge gaps, support spill prevention efforts, and inform regulatory decisions. A Python-based ArcGIS toolbox is under construction for both CSILs and SWIM to help facilitate their use in evaluating potential impacts for other forms of energy production and exploration.



Above: Logo for SWIM, Spatially Weighted Impact Model

Spatially Integrated Multivariate Probability Assessment Tool


Increasingly, there is a need to develop and use science-based approaches to assess the probability of interactions between surface based activities and subsurface systems (e.g., induced seismicity, groundwater impact risks associated with underground injection, fugitive methane emissions, etc.). NETL's Spatially Integrated Multivariate Probability Assessment (SIMPA) tool was designed to evaluate trends and knowledge gaps associated with engineered-natural systems in support of risk, resource, and impact assessments. SIMPA considers the spatial and temporal interactions between different natural and anthropogenic factors to identify risks, such as those related to risk from subsurface gas and fluid migration. SIMPA combines spatio-temporal data and statistics to predict risks and measure uncertainty associated with the estimated risk. SIMPA bridges the gaps between Python, R, and ArcGIS to offer a flexible, robust tool that is easy for users to utilize for their own data and evaluate risks associated with other systems related to carbon storage and other forms of energy production and exploration.



Above: An example output from the Spatially Integrated Multivariate Probability Assessment (SIMPA) tool (left) and the statistically estimated probability surface related to wellbore density and proximity (right).

Variable Grid Method

NETL's Variable Grid Method (VGM) is a novel approach that leverages GIS capabilities to simultaneously visualize and quantify spatial data trends and underlying data uncertainty. The flexible VGM approach utilizes a range of spatial datasets and uncertainty quantifications, which can be calculated using data related to sample density, sample variance, interpolation error, multiple simulations, etc., to create an integrated visualization of data and uncertainty. The intuitive manner of the VGM helps communicate the relationship between uncertainty and spatial data to effectively guide research, support advanced computation analyses, and helps inform research, management and policy decisions. The VGM approach is being developed into a Python Add-in extension and toolbar for ArcGIS, providing users the capabilities to utilize the VGM for their datasets, analysis, and models in support of their decision making needs.



Above: Example of a traditional presentation of spatial data as a continuous raster, without any uncertainty information, and a NETL variable grid (right) where data trend (colors) and uncertainty (grid cell sizes) are represented simultaneously.

Benefits

NETL's G&G Team continues to advance these and other spatio-temporal and geostatistical tools and approaches to support DOE's mission and goals for safe, reliable, and enduring access to domestic energy resources. In addition, the approaches described above complement NETL's existing capabilities such as NETL's BLOSOM, to provide robust analyses, enhance applications of NETL's EDX and Geocube, and provide efficient, flexible, data-driven methods to assess and reduce risks related to various forms of energy exploration and production.

